


## **Historic, Archive Document**

Do not assume content reflects current scientific knowledge, policies, or practices.



62.61  
62.61

FLOWER  
FIELD  
or  
GARDEN  
SEEDS



1921 SEED CATALOGUE

OF THE QUALITY KIND

Seeds You Can't Keep Down

THE DANIEL

Batchelor Seed Store

Now 12 Pearl St.

UTICA, N. Y.



## SEEDS--Buy Them at Home

It is not necessary for you to send away for your garden seeds when you can buy choice, Northern grown, bulk garden seeds at home.

We carry a complete line of bulk garden seeds and are in a position to take the best care of your seed wants. Our seeds are all carefully tested, new crop seeds, not the kind put up in fancy packets and sold on commission, which you may have purchased in the past and which may not have given satisfaction.

When you buy from us you see what you are getting, save the trouble of sending away to some mail order house, and you do not have to wait for your seeds to come by parcel-post or express and possibly be delayed or lost. You also save the cost of transportation.

Come in and see how much fresh bulk seed you get for your money.

More seed and better seed for less money.

### BUY BULK SEEDS FOR SUCCESS

## Cut the Cost of Living with a Vegetable Garden

**C**IT IS surprising how small a piece of ground is needed to supply a family of average size with fresh vegetables through the whole season. A piece of ground, say, thirty feet by forty feet, will do it. In these days of high prices there are many sorts of vegetables that it more than pays to grow at home. In comparison with the ridiculously small cost, the return surely does warrant the effort.

**C**HOW can it be done? The preparation of the plat is the first consideration. The ground must be well worked up, all sticks, stones and large lumps removed, and in most instances it will be necessary to turn under a goodly amount of stable manure or humus. Commercial fertilizer may also be applied sparingly at time of planting in the rows, or beside the rows of plants later on.

**C**PICK a well drained spot in the yard where the sun shines all day long and there are no shade trees, for vegetables as well as flowers need plenty of sunshine plus lots of cultivation and then some more cultivation.

**C**NEXT, the seed. Be sure of your seed, as it is most discouraging to find after you have planted and worked all summer that you have nothing worth while to show for your pains.

**C**PLANTING Lettuce, Radish, Carrots, Beets, Early Onions and Turnips requires very little room and can be grown between those sorts that require more space. Put Corn and tall kinds where they will not shade in any way the more dwarf kinds.

**C**HOW shall I plant or lay out the bed? Why not try it this way: Half a pint of Wax Beans planted, say, in two rows, followed by half a pint of green podded kinds. One row of Early Cabbage (use plants). One or two quarts of Peas—early and late in two rows. One row of Early Beets. Follow Peas and Beets with a planting of Late Cabbage (use plants of your own growing). Half a row of Radish, Early Round. Half a row of Long White or Red. One-half row Lettuce, curled leaf, half row Head Lettuce. One row of Onion Sets. Follow Onion, Radish and Lettuce with Egg Plant, Pepper, Turnip and Rutabaga. One row of Cucumber, Early and Late. One row of Tomato. Four rows of Sweet Corn, early and late, Squash, Pumpkins, etc.

**C**MANY other sorts may be added to this list which are well worth the time and effort of producing.

## ORDER SHEET FOR BACHELOR'S NORTHERN GROWN SEEDS

## **SEEDS YOU CAN'T KEEP DOWN**

## THE DANIEL BACHELOR SEED STORE

12 PEARL ST.                    UTICA, N. Y.

Date .....

## Forward by

**State whether wanted by Mail, Express or Freight**

Name ..... Homework ..... Classwork ..... Test .....

**Street, P. O. Box or Rural Delivery.**

Postoffice .....

Express or Freight Office (If Different from P. O.)

County..... State.....

While we exercise the greatest care to have all Seeds pure and reliable, we do not give any warranty, express or implied. If the purchaser does not accept the Seeds on these conditions, they must be returned at once.

AMOUNT ENCLOSED			
P. O. ORDER	-	-	\$ _____
EXPRESS ORDER	-	-	\$ _____
DRAFTS	-	-	\$ _____
CASH	-	-	\$ _____
REGISTERED LETTER	-	-	\$ _____
POSTAGE STAMPS	-	-	\$ _____
2c stamps preferred			<hr/>
<b>TOTAL</b>	-	-	\$ _____

---

**Please Do Not Write Here**

---

Filled by \_\_\_\_\_ Checked by \_\_\_\_\_

How Sent \_\_\_\_\_ Date \_\_\_\_\_

Bags \_\_\_\_\_ Boxes \_\_\_\_\_ Bbls \_\_\_\_\_

Order No. \_\_\_\_\_ Received \_\_\_\_\_

Please Do Not Write Here

Filled by \_\_\_\_\_ Checked by \_\_\_\_\_

How Sent----- Date-----

Bags ..... Boxes ..... Bbls .....

Order No. \_\_\_\_\_ Received \_\_\_\_\_

# 12 Pearl Street, Utica, N. Y.


# The Daniel Batchelor Seed Store. *Seeds You Can't Keep Down.*

# SEEDS YOU CAN'T KEEP DOWN

## Order Sheet for Bachelor's Northern Grown Seeds

WALTER S. PURVIS, PRINT. UTICA, N.Y.

Barrels	Bushel	Quarts	Pints	Pound	Ounces	packets	NAMES OF ARTICLES WANTED		PRICE	
									Dollars	Cents



### This Cabbage

reached its perfection because enabled to benefit fully from soil, air, rain and sunshine, and grow to the limit; it was


#### Sprayed "Pyrox" with

which kills insects, stops fungous troubles, and stimulates foliage on all kinds of crops. All ready to mix with water and spray.


No. 31

Planet Jr. Combined Drill  
Seeder and Wheel Hoe \$15.50

Packed Weight 32 lbs. Holds 1 Quart.



*Write for Complete Catalog of  
Planet Jr. Implements*



### This Potato

came from a strong, stout healthy vine, enabled to benefit fully from soil, air, rain and sunshine, and produce to the limit, because

#### Sprayed "Pyrox" with

which kills insects, stops fungous troubles, and stimulates foliage on all kinds of crops. All ready to mix with water and spray. Enough to make 30 to 40 gals. Large catalogue of information tree.

## BEST FOR BABY CHICKS

"American" Pans



**3 PANS 75 cts.  
Postpaid**

The small holes in the top pan prevent the chicks from getting into the feed or water—prevent them from crowding too close around the feeder and prevent dirt and droppings from polluting the contents. There is absolutely nothing in the construction of these pans to become loose or broken—they overcome every objection to the ordinary Mason Jar pan and are the most desirable of all feeding and watering devices. Order them today. Sold and guaranteed by ➔

**4 PANS \$1.00  
Postpaid**

American Poultry Journal, 623 Plymouth Ct., Chicago, Ill.  
Enclosed find \$..... for which send me postpaid  
..... American Mason Jar pans as advertised herein.

Name ..... Rte. ....  
Town ..... State .....

# THE OLDEST—LARGEST and BEST POULTRY PAPER

Since 1874—The American Poultry Journal

has blazed the trail for the poultryman, having his welfare always at heart. It does not contain free puffs for advertisers, but is full of honest advice and reading of real information and value about the breeding, feeding, management and care of poultry.

Try this Live Monthly Poultry Magazine

Trial 4 Months	25c	1 Year	75c	3 Years	36 Months	\$2
----------------	-----	--------	-----	---------	-----------	-----

To Canada 40cts—Foreign 50cts      To Canada \$1—Foreign \$1.25      To Canada \$2.75—Foreign \$3.00

Send your order today.

It averages over 100 pages per issue. A single copy is worth nearly 4,500 pages—costs only 5 cents per copy at this remarkably low 3-year rate.


You will be delighted with it and wonder how such a splendid journal can cost so little. It suits everyone and will suit you. You get it right in American Poultry Journal—the oldest, largest and best poultry paper in America. Fill out the space below and get this big, important magazine, bulging with the best poultry facts we can glean, all the product of practical brains, every month.

American Poultry Journal, 523 Plymouth Ct., Chicago, Ill.

Enclosed find \$..... for which send me AMERICAN POULTRY JOURNAL each month for ..... months.

Name ..... Town ..... State ..... Route .....

recommended by Daniel Batchelor Seed Store, 12 Pearl St., Utica, N. Y.




# TERMS OF SALE

WE GIVE NO WARRANTY, express or implied, as to the purity, description, quality, productiveness or any other matter of any Seeds, Bulbs, or Plants we send out, and we will not be in any way responsible for the crop.

Prices of Seeds vary. We quote Market Values upon request and always give our customers the benefit of the lowest price that the market condition will warrant. Special prices on a general list will be given upon application. LET US HEAR FROM YOU.

We especially recommend to you the varieties marked with an asterisk (\*), as being the best varieties of their respective types. You will be sure to be pleased with these varieties.



GREEN GLOBE  
ARTICHOKE

## ARTICHOKE

The Globe Artichoke is cultivated for its flower-heads, which are cooked like asparagus. Plants set in any good soil, with slight coverings in winter, will remain in bearing several years.

Large Green Globe. The standard variety.

## ASPARAGUS

Fr., Asperge.


Sow one ounce for sixty feet of drill. Sow in March or April, in rows one foot apart. When two years old, transplant into permanent beds, which should be well and deeply manured, and trenched to the depth of two feet. Set the plants (in rows) from three to four feet apart, and two feet in the rows, spreading out the roots and covering from six to eight inches. On the approach of winter cover with manure or compost; fork the beds early in the spring, and apply a dressing of salt. Cut for use the second year after planting in permanent bed.

## ASPARAGUS SEED

Columbian Mammoth White. A new and entirely distinct variety that produces shoots that are white and remain white as long as fit to use.

Conover's Colossal. The standard variety; of large size, tender, and of excellent quality.

\*Palmetto. It is of very large size, even and regular in growth and appearance. It is a very early sort, and immensely productive and of the best quality.



## ASPARAGUS ROOTS

Two Years Are Gained if Roots Are Planted.

Columbian Mammoth White. .2-year-old roots.

Conover's Colossal. 2-year-old roots.


Palmetto. 2-year-old roots.

Prices on any variety of 2-year-old roots upon request.

## BRUSSELS SPROUTS

One Ounce of Seeds to 100 Yards of Row.

A variety of the Cabbage family, possessing the peculiarity of bearing upon its stem or stalk from 50 to 100 buds resembling miniature Cabbage heads. The leaves composing these heads resembled Savoy Cabbage in their crumpled texture and also in their color. The heads or buds, from one to two inches in diameter, form one of the most delicious garden vegetables, only equaled by the Cauliflower. Treat same as Cabbage. Autumn-grown Sprouts, drilled in May and transplanted in July, generally do best, as the plants are quite hardy and the buds mellow under frost.



BRUSSELS SPROUTS

ASPARAGUS  
CONOVER'S COLOSSAL

## BROCCOLI

One Ounce of Seed to 100 Yards of Row.

A plant much resembling the Cauliflower, and, like it, derived from the wild Cabbage. Broccoli requires a longer season to develop than Cauliflower. It has more numerous and stiffer leaves and the heads are smaller.

Large Early White. Large white head, resembling Cauliflower.

## BUSH BEANS

Beans are easily frost killed, so plant them at corn planting time on light, dry land. Cold, wet weather will rot the seed in the ground, and fresh manure causes a rank growth of vine with a lack of pods.

If hand cultivated, beans can be drilled in poor soil as close as eighteen inches; but in rich soil with horse cultivation thirty inches is required. Drill six beans to the foot and cover one inch deep; or plant in hills eighteen by twenty-four inches. One quart should plant 250 feet and one bushel plants an acre. Expect a picking after six weeks. Plant every third week for a succession up till August 1st in the latitude of Chicago. Pick beans before the bulge of seed appears, and pick beans clean to continue the plants bearing. Give beans shallow cultivation, and do not till the soil when the plant is in bloom, or the plant in self-defense will drop its bloom. To cultivate when wet is to invite rust.

## GREEN POD VARIETIES.

\*Early Red Valentine. For snaps there is nothing superior to this variety among the dwarf green podded sorts both for the home and market garden and many prefer it to the wax varieties. Vines medium to large, erect, with dark green leaves. Pods medium length, curved, cylindrical, with crease in back, very fleshy, crisp and tender.

\*Black Valentine. A very hardy and productive green podded sort, with strong, vigorous vines. Pods rather flat, but very handsome, much longer, straighter, less fleshy than the Red Valentine, the plant a little more spreading, and in season a little later.

## BUSH BEANS, Green Pod—Continued

**Long Yellow Six Weeks.** The vine is large, vigorous, branching and productive, with large leaves. Pods long, straight, thick, flat in shape, green in color, of good quality when young and fair as they near maturity.

**Bountiful Beans.** This new green podded Bush Bean is a heavy cropper and very early, of fine shape, stringless and good quality.

**Extra Early Refugee.** Very much earlier than the Old Style Refugee or 1000 to 1. More dwarf and compact in growth.

**★Longfellow.** This new bean has long green pods, is exceedingly prolific, always solid, a delicious flavor, is tender and remarkably early. It matures its crop very regularly and withstands adverse conditions well. A good bean for market or home use.

**★Refugee or 1000 to 1.** The vines are large, spreading, exceedingly hardy, with small smooth leaves, very late, and bear long, cylindrical green pods of excellent quality. Highly esteemed for late planting.

**★Giant Stringless Green Pod.** A very hardy, stocky vine, pods long, round and green in color, of exceptionally fine quality and stringless throughout its entire growth.

**★Burpee's Stringless Green Pod.** A very desirable green podded snap sort for the home garden and largely grown for the market. The vine is vigorous, spreading and productive. The pods are larger than those of the Red Valentine, but are quite as fleshy, of equally high quality and remain crisp and tender longer.

**Tennessee Green Pod.** This dwarf snap bean, although new to the Seed Trade, has for several years been grown in the South, and wherever known is freely spoken of in terms of highest praise.

**Dwarf Horticultural.** Vines very productive, compact, upright, with large leaves. Pods medium length, cylindrical, curved, with splashes of bright red on a yellowish ground.

**★Pheasant Eye.** A valuable new green podded variety. Vines hardy, sturdy, well leafed. Pods long, meaty, stringless and of excellent quality.

**Low's Champion.** Large, green, flat, stringless pods.

**French Bush Horticultural**

**Goddard or Boston Favorite**

**Red Kidney**

**Navy**

**Improved White Kidney**

**Boston Pea Bean**

**Large White Marrow**

## DWARF LIMA VARIETIES

As limas require even more heat than other beans, a failure will follow a too early planting. The beans when favorably planted throw out from what we term the bean's eye a stout root; this root in turn lifts the bean above the ground. The bean then opens its halves, or false leaves or cotyledons and the true leaves soon follow. If in planting the bean is thrust into the soil eye down and just below the surface, the bean is in a favorable position to begin its growth. However, the crop can be secured though with a lesser per cent of germination by dropping the bean in any position.

Bush limas are earlier than pole limas and are planted in twenty-four to forty inch drills, three to six inches apart in the row according to varieties. One quart plants one hundred twenty-five to one hundred fifty feet.

Treat pole limas like other pole beans, using one quart to one hundred hills.

**★Burpee's.** The only bush form of the true, luscious, large lima. It is pronounced by all good judges as unquestionably the real Bush Lima. The bushes grow eighteen to twenty inches high, of stout growth and always erect. It is an immense yielder.

**★Henderson's.** This is a bush form of the small Sieva pole bean. It is the original bush form of the pole beans. It is the most productive of any, and on the whole is a vegetable of great merit.

**Dreer's.** The true bush form of the chubby Dreer's or Potato Lima. The pods are heavy and thick. It is quite productive and of excellent quality.

**New Wonder.** This gives the largest and best returns—a big crop from a small space—and is a decided improvement on the original type of Burpee's Bush Lima. The beans are of flat shape and fully equipped in flavor to the famous Dreer's Bush Lima, so well and favorably known.

**★Fordhook Bush Lima.** Vines strong, erect and true Bush Lima growth. Foliage heavy and very dark green in color. The stalks that produce the blossoms are thrown out from the lateral and main stalks. The pods resemble Dreer's Bush Lima, but average more than double the size and contain from 3 to 5 beans to the pod.

## BUSH BEANS, WAX POD

**★Davis White Wax.** This bean is adapted alike for the canner, market gardener, shipper or amateur. The dry bean is large, kidney-shaped, and white in color, making it one of the best for cooking in a dry state. Pods are long, meaty, flat in shape, and of a beautiful yellow color and fair quality.

**Improved Golden Wax.** Rust proof, an improvement on the old style Golden Wax. Pod is semi-round, yellow, of good quality and has no string. Ready for picking 47 days from planting.

**Detroit Wax.** A distinct variety of recent introduction, which is worthy of a place in every garden. The waxy, yellow pods are produced in great abundance and the quality is extra fine.


**Prolific Black Wax.** The old standard Black Wax Bush Bean. It is so good that it is worthy of special notice. The pods are round, brittle, of handsome golden yellow color, and of buttery flavor when cooked.

**★Pencil Pod Black Wax.** Pencil Pod Black Wax grows a taller, stronger and more vigorous bush than the Improved Prolific Black Wax, which is one of its parents. The other parent is the Round Pod Refugee or Thousand to One, and from this latter source the Pencil Pod Black Wax gets much of its vigor, hardiness and productiveness, and its long, slender, straight, handsome pod, shaped very much like a pencil.

**★Currie's Rust Proof Wax.** An excellent Wax Bean in every respect. Rust proof, tender, thick flat pods of very good quality. Very little string in early stages, developing a little when nearing maturity. Fit for table use 47 days after planting.

**★Webber Wax.** Unquestionably one of the best wax podded beans ever introduced. It is a market gardener's bean, having been originated in one of the best market gardening sections of the West. It produces a deep golden colored pod of good length; shape semi-round, thick meated, stringless and of exceptional quality. Vines strong, holding the pods well up, with good leaf covering and bearing in profusion.

**Michigan White Wax.** This splendid variety may be briefly described as a white seeded Golden Wax. It is one of the earliest of the dwarf, snap beans. The vines are very vigorous and unusually productive. The pods are golden yellow, fully as attractive as the well-known Golden Wax and of the same exceptionally fine quality. The seed is white, a most valuable feature heretofore unattained in a bush bean of highest quality.



BLACK VALENTINE

## BUSH BEANS, Wax Pod—Continued

**★Round Pod Kidney Wax.** A very handsome midseason variety, especially desirable for snaps for the home garden. The plants are of strong growth, spreading and very productive. The leaves are large, broad and roughened. The pods are long and round, five and one-half to six inches, slightly curved, light yellow, wax-like, stringless and of the very best quality.

**★Hodson Wax.** The creamy-white flat pods are six to seven inches long, by three-eighths of an inch wide. The pods are late in maturing and are usually free from blight or rust.

**Wardwell's Kidney Wax.** Hardy and productive, pods long, broad, thick, flat and of a delicate waxy yellow, of excellent quality and with no string in the early growth, ready for table 48 days from planting.

**Refugee Wax.** A perfect Refugee with Wax pods. Pods long, round and of a golden yellow color. One of the earliest, quality excellent, and is fit for picking 57 days from planting. A very fine canning bean.

**Sure Crop Wax.** A vigorous growing, very productive variety, similar in general appearance of plant and seed to Currie's Rust Proof Wax; the pods, however, are more fleshy, of decidedly better quality and are stringless at practically all stages of growth. Pods about six inches long, nearly round, attractive in color and remain a long time in condition for snaps. A decided improvement over Currie's Wax.

**PLANT MORE BEANS.—Beans are very reasonable in price this year, particularly the green pod and wax varieties, as crops have been good, and as the green Beans have been bringing a good price in the market along with all other sorts of produce, more Beans should be planted for both garden and market purposes.**

Now that the seed can be bought cheap and with the green Beans in such good demand, everyone should put out an increased acreage of Beans and help reduce the high cost of living.

## POLE BEANS

The pole bean climbs, sometimes needing a little training over any support given to it, be that support the growing cornstalk, rough stakes from the wood lot, bamboo or paluted stakes, chicken wire or a convenient fence, supported wires or strings, or some porch or trellis. A good practice is to set firmly in the ground, every three or four feet each way, poles that are, when set, about six feet. Some time after bunch beans are planted, six or eight beans are planted on inch deep near the base of each stake and later thinned to three or four plants to the pole. One-half bushel of pole beans generously plants an acre, and one pint plants one hundred hills.

The pole bean bears over a longer period than the bunch bean and is generally considered of superior quality, but it requires more labor, longer time to mature, and is more sensitive to adverse climatic and soil conditions. Note that this vine turns only one way around its support.

When too old for use as a green snap bean, use any bean shelled, or still later, when it is hard and dry, it remains equally serviceable.

**★White Creaseback.** An extremely early Pole Bean. Vine small to medium and wonderfully productive. Bearing pods in clusters of from four to twelve, and medium in length. An excellent shipper.

**Red Speckled Cut Short (or Corn Hill).** This is the best sort to plant in hills of corn. A great cropper.

**★Kentucky Wonder.** Vines vigorous, climbing well, and very productive, bearing its pods in large clusters; blossoms white; pods green, very long, often reaching nine to ten inches. Nearly round when young and very crisp, although as they reach maturity they become irregular and spongy. Dry Beans long, oval, dun-colored.

**Kentucky Wonder White Seeded or Burger's Stringless.** A very early, white seeded variety. Pods six to seven inches long, round, slender and straight; very tender, fleshy and stringless; of high quality; color dark green.

**Lazy Wife.** One of the most productive and easily gathered of the Pole Beans, hence its very discourteous name. A most excellent bean for the home garden.

**★London Horticultural, or Speckled Cranberry.** Vines moderately vigorous, bearing short, broad, pale green pods, becoming streaked with bright red as they near maturity. Beans large, oval and splashed with red. Used either green or in the dry state.

**Early Golden Cluster Wax.** One of the very finest polebeans. Very early, being only a week later than Golden Wax.

**Kentucky Wonder Wax.** One of the earliest of the pole wax sorts. Pods eight to nine inches long, thick, decidedly creasebacked, very fleshy, brittle but stringy, attractive and fair quality; color light yellow.

**Dreer's Improved or Challenger Lima.** This is a beau of rather peculiar shape, being thick and plump, rather than flat and oval.

**★Large White Lima.** The large Lima is a general favorite wherever it can be cultivated on account of its excellent flavor and productiveness.

**★King of the Garden Lima.** The old standard market and family sort. The vine begins to produce pods at the foot of the pole, and the bearing season continues until frost. Pods large, and well filled with beans of mammoth size.

**★Small White Lima, Carolina or Sieva.** Vines vigorous with many short branches, so that they are sometimes grown without poles; very early and productive, bearing short pods, which are thin and curved.

**Scarlet Runner.** Height, ten feet, with dazzling scarlet flowers from July to October; both ornamental and useful. It is used either as a string or shelled bean.

**Dutch Case Knife.** Vines moderately vigorous, climbing well and excellent for a corn hill bean; leaves large, crumpled, and pods very long, flat, green in color, becoming creamy white later. Beans broad kidney shaped, flat, and white in color.

## TABLE BEETS

As soon as the soil can be worked in spring, sow beet seed in twelve to eighteen inch drills for hand hoeing or eighteen to thirty inch drills for horse cultivation, dropping twelve seed to the foot. Cover the beet seed, which is really a beet fruit containing one or more seeds, one-half inch deep. Later thin the beets to stand five to the foot. Planted April 1st, the early varieties should be marketable June 1st, or the crop may be advanced several weeks by starting under glass and transplanting to the open, first giving the beet tops a severe pruning. Use one ounce of seed to one hundred feet of row, and five or six pounds to the acre. Beets sown in early July should be ready to store in pits or in sand in the cellar when freezing weather begins.

★**Early Egyptian.** The well-known early variety. Color, extra dark; shape, flat; quality, excellent.

**Early Eclipse.** A very early maturing beet, especially desirable for the home garden. Top of medium size. Root nearly globular, with a small tap root and small collar. Flesh bright red, zoned with white; very sweet, crisp and tender, especially when young.

★**Crosby's Egyptian Beet.** The name of this variety is misleading, as it resembles the Egyptian only in its extreme earliness. They are also more spherical than the Extra Early Egyptian and, we think, of better quality. One of the best for early planting out of doors.

**New Model.** Extremely early, of perfect globe form and finest quality. The foliage is very small. The beets are always smooth and of the deepest blood-red color, while they quickly attain a good size.

★**Crimson Globe.** This is one of the finest beets yet introduced. Roots are not large, but very handsome. Round, and a clean, smooth surface. Leaves very small, with slender stems.

**Edmand's Early Blood Turnip.** The best sort for general crop. In quality one of the finest, exceedingly dark, shape globular, having only one tap root. Very popular with market men.

**Dewings Early Blood Turnip.** A good variety for main crop. Keeps well. Like Edmand's but lighter color.


★**Detroit Dark Red Turnip.** Quality good; sweet and tender; color deep red; roots are turnip shaped, with small tap roots.

★**Improved Blood Turnip.** An improved variety of Early Blood turnip of deep, blood-red color; fine form and flavor. An excellent market sort.

**Long Smooth Blood.** The standard long, late sort. Very dark, blood-red flesh, quality fine.

**Half Long Blood.** One of the best for winter use. The roots are only half as long as the Long Blood, but weigh as much on account of their thickness. They are always smooth and handsome, and their rich, dark red flesh is very sweet, crisp and tender, never becoming woody, even in the exposed portions.

★**Swiss Chard, or Silver.** This robust growing variety is often referred to as the Spinach Beet and is grown for its leaf, not for its root. The thick rib may be stripped from the leaf and used as in Asparagus while the rest of the leaf is served as "greens."



CROSBY'S EGYPTIAN



GOLDEN  
TANKARD MANGEL

## MANGEL WURZELS

Mangel Wurzel, called also stock beet, or cow beet, is a very large beet growing mostly above the ground and all stock eats it greedily. Plow the soil for it deeply, and in May or June plant six Mangel seed to the foot in two to three foot rows, later thinning to a ten inch stand. One ounce sows generously one hundred feet of row, and an acre requires five to six pounds. When a light frost has occurred, lift the roots, store in pits or cellars, and the mangels are soon ready for feeding.

★**Improved Mammoth Long Red.** A large, long variety grown for stock feeding. It stands up well above the surface; color, light red, flesh white and rose colored.

**Norbiton Giant Long Red.** Very large, excellent variety for feeding stock.

★**Golden Tankard.** Shape cylindrical, color deep rich yellow, flesh yellow circled with white. Unequaled for feeding stock.

**Yellow Globe.** Globular shaped roots. More productive than Long Red in shallow soil. Very nutritious and a good keeper.

**Orange Globe.** We think this one of the best varieties of mangel wurzel.

## SUGAR BEETS

The Sugar Beet, grown for the manufacture of sugar, and frequently used for stock feeding, is a yellowish white beet, smaller than the mangel, but containing a much greater per cent of sugar. In growing, the sugar beet is treated like the mangel, except that only six or eight inches of space is given each beet in the row.

**Vilmorin's Improved Sugar.** In general, the most desirable beet for the factory is the one containing the largest percentage of sugar. In this variety we have one of the richest beets in cultivation.

★**Klein Wanzleben.** A little larger than Vilmorin's Improved, yielding from twelve to eighteen tons per acre, and containing about the same amount of sugar. It grows below the surface, and the green leaves are rather large and spreading, with wavy edges.

★**Giant Half-Sugar.** This unites the large size of the mangel with the greater feeding value of the sugar beet. The roots average ten to twelve inches, and the outline is that of a broad, thick wedge. The upper portion is of a soft bright pink, shading lighter toward the bottom, where the lower portion for about one-third the length is white.

## CABBAGE

Cabbage grows successfully on a wide variety of soils, and experience points to liming, deep plowing and heavy manuring as successful practices.

Cabbage plants when properly hardened by gradually being brought to a low temperature and the quantity of water in them diminished, will stand any frost and some considerable freezing. Yes, a cabbage plant raised at a high temperature and full of water will be killed by even a light frost. Cabbage can be grown by planting the seed heavily where the crop is to grow and thinning the plants, but a better practice is to raise the plants without crowding in a seed bed which is not richer than the field to which the plants go, and transplant, if possible, on a cloudy day, watering the plants if the soil is dry. South of the Ohio seed is frequently planted out of doors in September and wintered in coldframes, or in very southern localities the plant is fall-set on a shady side of the furrow, to avoid as much as possible the deadly freeze and thaw. For early cabbage north of the Ohio, sow seed in hotheds in February, transplant to coldframes in March, and set outside in April, or sow seed out of doors as soon as the soil can be worked in Spring, covering the seed one-third inch deep. All vegetable plants are best when grown without check, so let as much soil adhere to the roots of the plant in transplanting as will hold, and set up to the first leaf. At this time the plant should have four to five pairs of leaves and be four to six inches high.

Set small varieties to be worked by hand as close as eighteen inches each day, while large late varieties, horse cultivated, need thirty or more inches each way. A convenient setting for Wakefield Cabbage is eighteen inches apart in thirty-inch rows. Seven out of eight heads can be counted upon to mature, and if yourself or the market is cabbage hungry, cut when the hearts are solid. Germination occurs in four to ten days, and cutting of well-grown early cabbage begins frequently in sixty days from transplanting. One ounce of seed will readily give three thousand plants and one-fourth pound is sufficient for an acre.

For home use, plant for a succession and study the market's demands; don't grow big sauerkraut factory heads if your market asks for small cabbage for home use.


Late varieties are frequently ill-timed in planting. Nitrate of Soda will hurry the crop if too late, and if heads are so early as to begin bursting, push the head to one side far enough to tear off the roots on one side.

When club root appears, lime the soil heavily, and do not plant brassica—that is, cabbage, turnips, cauliflower and kindred crops—upon this sick soil for two or three years.

Fight cabbage worms with Paris Green, Hellebore, or other good stomach poison.

For cabbage maggots, pour kerosene emulsion about the roots, or cut tarred paper in three-inch squares, split the square to the center, and place this collar on the ground about the plant when the plant is set.

For plant lice or aphis, use tobacco tea or kerosene emulsion, and remember, these poisons kill by contact and do not do their work long after spraying, like a stomach poison.



**EARLY JERSEY WAKEFIELD**

★**Faultless Cabbage.** The favorite second early cabbage. The product of this seed outsells any other second early cabbage. It can be marketed in the early summer, during midsummer, in the fall and early winter, making it the best all-purpose variety.

**All Seasons.** A fine variety for any season; a good shape and size.

**Henderson's Succession.** A good summer cabbage; also makes a good cabbage to succeed itself.

**Early Dwarf Flat Dutch.** An early cabbage of good size. Heads are flat and very solid.

**Early Winningstadt.** An early pointed head variety of excellent quality, not as early as the Wakefield, but larger.

★**Glory of Enkhuizen.** This is an excellent midsummer variety. It comes in about a week earlier than All Seasons, makes a nice large head, has few outer leaves, and can be planted close. Our tests show it to be worthy of a place among the new varieties of merit, and we can recommend it as a good addition to the list.

★**Copenhagen Market.** A new early variety, popular with market gardeners. It is one of the finest early round-headed cabbages in cultivation. It is desirable on account of the remarkable characteristic of maturing the heads all at the same time, enabling the grower to gather his crop with less expense and permitting the clearing of the land at the first cutting.

**Stein's Early Flat Dutch.** An early and excellent type of Early Flat Dutch, with a medium stem; heads round, flat and solid.

**Early Drumhead.** This popular variety follows the Faultless in heading and is one of the most valuable varieties grown.

**Fottler's Early Brunswick.** An early fall variety, well known and popular.

**Louisville Drumhead.** This fine cabbage is very popular with the kraut makers. It is a medium late variety.

The kitchen gardener or critical market man who wants a quick and even maturing cabbage that resembles Danish Ball Head will find Glory or Enkhuizen and Copenhagen Market unquestionably the best.

★**Early Jersey Wakefield Cabbage.** The most popular of the pointed head varieties. Is exceedingly early, a good cropper, heads of good size, solid and uniform.

**Large or Charleston Wakefield.** This is a selection from the best early Jersey Wakefield which will average about 50 per cent larger.

★**Early Spring Cabbage.** The earliest flat head, nearly as early as Jersey Wakefield. Yields more than the early pointed heads. Solid, uniform and finely grained heads.

★**Henderson's Early Summer.** A standard summer variety. Heads large and solid.

★**All Head Early.** One of the finest early flat-head cabbages.

## CABBAGE—Continued

Buy Cabbage Seed carefully. Select the best variety for the purpose wanted and know that you have the best seed to be obtained.

**★Premium Flat Dutch.** This variety of late cabbage is a standard in all sections for winter use. It makes a large solid head, which keeps long without bursting, and is adapted to a more varied climate than probably any other variety we grow.

**Sure Head.** A fine variety for main crop. A good shipper and sure header.

**Large Late Drumhead.** A late variety of large size.

**★Improved American Savoy.** Closely approaching the cauliflower in delicacy and delicious flavor. The best of all the Savoys for general market or home use. It has a short stump, grows to a large size, is compact and solid, and is a sure header.

**Wisconsin No. 8.** A "yellow" resistant strain of cabbage. The disease resistant properties of this variety apply only to that known as the "yellows" and no claim is made that it is less susceptible to other forms of disease such as Black Rot, Black Leg or Club Root, than other sorts. Although showing considerable variation in type, the plants resemble Hollander, but are larger and more leafy and spreading. The heads are round or somewhat flattened. For localities where cabbage plants are affected by the "yellows" we earnestly recommend a planting of this new strain.

**Red Drumhead.** The standard pickling variety. A good keeper.

**★Mammoth Rock Red.** The largest heading of any red sort. Heads are hard, of deep red color, quality excellent.


**Chinese Cabbage or Pe Tsai;** sometimes called Celery Cabbage; resembles Cos Lettuce as much as cabbage, though with a decided cabbage flavor.

**Danish Ballhead Cabbage.** For a winter cabbage for early spring sales some gardeners consider this variety excellent. It has been selected and perfected for more than fifty years by the Danish gardeners, who prize it so highly that they grow it almost exclusively for winter cabbage, and annually export large quantities of it. It is a hard heading, and long keeping cabbage. Heads round as a ball, solid, fine grained, has few outer leaves, tender, crisp and of unexcelled flavor.

**★Holland.** The favorite winter cabbage with market gardeners. It is as hard as a rock, and a small head will weigh as much as a large head of any other variety. The leaves lap over and make a head in which there is no waste.



**COPENHAGEN MARKET**  
(See description on page 5)



**HOLLAND WINTER CABBAGE**

## CARROTS

The carrot, whether used raw, fried, boiled, or stewed; used alone or combined with other vegetables or meat, is not surpassed in nutritive healthfulness by any other vegetable catalogued. Plant carrots, in the latitude of Chicago, from the time the soil can be worked in Spring till July 1, in one to two foot rows for hand cultivation, or in thirty inch rows where a horsedrawn tool is used. Use one ounce of seed to one hundred feet of row, three or four pounds to the acre, covering one-half inch deep, and later thin to a four inch stand. To cultivate the rows at an early date, sow radish seed, which germinate quickly, with carrot seed, which germinate slowly. Do not overlook the value of this crop as a stock food.



DANVERS CARROT

**Early Short Horn.** A fine early variety, good for home use. Eastern market gardeners use this sort for bunching.

**Chantenay.** Tops medium size; necks small; roots tapering slightly, but uniformly stout rooted and smooth; color, deep orange red; flesh very crisp and tender. Although this is a medium early sort it furnishes roots of usable size as early as any, is a heavy cropper, and is undoubtedly one of the best for both the market and private garden, while its great productiveness makes it very desirable as a field sort.

**Guerande, or Ox Heart.** Tops small for the size of the roots, which are comparatively short, but often reach a diameter of 7 inches, terminating abruptly in a small tap root. Flesh, bright orange, fine grained and sweet. This is a desirable variety for soil so hard and stiff that longer growing sorts would not thrive in it. When young, excellent for table use, and when mature equally good for stock.

**Danvers.** Grown largely on account of its great productiveness and adaptability to all classes of soil. Tops medium sized, coarsely divided. The smooth and handsome roots are deep orange, of medium length, tapering uniformly to a blunt point; flesh sweet, crisp, tender, and of a deep orange color. This is a popular field variety, and although the roots are shorter, they produce as large a bulk as the longer field sorts and are more easily harvested.

**St. Valery.** A good late variety. Grows long, shape uniform, tapering from a wide shoulder to a point.

**Improved Long Orange.** The most popular of the older sorts for farm use on mellow soil. An improvement obtained by years of careful selections of the best formed and deepest colored roots of the old Long Orange. Roots comparatively shorter than the Long Orange, and smoother, but so uniform and true that the bulk of crop will be greater.

**Large Orange Belgian.** Quite similar to White Belgian, except in color. Roots 20 inches long, broad and pointed; light orange below the surface, green above.

**Large White Belgian.** Grows one-third out of the ground. Root pure white, green above ground, with small top. Flesh rather coarse. The roots on light, rich ground, grow to a large size and are extensively grown for stock feeding.

## CAULIFLOWER

Cauliflower, while it resembles cabbage and requires very much the same treatment as outlined under and for cabbage, is not so hardy as cabbage, needs more water, weeds more cultivation and requires generally treatment superior to cabbage. Cauliflower cannot be expected to mature satisfactorily in hot, dry weather, and as it requires one hundred ten to one hundred fifty days for different varieties to mature, its plaiting should be correctly timed. Start cauliflower under glass or where cabbage plants can be wintered, winter cauliflower. One ounce gives two thousand five hundred plants, and one-fourth to one-half pound of seed plants an acre. When the head or heart of cauliflower, as you may think or feel of it, called the "curd," appears, tie the outer leaves over the head or pin these leaves with wooden pins or beef skewers, so the leaves will shade and blanch the curd, and then cut the curd before it starts to branch. Remember that all the enemies of cabbage emphatically attack cauliflower and are to be combated in a like manner.

**Early Snowball.** The leading cauliflower in all sections, and unquestionably the purest strain of cauliflower seed to be had. Heads uniform, of desirable market size and of snowy whiteness. After seven years' competitive tests it is pronounced by expert cauliflower growers to be the best for both early and late planting.

**Danish Dry Weather.** We take pleasure in introducing this cauliflower to our customers. It is from one of the best growers in Denmark and we recommend it highly to market gardeners for trial. It is claimed to be a splendid strain for a dry season and equally good in all weathers.

**Autumn Giant.** A late sort of fairly good quality. Will do well under favorable conditions.

## CARDOON

**Smooth Solid Cardoon.** Grown for the mid ribs of the leaves which are blanched and used in the same manner as celery. The main root is also used and when cooked in a proper way is excellent. Thorough blanching is necessary in order to bring out the delicacy of flavor possessed by the Cardoon.

## CHERVIL

A hardy annual, worthy of more general use for flavoring and garnishing.

Sow in early spring in rich, well prepared soil, and when plants are well established transplant to about one foot apart.

**Curled.** Greatly superior to the old, plain variety, being earlier, more handsome, and having fully as fine perfume and flavor.

## CHICORY

**Witloof or French Endive.** The principal merit of this variety consists in the width of its leaves and the large size of their ribs. When blanched, it forms the vegetable which the Belgians call Witloof. When properly grown and blanched it resembles a head of Cos Lettuce.

**Large-rooted, or Coffee.** Our stock is the Improved type, with very much larger, smoother, whiter and proportionately shorter roots than the old kind. The dried and prepared roots are used quite extensively as a substitute or adulterant for coffee.



WITLOOF CHICORY

## CELERY

Press celery seed into the ground; do not try to cover it; and when seed is kept wet and not above 60° F., germination occurs in ten to twenty days. Celery needs four to five months from seed to use, so very early celery should be started in hotbeds after January, and when two inches high transplanted or thinned to a space of two inches. Later trim the tops to produce stocky plants, and when five inches high set where plants are to mature, first trimming off one-third of the roots and leaves. Celery seed may be planted out of doors north of the Ohio in April and treated as outlined above. Given sufficient water celery can be grown on any good garden soil, and one ounce of seed gives above 6,000 plants.

When almost grown, celery must be blanched; that is, the light is excluded from the edible stock by the use of boards, earth, paper or other covering. If boards are used, rows can be set as close as thirty inches; if earth blanched, forty-eight inches or more is better. Set the plants six inches apart in the row and press the soil firmly about the roots. Again, celery is set in solid beds eight inches each way, and the shade of the crowded bed does the blanching. With a few stalks in a garden, a tile set over the plant or wrapping of paper answers the purpose. If earth is used

in blanching it should be drawn about the plant to one-third its height and repeated twice a few days apart till leaves only are exposed. Do not cultivate hill or disturb celery when damp, or rust may occur. In this hilling with earth called handling place a peg at end of row with string to it and pass string about each plant so as to prevent earth from falling into the heart during the work. To store, celery should be only partly blanched.

When freezing begins, lift plant with some soil and store in a cave, coldframe or cellar, temperature close to freezing point preferred. Use slats to keep celery in long six-inch wide spaces, for if too deeply packed it may heat and spoil. If plants wilt, water the roots, not the stalks.

Celery matures best in cool, moist weather, so the grower farther south may delay this planting calendar to fit his own market and convenience.

★**Golden Self-Blanching.** The best self-blanching sort. It acquires a handsome golden color without having to be hilled up, which makes it a valuable market sort.

★**Henderson's Easy Blanching.** Excels in the qualities that give Self-Blanching Celeries their value. It bleaches earlier and quicker than any of this class; it is the longest keeping variety grown (if put away green), excelling in this respect every other sort.

★**White Plume.** A good self-blanching sort, good for fall use, but does not keep well.

**Boston Market.** For many years one of the most popular sorts in the markets of Boston.

★**Giant Pascal.** This is the best keeper of all of the late sorts; very solid and crisp. This variety is unsurpassed for market garden.

**Giant Golden Heart.** This variety attains a large size, but still remains crisp and tender. It is a fine keeper and is the favorite on the Chicago market.

**Perfection Heartwell.** A finely flavored, good keeping sort, hardy and solid.

**Kalamazoo.** This is the variety used by the celebrated celery growers of Kalamazoo, Mich., and is of great merit.

**Soup or Cutting Celery.** This variety is adapted to sowing thick in rows and cutting when three or four inches high, to use for soup flavoring.



**GOLDEN SELF-BLANCHING**

## GERMAN CELERY OR CELERIAC

**Large Smooth Prague.** Has a large smooth root, and is the finest of all celeriac.


### CRESS

**True Water Cress** can be easily grown by sowing the seed broadcast on garden soil and keeping the soil very wet till the plants are big enough to transplant to shallow indentations about five inches deep here and there along the sides of a clean flowing stream. There it will continue to spread by the lengthening of its roots, also by reseeding, and requires no further care. The crop can be grown to maturity in wet garden soil, or the seed can be sown directly to the mud along the stream, but with lesser measures of success. April or September is a good time to plant these minute seeds, and this aquatic prefers to stand with its roots and most of its stems submerged. Cutting can begin in about sixty days, and a little later frequent cutting, using a sharp knife, will stimulate plant growth.

**Curled or Pepper Grass**, a pungent, quick-growing plant that poorly parades the water cress flavor, can be grown in any garden soil as soon as the ground can be worked. Plant one-half inch deep in one foot rows, thinning the plants to four inches.

### COLLARDS

**Georgia, Southern or Creole.** A variety of cabbage known in different sections as "Cole," "Colewort," or simply "greens." It is extensively used in the south, where it continues in luxuriant growth all winter.



**TRUE WATER CRESS**

## SWEET CORN

Plant corn every two weeks for a continuous supply, and north of the Ohio from late April to late July. Plant corn in three or four foot drills, dropping a grain every eight to sixteen inches, or plant in hills three or four feet each way, giving six grains to the hill and later thinning to three stalks. Corn should be planted about one inch deep, planted deeper in sand than in heavy clay; planted deeper later in the year when the soil is warm; dwarf varieties closer together than the larger ones; and a given quantity of seed of a small grained variety plants a larger area than does a like quantity of the large grained. One quart generally plants two hundred fifty hills, and one peck is necessary to the acre. Sixty-five days is a short time to maturity. Plow deeply for corn, cultivate shallow, and pick corn before it is too old. If the goodness of new corn tempts a too early planting, do not blame the resulting failure on your seedsman.

**★Golden Bantam Sweet Corn.** A very early sweet corn with golden yellow grain, very tender and of excellent quality. The ears are six to seven inches long and of the medium size found most suitable for the table. The flavor is exceptionally rich and delicious. Our stock has been very carefully selected. Height about four feet.

**Early Cory Red Cob.** This variety is the favorite for first early, and no other variety has proven earlier.

**White Cob Cory.** This is an improvement over the Early Cory, as the cob is white, which gives it a finer appearance. It is as early as the Early Cory and of excellent quality.

**Mammoth White Cory.** The ears are twelve rowed, white cobbed, and covered with very large white grains of good quality.

**Premo Sweet Corn.** A "sixty-day" sweet corn, and is thus described by the originators: "It not only combines all the merits of the leading early varieties, but it is also really superior to them all in size, quality and yield. Premo can be planted fully as early as the Adams for the young plants withstand slight frosts."

**Howling Mob.** One of the finest second early, large eared sorts; very productive, white and of excellent quality. Ears 7 to 9 inches long, 12 to 14 rows.

**Extra Early Adams.** This is an extra early field variety, but is much used as an early market variety, being sweet and juicy.

**★Early Minnesota.** One of the standard early sorts. Ready for market two weeks later than Cory or Chicago Market.

**Crosby's Early.** An early corn of large size and choice quality. It has long been a standard variety.

**Kendall's Early Giant.** A valuable early sweet corn.

**Potter's Excelsior or Squantum.** Fine, large ears and deep grain; one of the sweetest varieties.

**★Country Gentleman.** We have a stock of this excellent sweet corn that is exceptionally good. There is no sweet corn that compares with the Country Gentleman for sweetness. It is the variety par excellence where quality is desired. Market gardeners who make a specialty of growing for hotels and high-class restaurant trade use this as a main crop variety in preference to any other. For home use it will be found superior and it is very productive. The fact that it is a favorite variety with canners proves its merit.

**Old Colony.** This variety is two weeks earlier than the Evergreen and almost as large.

**Early Evergreen.** The ears of this new corn grow eight inches long, are mostly 14 to 18 rows.

**★Stowell's Evergreen.** This standard main crop variety excels all other late sorts in sweetness and productiveness. It is more popular than any other for canning, for marketing and for the home garden. Great care has to be exercised in the selection of stock to grow seed from, as this variety has a tendency to deterioration and a shorter grain, which makes it less sugary and desirable.

**Mammoth Sugar.** A large late variety having ears of mammoth size, 14 to 20 rows.

**Black Mexican.** This corn, when in condition for the table, cooks remarkably white; but the ripe grain is black or bluish-black.

**★Leonard's Narrow Grain Evergreen.** This new type of sweet corn is a stock worked up by S. F. Leonard after several years of experimenting. In it we feel that we have something vastly superior to the old wide grain Evergreen. The ear is as large as the Stowell's Evergreen and averages more rows to the ear. The cob is small in comparison to the size of the ear, and the kernels are very long, narrow and remarkably free from starch. The rows are uniformly straight and the ear holds its evenness from butt to tip more uniformly than any other type of Evergreen.



GOLDEN BANTAM



CORN SALAD

## CORN SALAD

**Fetticus, or Lamb's Lettuce.** This small salad is used during the winter and spring months as a substitute for lettuce, and is also cooked and used like spinach. In warm weather the plants will mature in four to six weeks. Sow the seed in shallow drills about one foot apart. If the soil is dry it should be firmly pressed over the seed in order to secure prompt germination. On the approach of severe cold weather, cover with straw or coarse litter. Like most salad plants, greatly improved if sown on very rich soil; indeed, the ground can scarcely be made too rich for them.

## CUCUMBER

Not before corn planting time plant cucumbers out of doors in drills or hills one-half inch deep. The crop may be advanced two weeks by starting in the hot bed or greenhouse on inverted four-inch sods covered with leaf mold. The plant will appear in four to eleven days and in three weeks from seeding, when the plant has two to four leaves it is ready to transplant outside.

Mark the field up and down hill, then furrow across its face in a four-foot check and at each intersection drop manure or fertilizer, or better, both. Throw earth to this intersection to form an elongated hill four inches high. Plant the seed like a short drill not haphazard; then later two strokes of the hoe cleans this short drill.

Be generous. Use a dozen seed to a hill, and after the striped beetle has his toll, thin to three plants to a hill. To check the beetle, use on foliage, but not too heavily, road dust, ashes, air slaked lime, bone flour, tobacco dust, or arsenate of lead; pull earth about the stems or cover the hill with netting.

Cultivate as long as possible. Cut the cucumbers. Do not pull or bruise them and to keep the plants bearing, cucumbers must not be permitted to ripen.

**Early Cluster.** Vines vigorous, producing the bulk of the crop near the root and in clusters. Fruit short, uniformly thick end, dark green, but paler at blossom end. A very productive sort.

**Green Prolific or Boston Pickling.** A favorite with pickle growers and commercial gardeners, and good for table use. Quite productive. Fruit small, uniform in size.

**Early Frame or Short Green.** An excellent sort both for table use and for pickling. Fruit straight, handsome, smaller at each end, bright green; flesh tender and crisp, and makes fine pickles.

**★Chicago or Westerfield Pickling.** A variety esteemed above all others by Chicago market gardeners and extensively grown for the large pickling establishments in this vicinity. Fruit medium length, pointed at each end, with large and prominent spines. Color a deep green. It combines all the good qualities of an early cucumber.

**★Improved Long Green.** Not so abundant a bearer as the preceding sorts, though recommended to all who put up their own pickles. Fruit long and slim, not surpassed in quality by any variety.

**★Early Improved White Spine.** One of the best sorts for table use. Vines are vigorous, fruiting early and abundantly; fruit uniformly straight and handsome, dark green, with a few white spines; flesh tender and of excellent flavor.

**Evergreen White Spine.** Is the most profitable cucumber for the market gardener. Best for the greenhouse, hot bed or for outdoor culture.

**★Davis Perfect.** In color, a dark, glossy green; shape, slim and symmetrical, with an average length of ten to twelve inches. They hold their color until nearly ripe, when they turn white.

**Klondyke.** A medium early, very good strain of white spine; fruits attractive, full, uniform, rather thick, short and blocky, tapering abruptly at both ends; color very dark green which it holds well.

**Early Fortune.** The finest market cucumber of the White Spine type. The fruits measure nine inches long and are slightly tapering. The thick flesh is pure white, firm, and unusually crisp, with very few seeds. The fruits are of a rich, dark green color which does not fade when shipped to distant markets.

**Lemon.** This little cucumber is not half appreciated for the home garden. It has a most delicate flavor, and never gets bitter or unfit for the most demanding taste. The vines are prolific—the fruit is small and always in good condition.



IMPROVED WHITE SPINE

## DANDELION

**Cultivated or French Common.** This is considered the best by many and is not at all the same as our wild dandelion, being greatly improved by careful selection.

**Improved Thick Leaved.** One of the earliest and best greens cultivated.

## EGG PLANT

Treat the egg plant like a tender tomato that required even a longer period to mature. After cabbage plants are out of the hotbed or greenhouse, which is April north of the Ohio, sow egg plant, keeping even the night temperature above seventy degrees. One ounce of seed gives two thousand plants, and one pound plants an acre. Transplant later to pots or to a three or four inch stand, and when corn is shoe high, put egg plant outside on rich, well drained land. Set the plants two feet apart in four feet rows, shading or watering the plants if it's sunny or dry. Use any good stomach poison for the potato bug when he attacks the egg plant.

**★Improved New York Purple Spineless.** Very large and smooth, fine dark color. Ours is the spineless plant, most preferred by our market gardeners, both east and west.

**Black Pekin.** A fine variety, bearing large, round, deep purple fruits, fine grained, and of superior quality.

**Early Long Purple.** Early, hardy and productive; excellent for the table.



EGG PLANT

## ENDIVE

Endive, or winter lettuce, used as a salad, as greens or garnishing, is usually planted one-fourth inch deep in a seed bed in midsummer, and when convenient after a month transplanted to stand one foot apart in eighteen-inch rows. When almost grown and about two weeks before ready for use, it is blanched by tying the leaves together with soft cord, or the blanching is by turning a flower pot or tile over each plant, or by blanching with earth, like celery. The blanching removes the green plant's acrid taste. The plant may be, but seldom is, used as an early spring crop. Three to five pounds of seed plants an acre.

★**Green Curled.** Beautifully curled, tender and crisp.

**Moss Curled.** More finely curled, and a heavier and more dense plant than Green Curled.

**White Curled.** Very tender when cut young; blanches readily.

★**Broad-Leaved Batavian. (Escarole.)** This variety is chiefly used in soups and stews; requires to be tied up in blanching.

## AROMATIC, MEDICINAL AND POT HERBS

Most of the varieties thrive best on rich, sandy soil, which should be carefully prepared and well cultivated, as the young plants are for the most part delicate and easily choked out by weeds. Sow as early as the ground can be made ready, in drills sixteen to eighteen inches apart, taking pains that the soil is fine and pressed firmly over the seed; or they may be planted as a second crop, the seeds sown in beds in April, and the plants set out in June. Most of them should be cut when in bloom, wilted in the sun and thoroughly dried in the shade.

Anise .....	Horehound .....	Dill .....	Saffron .....
Caraway .....	Sweet Marjoram .....	Sage—Broad Leaf .....	Savory, Summer .....
Coriander .....			Thyme .....


## KALE OR BORECOLE

In Virginia, kale planted in late August has some of its plants thinned out and sent to market within sixty days and the cutting then continues until the field is clean in April. Further north, kale is treated like the cabbage; that is, planted early in spring in hotbeds or out of doors, and it is used in the fall when light frosts have improved it. Kale is sown in two or three foot drills and thinned to six to twenty-four inches, according to varieties. One ounce sows generously one hundred yards and four pounds plants an acre.

★**Dwarf Curled Scotch.** Leaves bright green, curled, very tender and fine flavored; an excellent sort for private gardens.

**Siberian Kale, or Winter Sprouts.** This is also called German Greens and is sometimes sold for Dwarf Curled Kale, but it is not as curly as the Dwarf Curled Kale and is different from it in color. The leaves are smooth in the center, having a fringed edge. Color has a bluish tint, not the deep green of the Dwarf Curled Kale.


**Dwarf Green Moss Curled.** Leaves yellowish green, very compact and beautifully curled; sow in September for winter and early spring use.



DWARF CURLED SCOTCH KALE

## HORSE RADISH

Horse radish produces no seed, but is grown from pieces of the roots.



EARLY WHITE VIENNA KOHL-RABI

## KOHL-RABI

This relative of the cabbage, that looks like a turnip that grew above the ground, can be treated very much as either cabbage or turnips. One ounce sows one hundred yards and four pounds plants an acre. Sow in eighteen to twenty-four inch rows, thin to four inches apart and use for the table when small. Like the turnip, we cannot expect good kohl-rabi in the summer heat, but a planting made about August 1st north of the Ohio will give a crop for winter storage. Do not overlook the value of this plant as a stock food.

**Early White Vienna.** The finest for market. Flesh white and tender.

**Early Purple Vienna.** Bluish purple; similar to above, except in color.

## LEEK

This mild member of the onion family is used in soups and salads. Sow one ounce to one hundred feet of row or four or five pounds to the acre, one-half inch deep, as early as the soil can be worked in the spring. Thin the plants to a stand of four to six inches in the twelve to eighteen inch rows. It is advisable to throw earth to the plant to blanch it, very much as celery is blanched.

★**Large American Flag.** Large, hardy and of excellent quality.

**Monstrous Carentan.** The favorite market variety, large, thick stem, of mild flavor and attractive appearance.

**Large Musselburgh.** Grows to a very large size, with broad leaves, spreading like a fan; hardy, of excellent quality.

**London Flag.** An old and popular sort; one of the hardest and best for winter use.

## LETTUCE

As lettuce will stand considerable freezing, it may be seeded or transplanted out of doors as soon as the soil can be worked in spring. For a succession, replant every three weeks till within sixty days of freezing weather. The soil cannot be made too rich and this crop must be grown quickly and unchecked to be of superior quality. North of the Ohio lettuce is frequently started under glass like cabbage in hotbeds; in February transplanted to cold frames and hardened to be set out of doors in early April. In more southern or milder winter climates, lettuce may be sown in autumn, protected with sash or coarse litter and in late winter transplanted; or thinned and matured where planted. When the crop is matured under glass it requires much ventilation and little heat, and beware of too much water in cloudy weather. In the summer's heat canvas or a slatted half shade and plenty of water is of value. One ounce of seed gives two thousand plants and three pounds plants an acre. In the seed bed drop twenty-five seed to the foot, and gently rake it in; failure may result from too deep a covering. Mature lettuce in twelve to eighteen inch rows, giving the loose leaf varieties three to eight inches in the row and head lettuce six to twelve inches.

**Black Seeded Simpson.** This is the most popular early sort on the market. Forms large, loose heads. Leaves thin and exceedingly tender, of light green to golden yellow. Best sort for forcing or outdoor early planting.


**Early Curled Silesia.** A very tender sort, with fine curled leaves.

**Grand Rapids Forcing.** Preferred by a great many to the Black Seeded Simpson, on account of being a tougher leaved lettuce. This makes it a fine sort for shipping, as it does not break so easily and stands longer without wilting.

**Early Curled Simpson White Seed.** Forms a close, compact, mass of curly yellowish green leaves. Good for cold frames or early planting for outdoors.

**Boston Curled.** Curled leaves of good quality, a popular variety among eastern growers.

**Prize Head.** The leaves are very large, crimped, bright green tinged with brownish-red and are exceedingly tender, crisp and sweet, forming a large, loose head.



IMPROVED HANSON


**Big Boston.** This variety is identical in color, shape and general appearance with the famous Boston Market Lettuce, but is double the size. It is about one week later in maturing, but its solidity and greater size of head will make it a most valuable sort. A most desirable variety, either for forcing in cold frames or open ground planting.

**The Deacon.** A magnificent butter head lettuce. It stands the hot weather without becoming bitter or running to seed, and bears fine, large heads of superb quality. Light green outside, and within a beautiful cream yellow of delicious rich, buttery flavor. Highly recommended for home, or market use.

**New York or Wonderful.** The large white heads resemble cabbage in their solidity, and frequently weight two and three pounds each. The quality is superb, being crisp, rich and tender. It withstands the heat well, making a fine variety for all seasons.

**California Cream Butter.** A grand, good butter lettuce. The heads are of good size, round and solid; outside, medium green; within the leaves are a rich cream yellow color. Rich and buttery in taste.

**Paris White Cos.** The Cos lettuce differs entirely in shape from the other varieties, the head being elongated and of conical form, eight or nine inches in height, and five or six inches in diameter. To be had in perfection it requires to be tied up to insure blanching.



BLACK SEEDED SIMPSON

**Improved Hanson.** Heads large, hearts quickly and stands the summer well; quality excellent.


**Early Tennis Ball, White Seed.** A good early sort, and used largely by eastern gardeners for forcing.

**Early Tennis Ball, Black Seed.** A good lettuce for early use. The heads are small, but very crisp and solid.

**St. Louis Head.** The most popular and satisfactory head lettuce with market gardeners. It forms a fine head, is tender and crisp, and is very slow to run to seed. Outer leaves are light green, and the inner ones are bright, creamy yellow, of a very fine flavor. Altogether, we recommend it as being the best head lettuce for general use.

**All Seasons.** One of the best head lettuces, standing the hot sun better than any other sort. Slow to seed.

**The Leonard Lettuce—Cabbage head—is the head lettuce for early and late summer planting.** Produces a very fine early large solid head, color a fine light green, free from spots. Small ribbed leaves that are very tender and crisp.



BIG BOSTON

## MUSK MELON

Musk melon, watermelon, cucumbers, gourds and squash are known as cucurbits. For musk melon follow our cultural directions for cucumber except that where a robust growing variety of musk melon is grown, a space of as much as six by six feet is sometimes required between hills. One ounce of seed plants fifty hills, and three pounds plants an acre. The crop or the last planting for a succession should be in by June, north of the Ohio. While not necessary, it is advisable to pinch off the branches of the muskmelon if a quicker matured or a larger or a better fruit is required. Pick the melon when it parts from the stem without difficulty and store a few days in a cool room.




**Rocky Ford Musk Melon**

**Early Hackensack.** The fruits are nearly two weeks earlier than Hackensack, medium to large sized, nearly round or somewhat flattened, evenly and deeply ribbed and with very coarse netting. The skin is green, slightly tinged with yellow as the fruits mature. The flesh is green, a little coarse but juicy and sweet.

**Hackensack, or Turk's Cap.** A very large, green fleshed melon. The vines are hardy, vigorous and productive. The fruits are nearly round, usually somewhat flattened; ribs large and of irregular width, densely covered with coarse netting.

**Chicago Market.** This we consider the best Nutmeg for earliness of maturity, large and uniform size, thickly netted skin, small seed cavity, deep green flesh, juicy delicious flavor and freedom from rot. A favorite with all who prefer a green flesh sort.

**Burrel Gem.** This is an orange fleshed netted Gem or Rocky Ford.



**THE OSAGE MUSK MELON**

**The Osage.** Is of medium size, oval in form, dark green in color, somewhat netted and slightly ribbed. The flesh is extremely and uniformly thick, of firm texture, rich salmon in color; highly flavored and delicious to the rind. Cavity very small. It is a remarkable keeper and a good shipping melon.

**Tip Top Musk Melon.** The illustration shows a specimen of our strain of this popular melon. This very productive melon is of medium to large size, nearly round, slightly ribbed and fairly well covered with shallow netting. The flesh is deep yellow in color. The universal testimony of everyone using Tip Top is that every fruit produced, whether big or little, early or late in the season, is a good one—sweet, juicy, finest flavor, firm, but not hard fleshed, eatable to the very coating.

**Delicious Gold Lined.** A new melon of fine uniform shape and without ribs; slightly oval; meat thick, green and light gold towards center.

**Honey Dew.** The fruits are round or slightly oval, six to eight inches in diameter and weigh about six to eight pounds; the skin is smooth and when ripe is creamy yellow in color; flesh light emerald green, fine grained and of very sweet sugary flavor. Rind thin but very firm and the fruits stand shipping remarkably well.

**Rocky Ford.** This has become one of the most popular of small or crate melons and is shipped in large quantities from Colorado and Arizona. The vines are vigorous and productive. The fruits are oval, slightly ribbed, densely covered with fine netting. Flesh green, very sweet and highly flavored.

**Jenny Lind.** Vines rather small but vigorous and productive. Fruits small, somewhat flattened, deeply ribbed and well netted. Flesh green and exceedingly sweet.

**Netted Gem.** The best early melon known. Shipped to every market of note in great quantities every year. Medium size, but of excellent flavor.




**HOODOO, OR HEARTS OF GOLD**

**Hoodoo, or Hearts of Gold.** A new orange fleshed variety, ideal as a shipping melon and of the very finest quality. Vine vigorous, remarkably blight resisting and very productive. Fruits uniformly of medium size. Netting exceptionally fine and dense, extending practically over the entire surface.

**Paul Rose, or Petoskey.** A yellow fleshed sort of suitable size for a crate melon and of excellent quality. Vines vigorous and productive. Fruits oval, slightly ribbed and densely netted.

**Emerald Gem.** A very early, yellow fleshed melon of small to medium size. One of the very best for the home garden.



**TIP TOP MUSK MELON**

## WATER MELON

For water melon, follow our cultural directions for cucumbers, except that it is necessary to give the water melon a space of eight to ten feet between hills, and thin the plants to two to the hill. One ounce plants twenty-five hills and three pounds of seed plants an acre.

**Cole's Early.** Very hardy, a sure crop per and extremely delicate in texture of flesh, which is of dark red color; rind is thin and extremely brittle, hence not desirable for shipping purposes, but possessing all the other most desirable features. We highly recommend it for home use.


**Gypsy, or Georgia Rattlesnake.** One of the largest varieties and stands shipment long distances. Fruit cylindrical, square at the ends, smooth, distinctly striped and mottled light and dark green. Flesh bright scarlet and very sweet.

**Peerless or Ice Cream.** Medium sized with very sweet, scarlet flesh. A good variety for main crop.


**★Sweetheart Water Melon.** This melon is early, large, handsome, heavy and productive. The shape is oval and the color mottled light to a very light green. Flesh bright red, solid, but tender and very sweet.

**Florida Favorite.** A very large, long melon mottled dark green with stripes of lighter shade. Rind thin but firm; flesh very bright, deep red, very sweet, tender and excellent.

**Kolb's Gem.** Vines of medium size, but remarkably vigorous and healthy.



SWEETHEART WATER MELON



KLECKLEY SWEETS

## MUSHROOM SPAWN

For the money invested, no more profitable crop. Once started, it is easy to continue. The supply never equals the demand, so that a market is easily secured.

Pure Culture, in bricks

## MUSTARD

Mustard is grown for its seed, which is used for flavoring or medicinal purposes or grown for its leaf, which is used in salad or cooked like spinach. Sow mustard as soon as the soil can be worked in spring and every three weeks for a succession, or in the south it may be sown in the fall for early spring greens. Cover the seed lightly in twelve to eighteen inch drills. Cut the leaf when not over four inches high and expect this cutting in fifty days from the seeding.

**★Giant Southern Curled.** The favorite of the south.

**Fordhook Fancy, or Ostrich Plume.** Same as above.

**★Chinese or Large Leaved Mustard.** The large leaves which often measure 14 inches, are ready for use in about six weeks after sowing. Plants will continue to yield until frosty weather. Leaves are eaten boiled, like spinach.

**Bloomsdale, Large Leaved.** Same as the Chinese Mustard described above.


**White.** Best for general use.

**Brown.** Stronger than above.

## NASTURTIUM

**Tall Mixed Garden.** Grown not only for ornament but the beautiful orange colored flowers and foliage are used for garnishing and the young leaves or shoots are excellent for salads. The green seed pods are greatly esteemed by many for use in mixed pickles.

**Dwarf Mixed Garden.** Same as above, except that it grows in dwarf form.



CHINESE MUSTARD

## SPECIAL GLOBE ONIONS



RED GLOBE

WHITE GLOBE

YELLOW GLOBE

**Our Three Globes** bring more money to the onion grower and sell quicker than any other varieties. Our Yellow Globe is the Standard Yellow, our Red Globe is the Standard Red, and our White Globe is the Standard White.

These stocks are quite superior to the ordinary run of Southport Globes.

★**Red Globe.** A fine, large globe-shaped onion, of mild flavor. It is a good keeper, excellent for main crop. ★**White Globe.** A very handsome onion, of splendid quality. Keeps well. It has a good, strong flavor. The best sort for early green onions from seed.

★**Yellow Globe.** This is a large, handsome yellow variety. Shape, perfectly globular; quality fine. A splendid keeper.

## ONION SEED—Standard Sorts

Study the demands of your market to know what onion that market requires.

As soon as the soil can be worked in spring, and not after May 1st, sow onion seed in twelve to fifteen inch rows, leaving out every tenth row as a weed alley if preferred. One ounce of seed plants one hundred fifty feet and five to six pounds plants the acre. The black slow germinating seed should be covered firmly one-fourth inch deep. Quantities of manure had best be applied in the year before the planting, and much commercial fertilizer, high in potash, harrowed in immediately before seeding.

Begin cultivation as soon as the plant can be seen; cultivate frequently and when convenient thin to a stand of two to four inches.

In the so-called new onion culture, the onions are started in hot beds and easily transplanted when the size of slate pencils to the required stand in the field.

**Early Flat Yellow Danvers.** A good variety, but not as round or quite as early as the Yellow Globe Danvers. Yellow Strasburg, or Dutch. One of the oldest varieties. Bulbs quite flat, of good size.

**Australian Brown Onion.** Is of medium size, wonderfully hard and solid and most attractive for market, both as to form and appearance. The color of the skin is a clear amber brown.

★**Yellow Globe Danvers.** This fine onion is of large size. An early and abundant cropper. Bulbs very thick, flat or slightly convex bottoms, full oval top with small neck and rich brownish yellow skin.

**Michigan Yellow Globe.** The bulbs are large and uniformly spherical with very small necks and the largest diameter below the center of the bulbs of a rich orange color.

**Ohio Yellow Globe.** An early Globe onion, small neck and very uniform in size and color. Very popular in the marsh onion sections of Ohio and Indiana.

**Southport Yellow Globe.** A large, perfectly shaped Globe onion and an excellent onion for keeping throughout the winter. A very heavy cropper, handsome in appearance and a good dark yellow color.

**Prizetaker.** Grows to an immense size and for fall marketing is unexcelled. Although of such great size, it is very hardy and a fair winter keeper, as it ripens up hard and firm; very fine grained, and of mild, delicate flavor. The outside skin is rich yellow while the flesh is white. To get the best results from this onion, the seed is sown in beds and transplanted. It will, however, make a good crop if sown in the ordinary way.

★**Large Red Wethersfield.** We have a very fine and select strain of this sort. Color is deep purplish red, flesh white, moderately grained and very firm. Yields an enormous amount per acre, and is one of the best winter keeping onions.

**Southport Red Globe.** This is a fine keeper. Large size and considered one of the best red onions. Flesh is fine grained, very mild and tender.

★**White Portugal.** American Silver Skin. This is the best sort to sow for onion sets or for pickling. When sown thickly for either it makes a small, round hard bulb.

**Philadelphia Silver Skin.** Very desirable for family use. Flavor, mild and pleasant.

**Southport White Globe.** This grows to a very large size and is a perfectly globe-shaped onion. Color is a clear, pure white. This variety is used by market gardeners for bunching.

**Bermuda Red.** A very early pale red onion, grown extensively in the Bermudas and southern part of the United States for early shipping to northern markets.

**White Bermuda.** A straw colored onion, mild flavored; yellow in color, otherwise same as red.

**Crystal White Wax.** This variety is popular in the south where the transplanting method of culture is practiced. **New White Queen** is a fine early silver skinned variety, of beautiful form and rapid growth, and possessing fine keeping qualities.

**Onion Sets—See inside back cover.**



OKRA

## OKRA OR GUMBO

The pods of this plant are used in a great number of ways throughout the Southern States, and the plant should be more frequently grown in the north. Plant at corn planting time in rich land, sowing the seed thickly in two or three foot drills, and thinning to an eight to twelve inch stand, according to varieties. A generous planting is two ounces to one hundred feet and ten pounds to the acre. Okra seed may be planted six seed to the hill, two to three feet apart and thinned to two plants to the hill.

**Perkins Mammoth Long Pod.** The pods are produced in great abundance and average longer than other sorts.

**Dwarf Green.** Grows low but stocky and is very productive.

**Long Green.** Taller than above, pods similar.

**White Velvet Okra.** The pods are perfectly round, smooth and of an attractive white velvet appearance; of superior flavor and tenderness.

## PARSNIP

Plant parsnip seed as early as the soil can be worked in spring and do not cover this slow germinating seed deeper than one-fourth inch. Use eighteen to twenty-four inch rows, thinning the plants to a four inch stand. One-half ounce of seed sows one hundred feet and three to five pounds plants an acre. This crop requires the entire season to mature, and as frost improves the roots, they may be left in the ground all winter. Both as to quantities and its feeding values, the parsnip is a valuable stock feed.

**★Hollow Crown.** Roots comparatively short, with a very smooth, clean skin. The variety is easily distinguished by the leaves arising from a depression on the top or crown of the root.

**Guernsey.** The best sort for heavy, black soils. Where the soil is exceedingly rich this is the variety needed, as it makes a fine shaped root which does not grow too long.

## PARSLEY

Parsley used for garnishing and for seasoning can be planted as soon as the soil can be worked in spring. Cover the slow germinating seed one-fourth inch deep in twelve to eighteen inch rows, later thinning to a six inch stand. One-fourth ounce sows one hundred feet and three to five pounds plants an acre.

**Plain or Single.** Plain leaves, excellent flavor; very extensively grown for bunching into soup bunches.

**Double Curled.** The standard sort for outdoor culture, also highly prized by market gardeners for the greenhouse.

**★Champion Moss Curled.** A very fine curled variety. One of the handsomest for garnishing purposes. The exceedingly curled leaves make it desirable.

**Hamburg Rooted.** The standard rooted sort. The leaves are used for soup greens, and the roots, when sliced, are much esteemed.



CHAMPION MOSS CURLLED

## PEPPERS

The pods of the pepper are used in sauces, salads, soups or as a seasoning, and the large mild varieties called managoes are eaten from the hand or variously stuffed and prepared with cabbage, tomatoes or meat. The pods of peppers are green till in ripening they turn red or yellow, according to the variety.

Start pepper in hot-beds and in other ways treat like a tomato. Set out of doors after frosts in thirty-inch rows, giving each plant eighteen inches in the row. One ounce of seed gives, according to the handling, from one to two thousand plants and one pound plants an acre.



**★Long Red Cayenne.** A long, slim, pointed pod, and when ripe of a bright red color. Extremely strong and pungent.

**Red Chili.** Used in the manufacture of pepper sauce.

**Red Cherry.** Plant tall, bearing a profusion of bright red, round fruit which is very pungent when ripe.

**Large Bell or Bull Nose.** A very large sort of inverted bell shape, suitable for filling or for mixed pickle. Flesh thick, hard and less pungent than most other sorts.

**Sweet Mountain.** Plants very vigorous and productive, growing upright, with moderately large leaves. Fruit very large, long, often eight inches or more in length, by two in diameter.

**★Royal King.** A very smooth, sweet pepper, larger than Sweet Mountain, just right for stuffing and pickling.

**★Ruby King.** An improved American sort, reaching the largest size, yet retaining the symmetrical shape of the smaller sorts.

**★Ruby Giant.** An improvement over Ruby King. It is larger, smoother, finer grained and sweeter. An excellent pepper.

**★Chinese Giant Pepper.** Without doubt one of the very best and largest Mango Peppers ever introduced. Its mammoth size, splendid shape, beautiful, rich, glossy-red flesh and mild flavor, all lead us to speak of it in words of commendation.

**Pimento.** A very thick flesh, heart-shaped, smooth, mild, crimson variety, much used for salads; fruit pendent.

**Golden Dawn.** In shape it resembles the popular Bell or Bull Nose Pepper. It is of a most beautiful golden yellow color.

**SPECIAL NOTICE !**

When Ordering Your Seeds

**Order from the Price List**

ON PAGE 19

**It Saves Time**

For this list contains the better known varieties we always try to have in stock

**The Daniel Batchelor Seed Store****Utica's Pioneer Seed House****HAS NO SUCCESSOR**

We wish to call your attention to the fact that this seed house has no successor, never sold out or become the part of any other store, and is the only Daniel BATCHELOR SEED STORE in UTICA. We do business under our own name. Others recognize the name stands for quality. Let us warn you to purchase your goods at 12 PEARL STREET, and get the genuine old-time DANIEL BATCHELOR SEEDS.

**1893 Award****WORLD'S COLUMBIAN COMMISSION**

At the INTERNATIONAL EXHIBITION in the City of Chicago, State of Illinois, in the year 1893, a Medal and Diploma was awarded to the Founder of this house, the late DANIEL BATCHELOR, for the finest display and exhibit of CLOVER and GRASSES. Wherever our seeds have been exhibited we have taken FIRST PREMIUMS.

**WE DO NOT WARRANT SEEDS**

The fact that no reputable seedsman now warrants seed in any respect being well known, renders it unnecessary for us to say very much on this point, as it must be apparent to every intelligent person that no seedsman can afford to send out poor or worthless seeds. There could be no more certain way of destroying his business. We beg to append the following notice:

While we exercise the greatest care to have all seeds pure and reliable, we do not give any warranty, express or implied. If the purchaser does not accept the goods on these terms and conditions, they must be returned at once, and the money that has been paid for same will be refunded.

**IMPORTANT NOTICE**

We wish it distinctly understood this is the original "Daniel Batchelor Seed Store," founded by the late Daniel Batchelor in 1856, now under the management of J. Daniel Batchelor and Edwin A. Batchelor, selling seeds of the best quality, which won for its founder a wide reputation.



## High Bred Nitrogen Gathering Bacteria

ALWAYS INOCULATE ALL YOUR LEGUME SEEDS IF YOU WANT THE BIGGEST YIELD AND THE MAXIMUM FERTILIZING VALUE. NO MATTER HOW BIG A CROP YOU ARE GETTING, FARMOGERM WILL IMPROVE IT AND INCREASE THE AMOUNT OF NITROGEN STORED UP FOR FUTURE USE IN THE FORM OF NODULES ON THE ROOTS.



"Farmogemed" — Knee Deep

WE CARRY  
FARMOGERM  
for Alfalfa,  
Vetches, Pea-  
nuts, all Clov-  
ers, Sweet Peas  
and every va-  
riety of field  
and garden  
Peas and Beans



Not Inoculated — Ankle Deep

FARMOGERM bacteria have been bred up for eleven years in the laboratory by a great expert. They have been grown, sorted and developed until they are many times more active than the ordinary bacteria you find in the soil.

---

Note the bottle with the Patented Ventilating Stopper. This insures the bacteria being alive and active for at least five years. There is only one FARMOGERM. Accept no substitutes.

---




---

This exclusive FARMOGERM fea-  
ture is your insurance for thorough  
inoculation. FARMOGERM is al-  
ways fresh. It is easy and simple to  
use. Full directions are on every  
bottle.

---

Smith & Ray, Seed Dealers, of Canton, Miss., write us: "The Farmogerm inoculated Crimson Clover gave a much finer stand in every way and upon digging up the roots I found same were covered with many more nodules than the other Clovers."

### PRICES

5-Acre size, \$8.00

1-Acre Size, \$2.00

$\frac{1}{4}$ -Acre Size, 50c

**SEED INOCULATION**

# STIM-U-PLANT

**PLANT STIMULANT TABLET**

Trade Mark Registered U. S. Patent Office  
Trade Mark Registered U. S. Patent Office

**PLANT FOOD IN TABLET FORM**

THE MOST MODERN, EFFICIENT AND SCIENTIFIC METHOD OF FERTILIZING ALL KINDS AND CONDITIONS OF GROWING PLANTS IN HOME GARDEN, ORCHARD AND ON FARMS

Stim-U-plantT is a 26-grain tablet with a guaranteed chemical analysis of 11% Nitrogen, 12% Phosphoric Acid, and 15% Potash. No other plant food contains anything like as high an analysis as this. Stim-U-plantT Tablets are composed of water soluble materials of great feeding power and of known weight and percentage of plant food.

Stim-U-plantT Tablets should be used directly in the soil at the base of the plants or dissolved in water and applied to the soil. Do not spray on the foliage. No matter how rich the soil may be, these wonderful little tablets will help the plants along.

Stim-U-plantT Tablets are packed in four sizes:

Trial Size.....	15c, containing	10 Tablets
Small Size.....	25c, containing	30 Tablets
Medium Size.....	75c, containing	100 Tablets
Large Size.....	\$3.50, containing	1,000 Tablets

# RAX The Scientific Rats & Destroyer of Mice

Die Out Doors



Not a Poison

RAX is a bacteriological preparation containing Pure Cultures of an active Virus, which has a deadly effect on Mice, Rats and Field Mice, but is harmless to all other animals, such as Dogs, Cats, Rabbits, Poultry, Stock, as well as to Human Beings.

Thus RAX is not a poison and may be used without the precaution necessary in handling other rat exterminators.

Rats and Mice having eaten the bait prepared with Rax become gradually sick and die within ten to fourteen days. While infected they communicate the Virus to other rats and mice coming in contact with them or their haunts, but they never die inside the buildings, as they become very feverish and seek the open to get fresh air and water.

WE ARE THE GENERAL DISTRIBUTORS OF RAX

ALL ORDERS WILL RECEIVE PROMPT ATTENTION



LUCKY DOG — and lucky master — when the dog is fed on MILK-BONE.

Because Milk-Bone keeps a dog in sound health, with good digestion, sweet breath and regular habits.

Dogs fed on Milk-Bone enjoy every minute of life because they have the buoyancy and pep that go with proper nourishment and perfect health.

For Milk-Bone is made to give a dog the sustenance he needs, the food he favors, without burdening his digestive system.

Feed your dog Milk-Bone and you'll have a dog that's always full of life and ginger — a friendly dog — a gay and playful dog — a lucky dog.

Put up in the following:

Puppy ..... 20c and 35c boxes

Dog ..... 20c and 35c boxes

F. H. BENNETT BISCUIT COMPANY

NEW YORK




**"IT PAYS TO SPRAY"**

Your trees, vines and bushes will produce more and better fruit. Your gardens repay many times the effort and cost spent in eliminating pest and disease by means of

**THOROUGH AND SYSTEMATIC SYRAYING**


No. 25



No. 35



No. 95



No. 40

Frame made of steel tubing, well braced, to insure strength and rigidity. Wheels, 18-inch diameter by 2½-inch face. This outfit can be had with pressure tank. Equipment, 10 feet of ½-inch 5-ply hose, 4 feet spray rod, and shut-off nozzle.

Adapted for small gardens, plants, flowers, disinfecting, etc. Pump cylinders are 1¾ by 14½ inches in size. Made of galvanized steel; tank 5½ by 6 inches long; all seams soldered. Large filling hole. For general spraying it has no equal.

**Manufacturers of  
THE UTILITY LINE**

**ALBERT LEA SPRAYER CO.**

**ALBERT LEA, MINN.**

**ONE-GALLON SPRAYER**

Most convenient size compressed air type sprayer ever put on the market. Especially adapted for sanitary work, disinfecting, etc. Tank 6¼ inches in diameter by 8½ inches high. Same in design as the No. 10 tank. The pump cylinder is of heavy brass tubing, 1½ inches in diameter, has a brass ball check valve. Cap easily removed without the use of a wrench. The discharge is through a ¼-inch galvanized iron pipe from center of tank when in horizontal position. The nozzle is the self-closing type made of brass, provided with strainer, and is not affected by chemicals.

**THE KNAPSACK SPRAYER**

Compressed Air Type

This type of sprayer is the most popular for all general work requiring a sprayer. It is adapted for spraying, whitewashing, disinfecting, for the application of glue sizing, etc. The No. 10 tank is made of galvanized steel, the No. 15 of brass. Size 7½ by 20 inches; capacity 3½ gallons. Side seam closely riveted. Pump cylinder made of brass with bronze ball check valve, which will not deteriorate like rubber; hose ½ inch, 5 ply, attached to tank by means of a standard hose connection of brass. Filling cap of ample size, easily removed without use of a wrench. Angle nozzle, automatic shut-off type, made of brass, our own design, with extension feature, patented, equipped with strainer, fine, medium and coarse discs.

**BUCKET PUMP**

All working parts that come in contact with spray solutions are brass. By removing variable disc a straight stream can be had for washing windows, automobiles, etc., in addition to general spray purposes.

This is a double action pump, made of heavy seamless brass tubing. Pump is equipped with 2 feet of ½-inch hose and 12 inches of ¼-inch pipe and nozzle. The brass parts are highly polished. The handle and foot rest are painted a rich carmine red.

**BARREL PUMP**

Made in three sizes and styles for use in upright barrels. Air chamber is of heavy iron pipe; working barrel or cylinder made of heavy seamless brass tubing; cast brass plunger packed with special wick packing to withstand chemicals. All valves are brass ball type. All pumps are supplied with mechanical agitator and standard hose connection.

No. 50A pump has 2-inch by 33-inch air chamber, fastens to end.

Barrel is not furnished as regular equipment.

**ONE-WHEEL PORTABLE**

A very useful and convenient outfit where the nature of the work necessitates the moving about of a large amount of liquid.

Tank, 18-gallon capacity, made of heavy galvanized iron, reinforced with heavy iron bands. A standard UTILITY pump with 2-inch air chamber, 23 inches long, fastened to the top of tank by a spider casting removes all the liquid.



No. 185




No. 10



No. 50-MTD.

# Queen Incubators

## HATCH CHICKS THAT LIVE AND GROW



Stop hatching weak chicks with cheap incubators. A Queen costs but little more, and the extra chicks that live and grow soon pay the difference.

Remember, it is not how many chicks you hatch that counts, but how many you raise. Chicks that hatch out weak and wobbly, and live but a few days, mean nothing to you but trouble and loss. They make one sick of the poultry business.

Most of the chicks you lose in the first few weeks die because they did not have, when hatched, enough strength or vitality for a good start. Queen Incubators are famous the country over for big hatches of strong, healthy chicks the live and grow.


## PROPER INSULATION

space. Second, corrugated strawboard is used between the wooden walls. Proper insulation adds considerable expense to the manufacturing cost. However, it is an absolute requirement of a good incubator.

## QUEEN BROODER STOVES


The Queen Brooder Stove is just what is needed to keep the house comfortable for the early chicks. It is the only Brooder Stove in which both fire and amount of heat are automatically controlled by one thermostat and one connecting rod.

Damper indicated by arrow regulates the check draft and the direct draft to the fire. Gas controlled above deflector. No gas can escape below to injure chicks. Hover is collapsible, made in sections, and easy to put together and take apart. Holds enough coal to last forty to forty-eight hours.



# HEXPO

## DRY POWDER



### USE IT ON

Potatoes	Tomatoes	Cucumbers
Squashes		Cabbages
Asparagus	Melons	And All Other
Vegetables	Fruit Trees	Berry Bushes
Flowers	House Plants	Etc.

## OTHER INSECTICIDES

ARSENATE OF LEAD

DRY BORDEAUX

PARIS GREEN

DRY LIME SULPHUR

FLY AND GERM

KILLS FLIES

DESTROYER

ON CATTLE



# FLIZOFF

It will not blister or remove the hair if used as directed

FLIZOFF is unexcelled for lice, mites and POULTRY HOUSE WORK

also a GENERAL HOUSE DISINFECTANT

## Dr. Hess Poultry and Pet Stock Preparations

Prescriptions of Dr. Hess (M. D., D. V. S.)



### DR. HESS

#### POULTRY PAN-A-CE-A

makes poultry healthy; makes hens lay; not a stimulant, but a tonic, that tones up the dormant egg organs, brings back the scratch and cackle, and compels each hen to put her share of eggs in the market basket.



It also contains internal antiseptics that counteract disease; insures a healthy, singing poultry flock. Cost but a trifle—a penny's worth enough for 30 hens per day. 30c, 1½ lbs.; 75c, 5 lbs.; \$1.50, 12 lbs.; \$3.00, 25-lb. pail.

#### Guaranteed

#### DR. HESS ROUP REMEDY

For Roup, Diphtheria, Chicken Pox and all catarrhal diseases. It has these distinctive features: It is antiseptic, slightly astringent, non-irritating, and healing. Cans, 30c.



#### Guaranteed

#### INSTANT LOUSE KILLER

Kills lice on poultry, horses, cattle; sheep ticks; bugs on cucumber, squash and melon vines; cabbage worms; slugs on rose bushes, etc. Sold in sifting-top cans—look for the word "Instant" before buying. 30c and 60c cans.



#### Guaranteed

#### DR. HESS DIP AND DISINFECTANT

Non-poisonous and non-irritating and guaranteed to be absolutely uniform in strength at all times. One gallon of Dip makes from 70 to 100 gallons effective solution. Spray it on roosts. Sprinkle it over the runs and in all cracks and crevices. Spray it on cattle and horses. Makes a splendid dip for hogs and sheep. It's a sure parasite and disease germ destroyer. Purifies stables, troughs, sinks, drains.



#### Guaranteed

#### DR. HESS WHITE DIARRHOEA REMEDY

Give this remedy to the baby chicks in their first drinking water and prevent this most deadly disease from starting. The germs of this disease start in the egg, so check it when your chicks are first hatched and save your hatch. 25c per package.



**Inoculate Your  
Alfalfa, Clovers, Cow Peas, Soy Beans, Vetches  
and Other Legume Crops  
WITH  
Mulford Cultures  
FOR LEGUMES**

Small Cost      Large Returns      Easy to Use      No Labor Expense



Mulford Cultures contain pure, tested strains of active, vigorous nitrogen-fixing bacteria, for inoculating seeds of legumes or soil. Enormous numbers of these very valuable and desirable bacteria are thus available to you in every package of Mulford Culture and may readily be applied to your seed. The sealed bottle insures purity.

### INCREASE YOUR CROPS

### IMPROVE YOUR SOIL

Legumes offer the best-known means of maintaining soil fertility and rejuvenating over-cropped and worn-out fields. They add both humus and nitrogen to your soil and thus increase your yield of wheat, cotton, corn and other non-legume crops.

The U. S. Department of Agriculture and many State Agricultural Experiment Stations recommended inoculation of legumes with nitro-fixing bacterial to induce a prompt "catch" and increase your yield.

Mulford Cultures are scientifically prepared and tested by experts in the biological laboratories of H. K. Mulford Co., Philadelphia, N. S. A., with the same degree of care as Mulford Antitoxins, Serums, Vaccines, etc., which are standard all over the world.

Always specify on your order what crop you want to inoculate, as there is a different strain of bacteria for each legume.

**ALFALFA**  
CRIMSON CLOVER  
SWEET CLOVER  
WHITE CLOVER  
RED CLOVER  
ALSIKE CLOVER  
Mammoth Clover

**BURR CLOVER**  
Yellow Clover  
Berseem Clover  
COW PEAS  
SOY BEANS  
Canada Field Peas  
PEANUTS

**VETCH**  
Horse Beans  
VELVET BEANS  
Perennial Peas  
SWEET PEAS  
GARDEN PEAS  
GARDEN BEANS

**LIMA BEANS**  
Lupins  
Sainfoin  
Lespedeza  
Beggar Weed  
Kudzu  
and others

Those printed in CAPITAL LETTERS can be shipped immediately from stock. The others will be prepared to order and can be supplied in a few days

### PRICES

**MULFORD CULTURES** are supplied for the varieties of legumes listed, at the following prices:

4-Acre Size ("Dollar per Acre") . . . . .	\$5.00
1-Acre Size . . . . .	\$1.50
1/4-Acre Size . . . . .	.75
Small Size (supplied only in four varieties, for Garden Peas, Garden Beans, Lima Beans and Sweet Peas) . . . . .	.35


(These prices include delivery on freight shipments)

Why buy expensive commercial nitrates when you can grow legume crops and thus increase your yield, and, at the same time, increase the nitrates and enrich and renovate the soil, by Nature's own method?




Free Descriptive Folder Sent Upon Request

# Aluminized Metal Egg Crates For Parcel Post



The best and most up-to-date Parcel Post crate ever made. Once used, always used. Thousands are working and none ever known to wear out. Praised by every owner. Postage no more than on frail paper cartons.




**NO BREAKS**

**INDESTRUCTIBLE**

**REQUIRES  
NO WRAPPING**

**Interchangeable  
ADDRESS CARD  
Eliminates Writing**

**Return Postage can be  
Paid in Advance**



## POSTAGE (150 Miles)


Empty Filled

1½-dozen size.....	6c	8c
2-dozen size.....	7c	9c
3-dozen size.....	7c	11c
6-dozen size.....	8c	16c
3-doz. size, 3½ lbs.	7c	14c
3-doz. size, 3½ lbs.	8c	16c


## BUTTER AND EGGS

Shipped in the same crate is a great success. Butter is safely cared for in separate Metal Container. Always sanitary and does not melt or run in hot weather.

## PRICES



1½-dozen size—all eggs.....	\$ .85	postpaid \$ .92
2 -dozen size—all eggs.....	1.00	postpaid 1.07
3 -dozen size—all eggs.....	1.25	postpaid 1.32
4 -dozen size—all eggs.....	1.50	postpaid 1.57
6 -dozen size—all eggs.....	1.75	postpaid 1.83
2 dozen eggs—3½ lbs. butter.	1.65	postpaid 1.72
3 dozen eggs—3½ lbs. butter.	1.85	postpaid 1.93





## ONE FOR EVERY CURABLE AILMENT OF POULTRY OR STOCK

All Guaranteed

### THE TABLET WITH A PURPOSE — TO INCREASE EGG YIELD

#### Dr. LeGear's Egg-Laying Tablets

(The Laying Tonic)

Help to make your hens lay and to keep your poultry healthy.

They are scientifically prepared from concentrated drugs. Unusually convenient to use. Depending on the size of your flock, simply drop one or more tablets into a small quantity of water, then either mix the solution with dry mash or use as regular drinking water.


You will quickly realize the advantage of constant absorption of this preparation into the system

in small quantities, as the hen is continually provided with the beneficial ingredients contained in these tablets.

You will find that Dr. LeGear's Egg-Laying Tablets effect a marked increase in the egg yield. At the same time they tone up the system, aid digestion, sharpen the appetite, and help to keep hens vigorous and healthy.

Small size, 50 tablets.....\$0.50

Large size, 120 tablets.....1.00



#### Dr. LeGear's Poultry Bowel Regulator Tablets



Diarrhoea and other forms of loose bowels among poultry are very common. The most frequent causes are eating sour, dirty food, too much of wet mashes, eating cheap, musty or damaged feed, drinking filthy, stagnant water, dampness, etc.

Dr. LeGear's Poultry Bowel Regulator is an intestinal antiseptic and astringent, and is very beneficial in many cases of loose bowels and diarrhoea in poultry.

Full direction on each box.

Box of 30 tablets, price 32c. If ordered sent by mail, add postage.

For Baby Chicks, use Dr. LeGear's Chick Diarrhoea Tablets.



#### Dr. LeGear's Roup Remedy

For roup, colds and other catarrhal affections. Roup is very fatal and contagious. At the first sign of cold, separate the affected birds from the rest and positively stamp out this disease before it spreads.

Two-ounce cans.

Of all sad words of tongue or pen, the saddest are these: The Eggless Hen  
Make her lay. Feed Dr. LeGear's Poultry Prescription or Dr. LeGear's Egg-Laying Tablets.

#### Dr. LeGear's Lice Killer (Powder)

If lice don't go, your poultry will. Lice sap blood and energy that should go into growth and eggs. Dr. LeGear's Lice Killer saves millions of chicks and stops enormous egg loss from lousy hens. Dust the hens and place it in dust bath — AND WATCH LICE GO.

1-lb. can, sifter-top can...30c



#### Dr. LeGear's Chick Diarrhoea Tablets

Puts chicks in good healthy condition and regulates the system and bowels. Chicks are delicate for the first two or three weeks. Proper care will save millions of them from diarrhoea. Simply dissolve the tablets in their drinking water.

2-oz. can.....30c



#### Dr. LeGear's Poultry Prescription

Dr. LeGear's Poultry Prescription is the very tonic hens need. It hastens the molt, increases vitality, aids digestion, sharpens the appetite, wards off disease, and strengthens the system, helps to produce flesh, stimulates the egg-producing organs without injury, and lengthens the egg-producing period.

It builds up the vitality and fertility of your breeders and assures you a flock of chicks that quickly develop into fine fliers and early fall layers.

It prevents chick loss, making them sturdy and quick growers. It not only wards off disease and prevents bowel trouble, but it keeps their digestion toned up and makes them scratch and thrive and develop faster.

#### Dr. LeGear's Dip and Disinfectant

An invaluable antiseptic, insecticide, germicide and deodorant. No poultry yard should be without it. Keeps your poultry houses, brooders, incubators and yards clean and healthful and free from disease germs, vermin, etc. Good for itch, mange, lice, and ticks on livestock. Keeps the hair and skin in healthy condition.

8-ounce bottles, quart, one-half gallon, gallon, five-gallon, ten-gallon cans.




#### Dr. LeGear's Special Book

Care and Treatment of Stock and Poultry


Just the handiest book on stock and poultry ailments. Hits just the things you want to know. 128 pages, with charts and illustrations. Used as a text-book by veterinarians and schools. Ailments are thoroughly discussed in plain language and proper treatment recommended.

Worth many times more, but we will send you a copy for 10c to cover cost of handling.




**Peerless**

**Crushed**



**Oyster Shell**



Strengthens the frame of young pullets and makes them stronger in later life

Supplies the hens with the Calcium needed to keep them healthy

Produces more EGGS, with Stronger Shells. This means less breakage in transit

Keep PEERLESS Oyster Shell constantly before your chickens in a clean receptacle

#### WHAT CRUSHED OYSTER SHELL WILL DO

The New York State College of Agriculture at Cornell University conducted an experiment to show the egg-producing value of various combinations of chicken feeds. Each pen contained ten Leghorn hens. They were fed the regular Cornell ration of cracked corn, wheat and oats and a mash feed. The test ran twenty days. Here is the result:

Pen 61 — Yield, 508 eggs, value.....	\$15.50
Feed, 313 lbs., including meat scrap, oyster shell, grit and charcoal.....	4.51
<hr/>	
Profit over cost of feed.....	\$10.99
Another Pen — Yield, 137 eggs, value.....	\$ 4.45
Feed, 294 lbs., with NO oyster shell or scrap.....	4.08
<hr/>	
Profit over cost of feed.....	\$ .37

The United States Department of Agriculture at Washington, and many State Experiment Stations, strongly recommend feeding Oyster Shell.

EGGS BRING THE DOLLARS

PEERLESS CRUSHED OYSTER SHELLS BRING THE EGGS

# SUCCESSFUL POULTRYMEN USE THIS FEED

SUCCESSFUL BREEDERS write us that no chick feed they can buy or prepare gives the results H-O STEAM-COOKED CHICK FEED does. They can raise a higher percentage of every hatch on this feed because chicks can digest it; chicks mature more rapidly and attain a larger size, because it is the right combination of bone and muscle building elements.

## READ WHAT SUCCESSFUL BREEDERS SAY

Richland, Pa., Nov. 27, 1920.

H-O STEAM-COOKED CHICK FEED stands in a class by itself. No feed we have ever fed started the chicks off so well and developed them so quickly.

I. B. FIRESTONE.

Nunda, N. Y., Nov. 27, 1920.

We experimented for years but no feed gives the result yours does. H-O STEAM-COOKED CHICK FEED enables us to raise more and better chicks and increase our profits.

S. V. HAINES, Nunda Poultry Farms.  
Middleburg Center, Pa., Nov. 22, 1920.

No one engaged in the rearing of chicks can afford to be without H-O STEAM-COOKED CHICK FEED.

F. H. GEE & SON.

## H-O STEAM-COOKED CHICK FEED

is a scientific combination of clean, wholesome grains, cracked to a pin-point fineness and steam-cooked by our exclusive process. It saves the lives of baby chicks and starts them right for early egg production.

H-O STEAM-COOKED CHICK FEED is packed in the usual size bags, 100, 50, 25 and 10 lbs.

Insist on H-O STEAM-COOKED CHICK FEED and get the profits from LIVE chicks.

Write for free sample, prices and descriptive folder.



Manufactured by

THE H-O CEREAL COMPANY, INC.

Feed Department, Buffalo, N. Y.

For Sale by

THE DANIEL BATCHELOR SEED STORE

SPECK'S SUPERIOR ANCONAS ARE ANCONAS WITH A REASON

WINTER  
EGG PRODUCERS



ANCONAS  
with the  
LAY BRED IN 'EM

#### S. C. MOTTLED ANCONAS

Their claim as superior layers is backed by practical demonstrations at annual egg-laying contests in Missouri, U. S. A., and Victoria, B. C. — two of the leading government-conducted contests on this continent. And in these contests Anconas not only beat all other breeds in the number of eggs laid per hen per year, but the Ancona eggs in both contests were the heaviest of all.


The fact that Anconas lay so many eggs, and that their eggs weigh more per dozen than any other breed (absolutely no breed excepted) are among the reasons why so many beginners are starting in with these mottled beauties.

SEND FOR MATING LIST.

WILLIAM R. SPECK  
1027 Mohawk Street :: Utica, N. Y.  
AND THE REASON IS EGGS

## HENRY WEILER

Rose Comb  
Rhode  
Island  
Reds



Breeder and Exhibitor of

ROSE COMB  
RHODE ISLAND REDS

Hatching Eggs  
Baby Chicks and Stock  
For Sale  
BABY CHICKS, 40c

IF YOU WANT THE BEST I HAVE THEM

1610 DUDLEY AVENUE :: :: UTICA, N. Y.

— BUY —

**Rose Comb Rhode Island Reds  
or  
Black Minorcas**

If You Are Looking for Results

I Can Sell From My Two Strains

EGGS FOR HATCHING

and BABY CHICKS

P. LOUGHLIN      ::      8 JASON ST.      ::      UTICA, N. Y.

Gold Medal Awarded at Panama-Pacific Exposition 1915

Sold in Utica

For Over 30 Years



Put Up in 1 lb. Sifting Top Cartons, 5, 10 & 25 lb. Bags, Kegs and Barrels  
IN BULK



Carbola is a disinfectant and a white paint combined, in powder form, that is ready to use as soon as mixed with cold water — no waiting or straining. It makes the work of whitewashing and disinfecting a matter of one operation — turns one of the meanest jobs on the farm into pleasant, rainy-day work. It increases the light more than whitewash and at the same time disinfects — puts buildings in that much-desired, clean, sweet-smelling, sanitary condition so necessary to keep farm animals free from the losses and troubles caused by lice, mites and the contagious diseases that affect poultry and livestock. Only healthy animals are profitable — produce at their best capacity — and you don't find them in dirty, dark, gloomy living quarters.

#### **MAKES IT EASIER TO DO WORK THAT MUST BE DONE**

To mix Carbola just put some in a pail and stir in water — then apply it either with an ordinary whitewash brush or spray pump. It can be put onto wood, brick, stone, cement, plaster-board, tar paper, etc., and OVER whitewash. It will not blister, flake or peel off nor clog the sprayer. It does not spoil by standing — can be kept in powder form or mixed and left ready to use when wanted. One gallon (a pound of powder) costs 10c to 12½c, depending upon the quantity purchased, and will cover 200 square feet. The disinfectant used in Carbola is 20 times stronger than pure carbolic acid, but is neither poisonous nor caustic — harmless to the smallest chick or to stock that licks a painted surface. Carbola is an excellent lice powder. Sprinkle it on the birds and in the nests, in the litter on the floor, and in the dust bath.

#### **USE IT INSTEAD OF WHITEWASH AND DISINFECTANTS**

wherever you have been using whitewash and disinfectants or just whitewash or a disinfectant alone. We are so sure a trial will convince you it is the cheapest and best you can find anywhere, that we will return your money if you are not satisfied. It has proved itself to thousands of the leading poultry, dairy and breeding farms in the north, east, south and west, and to agricultural colleges and experiment stations — they re-order again and again. Our best salesman is Carbola itself. Order some today so you will have it on hand when you need it.

Your hardware, seed, drug or paint dealer has Carbola or can get it. If not, order direct. Prompt shipment by parcel post or express.

10 lbs. (10 gals.) \$1.25. 20 lbs. (20 gals.) \$2.50. 50 lbs. (50 gals.) \$5.00.

Trial package and interesting booklet 30c postpaid.

# Pratts

POULTRY REGULATOR  
POULTRY REMEDIES  
BUTTERMILK BABY CHICK FOOD

Healthy birds and lots of eggs, the two big things in poultry raising, usually follow the use of

**PRATTS  
POULTRY REGULATOR**



Packages, 30c, 60c and \$1.20; 12-lb. pails, \$1.80; 25-lb. pails, \$3.10; 100-lb. bags, \$10.00.

It builds up vitality, promotes sound digestion, sharpens appetite, thus helping to put birds into condition for heavy egg laying or winning blue ribbons.

Given to the breeding stock it increases the fertility of eggs, strong in vitality, that will hatch chicks that will grow. Use it if you want big hatches of healthy chicks that will develop into husky pullets and cockerels.

Pratts is the original Poultry Regulator of America and is in use by the most successful poultry raisers everywhere.

It will help prevent many of the common poultry ailments. It will greatly improve turkeys, geese, ducks, pigeons and guineas.

When Baby Chicks come, keep them healthy and growing and bring even the weak ones along by feeding

**PRATTS  
BUTTERMILK BABY CHICK FOOD**

A largely predigested baby food for baby chicks. Guaranteed to raise every livable chick. Helps prevent leg weakness, white diarrhoea, "pasting up" and other chick diseases.

The cost per chick for three weeks is about one cent. If by using Pratts Buttermilk Baby Chick Food you can save five more chicks out of one hundred than you formerly did, considering these five chicks at three weeks of age as worth at least \$1.00, your food has cost you nothing and you have five more husky chicks. These figures are too conservative as losses ordinarily in many cases average from 25% to 50% for the first three weeks.

Using Pratt Buttermilk Baby Chick Food means life insurance for the baby chicks for the critical first three weeks' period at a very small outlay and guaranteed to give the little fellows a splendid start which will prove the foundation for the development of strong, healthy pullets and cockerels.

Packages, 30c and 60c. Also in 14-lb., 50-lb., and 100-lb. bags.

Don't let ROUP cut your profits. The sure and easy "ounce of prevention" against this dangerously contagious disease is

**Pratts  
Roup Preparation**

Tablets or Powder  
30c, 60c, \$1.20

Quickly absorbed by the blood, purifies the system, reduces fever, allays inflammation. The safe remedy for roup, colds, catarrh and many bad weather diseases.



To help protect your chicks from white diarrhoea, the most destructive of all chick diseases, we recommend the use of

**Pratts  
White Diarrhoea Tablets**

30c and 60c

in the drinking water from the first drink.

This remedy has saved many dollars' worth of chicks for poultry raisers. You can depend on it.

If poultry keepers would regularly spray the chicken houses, roosts, dropping boards and utensils with

**Pratts**

**Poultry Disinfectant**

most common troubles would vanish.

Three times as powerful as crude carbolic acid. A sure deodorizer, permicide and liquid lice killer. Use it to aid in the relief of roup, colds and other contagious diseases.

1 qt., 70c; 2 qts., \$1.25; 1 gal., \$2.00; 10 gal cans, \$14.



Get rid of lice on your poultry, in nests, dustbaths, incubators and elsewhere by using

**PRATTS  
POWDERED LICE KILLER**

Packages, 30c and 60c

Effective, non-irritating. It quickly kills lice on little chicks, big chicks, setting hens and incubator chicks. It rids horses, cattle, hogs, dogs and cats of lice, and destroys ticks on sheep. It destroys many insects and bugs on vines, plants and flowers. Drives out moths from closets, furniture, carpets and clothing.

**Don't Overlook  
The Kiwanis Section**



**It Starts on Page 24 and 25  
Following Our Price List**

Seed Is the Foundation of All Food--So Plant

***Seeds You Can't Keep Down***

See This Slogan Is on Every Package

**"SEEDS YOU CAN'T KEEP DOWN"****\*-\* PRICE LIST \*-\*****PRICES SUBJECT TO CHANGE WITHOUT NOTICE****ASPARAGUS**

	Lb.	$\frac{1}{4}$ -Lb.	Oz.
Barr's Mammoth.....	\$ .85	\$ .30	\$ .10
Conover's Colossal.....	.75	.25	.10

**DWARF, or SNAP BEANS**

	Bu.	Pk.	4-Qt.	Qt.	Pt.	Pkg.
Broad Windsor, Green Pod.....	\$12.00	\$3.30	\$1.80	\$ .60	\$ .30	\$ .10
Burpee's Stringless, Green Pod.....	11.40	3.15	1.75	.50	.30	.10
Early Mohawk, Green Pod.....	10.80	3.00	1.65	.50	.30	.10
Giant Stringless, Green Pod.....	12.00	3.30	1.80	.50	.30	.10
Horticultural Dwarf, Spotted Pod.....	12.00	3.30	1.80	.50	.30	.10
Large Red Kidney.....	11.40	3.15	1.75	.50	.30	.10
Large White Kidney, Green Pod.....	12.00	3.30	1.80	.50	.30	.10
Large White Marrow, Green Pod.....		2.10	1.20	.40	.30	.10
Refugee, Extra Early.....	10.80	3.00	1.65	.50	.30	.10
Refugee, or 1,0000 to 1, Green Pod.....	11.40	3.15	1.75	.50	.30	.10
Six Weeks, Long Yellow, Green Pod.....	10.80	3.00	1.65	.50	.30	.10
Valentine, Improved Red, Green Pod.....	10.80	3.00	1.65	.50	.30	.10
Valentine, Black, Green Pod.....	10.80	3.00	1.65	.50	.30	.10

**DWARF WAX or BUTTER BEANS**

	Bu.	Pk.	4-Qt.	Qt.	Pt.	Pkg.
Black Wax.....	\$13.20	\$3.60	\$1.95	\$ .70	\$ .40	\$ .10
Currie's Rust-Proof, Flat Pod.....	11.40	3.15	1.75	.70	.40	.10
Davis White Wax.....	13.20	3.60	1.95	.70	.40	.10
Golden Eye Wax.....	11.40	3.15	1.75	.70	.40	.10
Golden Wax, improved.....	11.40	3.15	1.75	.70	.40	.10
Hodson Wax, Rust-Proof, Flat Pod.....	11.40	3.15	1.75	.70	.40	.10
Pencil Pod, Black Wax.....	12.00	3.30	1.80	.70	.40	.10
Refugee Wax.....	11.40	3.15	1.75	.70	.40	.10
Wardwell Kidney Wax.....	12.00	3.30	1.80	.70	.40	.10
Webber Wax.....	12.00	3.30	1.80	.70	.40	.10

**DWARF LIMA BEANS**

	Pk.	4-Qt.	Qt.	Pt.	Pkg.
Burpee Bush Lima.....	\$4.00	\$2.25	\$ .75	\$ .40	\$ .10
Fordhook Bush Lima.....	4.00	2.25	.75	.40	.10

**POLE RUNNING BÉANS**

Horticultural .....	3.45	1.90	.70	.40	.10
Kentucky Wonder or Old Homestead, Green Pod	3.45	1.90	.70	.40	.10
Kentucky Wonder, Wax Pod.....	4.20	2.25	.75	.40	.10
Scarlet Runner.....		2.25	.75	.40	.10
White Runner.....		2.25	.75	.40	.10

**BEETS**

	5-Lb.	Lb.	$\frac{1}{4}$ -Lb.	Oz.	Pkg.
Bassano, Early, Light Color.....	\$3.00	\$ .80	\$ .30	\$ .15	\$ .05
Crimson Globe, Second Early Bunch.....	3.00	.80	.30	.15	.05
Crosby's Egyptian, Extra Early Bunch.....	3.00	.80	.30	.15	.05
Detroit Dark Red Turnip.....	3.00	.80	.30	.15	.05
Early Blood Turnip.....	3.00	.80	.30	.15	.05
Eclipse Light Color.....	3.00	.80	.30	.15	.05
Long Smooth Blood.....	3.00	.80	.30	.15	.05
Swiss Chard, Lucullus.....	4.00	1.00	.60	.20	.05

**BEETS, SUGAR**

Giant Half Sugar.....	3.50	.80	.30	.15	.05
Lane's Improved.....	4.50	.95	.40	.15	.05

**MANGEL WURZEL**

Giant Yellow Intermediate.....	3.50	.80	.30	.15	.05
Golden Tankard.....	3.50	.80	.30	.15	.05
Mammoth Long Red.....	3.50	.80	.30	.15	.05
Sludstrup .....	3.50	.80	.30	.15	.05

**BRUSSELS SPROUTS**

Dwarf, Improved.....		3.00	.85	.30	.10
----------------------	--	------	-----	-----	-----

**CABBAGE**

	Lb.	1/4-Lb.	Oz.	1/2-Oz.	Pkg.
All Seasons, Early.....	\$3.50	\$1.00	\$.35	\$.20	\$.10
Autumn King.....	4.50	1.25	.40	.25	.10
Burpee's All-Head, Early.....	3.00	.90	.35	.20	.10
Chinese or Pe Tsia.....	3.00	.90	.35	.20	.10
Copenhagen Market, Second Early.....	4.50	1.25	.45	.25	.10
Danish Ballhead, Late (Imported).....	5.00	1.35	.50	.30	.10
Danish Roundhead, Late (Imported).....	5.00	1.35	.50	.30	.10
Drumhead, American Savoy, Late.....	3.00	.90	.35	.20	.10
Early Summer.....	2.50	.75	.30	.20	
Early Spring.....	4.50	1.25	.40	.25	.10
Hollander, Late (Imported), or Danish Ballhead.....	5.00	1.35	.50	.30	.10
Premium, Late Flathead Dutch.....	2.50	.75	.30	.20	.10
Red Rock, Mammoth, Late.....	4.00	1.10	.40	.20	.10
Savoy, Early Dwarf Ulm.....	3.00	.90	.35	.20	
Succession, Henderson's, Second Early.....	2.75	.90	.35	.20	.10
Surehead, Late.....	2.50	.95	.30	.20	.10
Wakefield, Selected Early Jersey.....	3.50	1.00	.35	.20	.10
Wakefield, Large Charleston, Early.....	2.50	.75	.30	.20	.10
Winnipeg, Early.....	2.75	.90	.35	.20	.10

**CARROT**

Chantenay .....	.85	.35	.15	.10	.05
Danvers, Half Long.....	.85	.35	.15	.10	.05
Long Orange, Improved.....	.85	.35	.15	.10	.05
Ox-heart .....	.85	.35	.15	.10	.05
White Stock, Short.....	.85	.35	.15	.10	.05

**CAULIFLOWER**

	Lb.	1/4-Lb.	Oz.	1/4-Oz.	Pkg.
Early Favorite .....	\$3.75	\$1.25	\$.35	\$.15	\$.15
Early Extra Paris.....	3.50	1.25	.35		.15
Early Snowball, Selected.....	8.00	2.50	.75		

**CELERY**

	Lb.	1/4-Lb.	Oz.	1/2-Oz.	Pkg.
Giant Pascal.....	\$2.75	.90	.30	.20	.10
Golden Heart, Dwarf.....	3.00	.95	.35	.20	.10
Golden Extra Early Self-Blanching Dwarf.....	12.00	3.25	1.00	.55	.15
White Plume, Improved.....	3.50	1.10	.45	.25	.10
Winter Queen.....	2.50	.75	.25	.15	.10

**CELERAIC**

Large Smooth.....	1.65	.60	.20	.10	.10
-------------------	------	-----	-----	-----	-----

**CHICORY**

Large Rooted.....	2.00	.60	.25	.15	.10
Whitloof, Winter Endive.....	2.50	.75	.25	.15	.10

**CORN, SWEET**

	Bu.	Pk.	4-Qt.	Qt.	Pt.	Pkg.
Black Mexican, Medium Early.....	\$ 8.00	\$2.50	\$1.40	\$.60	\$.35	\$.10
Cory, White Cob, Early.....	8.00	2.50	1.40	.60	.35	.10
Country Gentleman, Late.....	10.00	3.00	1.60	.60	.35	.10
Crosby, Early.....	8.00	2.50	1.40	.60	.35	.10
Early Evergreen.....	8.00	2.50	1.40	.60	.35	.10
Early Peep-o'Day.....	8.00	2.50	1.40	.60	.35	.10
Evergreen, Stowell's, Late.....	8.00	2.50	1.40	.60	.35	.10
Golden Bantam.....	10.00	3.00	1.60	.60	.35	.10
Howling Mob.....	8.00	2.50	1.40	.60	.35	.10
Hickox, Improved, Late.....	8.00	2.50	1.40	.60	.35	.10
Kendal's Extra Early Giant.....	8.00	2.50	1.40	.60	.35	.10

**CORN SALAD**

	Lb.	1/4-Lb.	Oz.	1/2-Oz.	Pkg.
	\$1.50	\$.40	\$.15	\$.10	\$.05
Corn Salad.....					

**CRESS**

Curled, Extra.....	1.00	.30	.15	.10	.05
True Water.....		1.80	.60	.35	.10

**CUCUMBER**

Boston Pickle or Early Prolific.....	1.25	.40	.15	.10	.05
Davis Perfect.....	1.50	.45	.20	.10	.05
Early Cluster.....	1.00	.30	.15	.10	.05
Early Frame or Short Green.....	1.00	.30	.15	.10	.05
Japanese Climbing.....	1.45	.50	.20	.10	.05
Long Green, Improved.....	1.50	.45	.20	.10	.05
White Spine, Evergreen, Extra Long.....	1.45	.50	.20	.10	.05
White Spine, Fortune.....	1.75	.50	.20	.10	.05

**DANDELION**

Thick-Leaved, Improved.....			Prices on application		
-----------------------------	--	--	-----------------------	--	--

**EGGPLANT**

Improved New York (Spineless).....	5.75	1.70	.55	.30	.10
------------------------------------	------	------	-----	-----	-----

**ENDIVE**

Broad-Leaved .....	1.50	.45	.15	.10	.05
Moss Curled.....	1.50	.45	.15	.10	.05
White Curled.....	1.50	.45	.15	.10	.05

**HERBS**

Basil .....			.25	.15	.10
Caraway .....			.25	.15	.10
Dill .....	1.25	.45	.20	.10	.05
Horehound .....					.10
Marjoram, Sweet.....			.60	.35	.10
Sage .....			.90	.50	.10
Savory, Summer.....					.15
Thyme .....			1.00	.60	.10
Wormwood .....					.10

**KALE or BORECOLE**

Dwarf German Purple.....	1.75	.55	.20	.10	.10
Dwarf Green Curled Scotch.....	1.25	.40	.15	.10	.10
Tall Green Curled Scotch.....	1.25	.40	.15	.10	.10

**KOHL-RABI**

Early White Vienna.....	2.75	.85	.30	.15	.10
Early Purple Vienna.....	3.00	.90	.30	.15	.10

**LEEK**

American Flag.....	3.00	.85	.30	.15	.05
--------------------	------	-----	-----	-----	-----

**LETTUCE**

	Lb.	1/4-Lb.	Oz.	1/2-Oz.	Pkg.
	\$1.50	\$.45	\$.15	\$.10	\$.05
Big Boston, Very Fine, Early Head.....					
Grand Rapids.....	1.50	.45	.15	.10	.05
Hanson, Improved, Early.....	1.25	.40	.15	.10	.05
Iceberg, Head, Red Edged Leaf.....	1.50	.45	.15	.10	.05
Immensity, Head, or Leonard's.....	2.00	.55	.15	.10	.05
May King, Early Head.....	1.50	.45	.15	.10	.05
Onondaga, Brown Leaf.....	1.50	.45	.15	.10	.05
Prizehead, Early, Red Edged Leaf.....	1.25	.40	.15	.10	.05
Simpson's Curled.....	1.25	.40	.15	.10	.05
Simpson's Black Seed.....	1.50	.45	.15	.10	.05
White Paris Cos.....	1.50	.45	.15	.10	.05

**MUSKMELON**

Hackensack, Early.....	1.50	.45	.15	.10	.05
Long Island Beauty.....	1.50	.45	.15	.10	.05
Rocky Ford.....	1.50	.45	.15	.10	.05
Surprise, Improved.....	1.25	.40	.15	.10	.05

**WATERMELON**

Citron, Red Seed.....	1.00	.30	.10		.05
Ice Cream, White Seed.....	1.00	.30	.10		.05
Mountain Sweet.....	1.00	.30	.10		.05

**MORNING GLORY**

Mixed Colors.....	.80	.25	.15	.05
-------------------	-----	-----	-----	-----

**NASTURTIUM**

Dwarf, Mixed.....	1.50	.45	.15	.10
Tall, Mixed.....	1.00	.30	.15	.10

**OKRA**

Extra Early Dwarf.....	.65	.25	.10	.05
------------------------	-----	-----	-----	-----

**ONION**

Batchelor's Yellow Globe.....	2.50	.75	.25	.15	.10
White Globe Southport.....	2.50	.75	.25	.15	.10
White Portugal .....	2.25	.75	.25	.15	.10
White Queen, Pickling or White Pearl.....	2.75	.80	.25	.15	.10
Yellow Globe Danvers.....	1.60	.40	.15	.10	.10
Yellow Globe Southport.....	1.60	.40	.15	.10	.10
Yellow Prizetaker .....	1.60	.40	.15	.10	.10
Red Globe Southport.....	2.50	.75	.25	.15	.10
Red Extra Early Flat.....	1.50	.40	.15	.10	.10
Red Wethersfield, Large.....	1.60	.40	.15	.10	.10
Danver's, Round or Flat.....	1.50	.40	.15	.10	.10

**ONION SETS**

Prices on Application.

**PARSLEY**

Champion Moss Curled.....	1.00	.30	.15	.05
Hamburg or Rooted.....	.95	.30	.15	.05
Triple Curled.....	1.25	.40	.15	.05

**PARSNIP**

Hollow Crown.....	.60	.25	.10	.05
Long White Dutch.....	.60	.25	.10	.05

**POPCORN**

Prices on Application.

**PEAS****Round Varieties**

	Bu.	Pk.	4-Qt.	Qt.	Pt.	Pkg.
Extra Early First and Best, Tall.....	\$ 9.00	\$2.60	\$1.45	\$ .70	\$ .40	\$ .10
Mammoth Melting Sugar, Late, Tall.....		3.90	2.10	.80	.50	.10

**Wrinkled Varieties**

	Bu.	Pk.	4-Qt.	Qt.	Pt.	Pkg.
Admiral, Extra Early.....	\$ 8.96	\$2.50	\$1.40	\$ .70	\$ .40	\$ .10
Alderman, Second Early, Tall.....	10.00	2.80	1.55	.70	.40	.10
Batchelor's Laxtonian.....	12.35	3.35	1.80	.70	.40	.10
Carter's Telephone, Second Early, Tall.....	10.00	2.80	1.55	.70	.40	.10
Champion of England, Late, Tall.....	12.35	3.35	1.80	.70	.40	.10
Duke of Albany.....	10.00	2.80	1.55	.70	.40	.10
Gradus, Extra Early, Low.....	12.35	3.35	1.80	.70	.40	.10
Nott's Excelsior, Extra Early, Dwarf.....	9.50	2.65	1.45	.70	.40	.10
Potlatch .....	10.65	2.95	1.60	.70	.40	.10
Premium Gem, Extra Early, Dwarf.....	11.75	3.25	1.75	.70	.40	.10
Thomas Laxton, Extra Early, Tall.....	12.35	3.25	1.80	.70	.40	.10

**SWEET PEAS**

	Lb.	¼-Lb.	Oz.	½-Oz.	Pkg.
Spencer Mixed.....	\$3.00	\$ .90	\$ .25	\$ .20	\$
Grandiflora Mixed.....	1.50	.45	.15	.10	.05
Leonard's Fancy.....	2.25	.70	.20	.10	.05

**PEPPER**

Bell, Large or Bull Nose.....	5.50	1.60	.55	.30	.10
Ruby King, very mild and sweet.....	6.00	1.75	.60	.35	.10
Cayenne, Long.....	5.00	1.40	.50	.30	.10

**POTATOES, For Seed**

Prices on Application.

**PUMPKIN**

Connecticut Field.....	1.25	.40	.15	.10	.05
Kentucky Field.....	1.00	.30	.15	.10	.05
Sweet or Sugar.....	1.25	.40	.15	.10	.05

**RADISH (Mostly French Grown)**

Turnip, Early Scarlet.....	1.00	.30	.15	.10	.05
Turnip, Early White.....	1.25	.40	.15	.10	.05
Turnip, Early Scarlet, White Tipped.....	1.25	.40	.15	.10	.05
Turnip, Crimson Giant.....	1.25	.40	.15	.10	.05
French Breakfast.....	1.00	.30	.15	.10	.05
Lady Finger, White or Long White Vienna.....	1.00	.30	.15	.10	.05
Long Black Spanish.....	1.00	.30	.15	.10	.05
Long Brightest Scarlet.....	1.00	.30	.15	.10	.05
Pink Chartier.....	1.00	.30	.15	.10	.05
Round Black Spanish, Winter.....	1.25	.40	.15	.10	.05
Long White Spanish, Winter.....	1.25	.40	.15	.10	.05
Vick's Scarlet Globe.....	1.25	.40	.15	.10	.05
White Icicle .....	1.25	.40	.15	.10	.05
White Celestial, Winter.....	1.25	.40	.15	.10	.05
White Strasburg .....	1.00	.30	.15	.10	.05
Winter Chinese Rose.....	1.00	.30	.15	.10	.05

**SALSIFY**

Mammoth Sandwich Island.....	2.25	.80	.30	.10	.05
------------------------------	------	-----	-----	-----	-----

**SPINACH**

	Lb.	1/4-Lb.	Oz.	1/2-Oz.	Pkg.
Bloomsdale or Savoy.....	\$ .40	\$ .20	\$ .10	\$	\$ .05
Early Giant Thick Leaver or Viroflay.....	.40	.20	.10		.05
New Zealand.....	1.00	.30	.15	.10	.05
Prickly Winter.....	.45	.20	.10		.05

**SQUASH, Bush Varieties**

Early Yellow Scalloped.....	1.50	.45	.15	.10	.05
Giant Summer Crookneck.....	1.75	.55	.20	.10	.05

**Running Varieties**

Boston Marrow.....	1.25	.40	.15	.10	.05
Delicious .....	2.00	.60	.20	.10	.05
Hubbard, Golden .....	2.00	.60	.20	.10	.05
Hubbard, Improved .....	2.00	.60	.20	.10	.05
Hubbard, Mammoth Warted.....	2.00	.60	.20	.10	.05

**TOBACCO**

Connecticut Seed Leaf.....	6.00	1.75	.60	.35	.05
----------------------------	------	------	-----	-----	-----

**TOMATO**

Bonny Best.....	4.00	1.10	.40	.25	.05
Dwarf, Champion.....	4.00	1.10	.40	.25	.05
Early Jewel, Chalk's.....	4.00	1.10	.40	.25	.05
Earliana .....	4.00	1.10	.40	.25	.05
Ponderosa .....	5.50	1.60	.55	.30	.05
Stone, Dwarf.....	5.00	1.40	.50	.25	.05

**TURNIP**

Milan Purple Top, Extra Early.....	1.50	.40	.15	.10	.05
Purple Top White Globe.....	.65	.20	.15	.10	.05
Purple Top Strap Leaf.....	.65	.20	.15	.10	.05
Snowball, Early.....	1.00	.30	.15	.10	.05
White Egg.....	.80	.25	.15	.10	.05
White Early Flat Dutch.....	.65	.20	.15	.10	.05
Yellow Globe.....	1.00	.30	.15	.10	.05
Rutabaga, Purple Top American, Yellow Flesh.	.65	.20	.15	.10	.05
Rutabaga, White Sweet French.....	.65	.20	.15	.10	.05

---

**The Next Few Pages Are Devoted to**

**LEADING BUSINESS HOUSES IN UTICA**

We have heretofore devoted our entire advertising pages to the firms manufacturing goods which we handle. Through several requests we have decided to add to our catalog the

**UTICA KIWANIS SECTION**


To our customers and friends when purchasing from any firm advertising in these pages, please remind them of the place you saw their ad.

**Bring your purchase receipt to us and we will give you 25c worth of seeds FREE with your seed order.**

# Have You a Warm House and a Cool Cellar?

Steam  
Hot Water  
Vapor  
Warm-Air  
Heating

Sheet-Metal  
Work  
Roofing  
Water Supply  
Systems



Have an International One-Pipe Heater Installed  
by a Reliable Heating Contractor. Satisfaction  
or Money Refunded

**Mohawk Valley Heating Co.**

302 Broad St., Utica, N. Y.

R. S. JONES

D. PUGH

WHOLESALE AND RETAIL

**Fish****Poultry****Canned Goods****Oysters****Clams****Lobsters****Scallops****Eggs****Sea Food Varieties**

---

**BOYCE & WILLIAMS**

JONES &amp; PUGH, Proprietors

Phones 62 and 63

8 PEARL STREET

UTICA, N. Y.

## The Cackle of the Hen Means Nothing

IT'S THE EGG YOU WANT

SAME WITH MILLINERY — YOU WANT STYLE, NOT TALK

AND WE'VE GOT THEM FOR YOU

We eliminate the profits of Jobbers — we buy direct from manufacturers and importers. THAT MEANS LOWER PRICES.

OUR STYLES ARE ALWAYS FRESH AND NEW

UTICA'S FAVORITE MILLINERY STORE

## R. H. Canfield Co., Inc.

185 GENESEE STREET :: UTICA, NEW YORK

## EVERY FARM NEEDS

WATER — HEAT — POWER

If you have an abundance of water on your farm, use it for POWER, STEAM or HOT WATER HEATING, and for Barn or Chicken Coops.

IF FOR THE ABOVE you will need pipe, boilers and plumbing fixtures.

REMEMBER

We Install All the Above in New or Repair Old Work

## H. J. Brandles Corporation


CONTRACTORS — ENGINEERS

HEATING, PLUMBING, POWER INSTALLATIONS AND SUPPLIES

431-435 Lafayette Street

Phone 417

UTICA, N. Y.

**REAL ESTATE****Bought, Sold, Appraised, Rented, Auctioned, Exchanged and Managed****INSURANCE****Policies Written in Strong, Reliable and Quick-Paying Companies****LOANS****Money Loaned on Bond and Mortgage in Any Amount****APPRAISALS****Made for Banks, Estates, Corporations and Private Individuals****The "Evereasy" Feather Mattress made from your old feather bed:**

Price using your old tick . . . . .	\$ 8.00
Price using new ticking . . . . .	14.00

**Phone 5457****1154 Mohawk  
Utica, N. Y.****We Buy and Sell Duck and Geese Feathers****Carpets Cleaned and Mattresses Made Over****Dealers in  
NEW MATTRESSES and FOSTER BEDS and SPRINGS**

# Figure Your Paint Cost

By the year — by the life and service on your home. You will find it real economy to use

## Lucas Paint

Painting your buildings is a common-sense method of protecting them — and to protect them right you must use good paint.

SAVE THE SURFACE AND YOU SAVE ALL



## Genesee Paint & Glass Co.

EVERYTHING THAT A PAINT STORE SHOULD HAVE  
WHOLESALE AND RETAIL

325 COLUMBIA STREET :: UTICA, N. Y.

ALL ORDERS WILL RECEIVE PROMPT ATTENTION

# R. C. SHACKELTON

Store Closes Daily  
at 5:30 P. M.

Saturdays at 6 P. M.

RUG AND DRAPERY SHOP  
Kempf. Bldg., 250 Genesee St.

Mail and Phone  
Orders Receive  
Prompt Attention

We Carry a Complete Line of  
**RUGS, LINOLEUMS, WINDOW SHADES, CURTAINS AND  
DRAPERIES**

Also a Full Line of **BED SPRINGS** and **MATTRESSES**

Our Prices Are Always the Lowest Consistent With Good Quality

COME IN AND MAKE THIS STORE YOUR HEADQUARTERS

## HARDY PERENNIAL PLANTS

DELPHINIUM, FOXGLOVE, CANTERBURY BELLS, COREOPSIS,

GILLARDIA, ETC.

FOR PERMANENT PLANTING

Hardy Roses, Lilacs, Hydrangeas and Barberry Hedges

CUT FLOWERS OF ALL DESCRIPTIONS

*Baker  
the florist*

CORNELIA STREET

# Henry W. Ryan

**246 Genesee St.**

*"The Large Store in the Small Building"*



**Distinctive High Grade**

# Furniture



**Moderately Priced**

ALL ORDERS WILL RECEIVE PROMPT ATTENTION

# Walk-Over SHOES


For Men and Women

Are the Best Money Can Buy

128 Bleecker St., Utica

# Electric Lighting Fixtures

"THE QUALITY KIND"



That helps to finish your home and lends an artistic distinction

GOLD, SILVER, NICKEL, BRASS AND COPPER PLATING



# Utica Brass Works

12 LIBERTY STREET :: :: UTICA, N. Y.

# **Lockwood's Quality Health Ice Cream**

**Made  
in  
Utica  
at  
Oneida Square**

**3866 Phones 3887**

**A. L. Lockwood  
Utica, N. Y.**

ALL ORDERS WILL RECEIVE PROMPT ATTENTION

# McLean's

CLEANSERS AND DYERS

of

LADIES' AND GENTLEMEN'S WEARING APPAREL

BLANKETS, LACE CURTAINS, PORTIERES

612-618 WASHINGTON STREET

# LARGEST

BECAUSE THE BEST

SCHOOL IS IN SESSION THE ENTIRE YEAR

Students may enter any Monday with equal advantage, as each student receives personal attention and is permitted to progress as rapidly as is consistent with thorough work.

Departments — Accountancy, Secretarial, Bookkeeping, Shorthand, Typewriting, English. Twenty-five years of continuous success.

*Utica School of Commerce*

14-24 BANK PLACE, UTICA, N. Y.

T. J. RISINGER, Founder

W. S. RISINGER, Principal

# **Stiefvater Electric Co.**

INCORPORATED

320 LAFAYETTE STREET :: :: UTICA, N. Y.



## ROME BRANCH

319 WEST DOMINICK STREET



# **WILLARD**

## **Threaded Rubber Storage Batteries**




### EXPERTS ON

STARTING, LIGHTING AND IGNITION SYSTEMS



### AUTHORIZED SERVICE STATION FOR


Delco, Remy, Klaxon, Atwater-Kent, Bjur, Connecticut, Electric-Auto-Lite,  
Eiseman, Westinghouse, Berling, North East, Gray & Davis




STARTING, LIGHTING AND IGNITION SYSTEMS

**Only Genuine Parts Used**

ALL ORDERS WILL RECEIVE PROMPT ATTENTION



WHETHER



YOU WISH YOUR EYES EXAMINED

or the  
FRAME ADJUSTED  
IT MUST BE ACCURATELY DONE

Years of experience have taught us to fit glasses perfectly, and our desire to build patronage through satisfied customers assures the utmost accuracy and promptness in the handling of every order.

**Richard Perlen**  
OPTOMETRIST

119 BLEECKER STREET :: :: UTICA, N. Y.

**W. G. HOLLINGWORTH**

**VETERINARIAN**

OFFICE AND HOSPITAL

411-413 BROADWAY :: UTICA, N. Y.

Office Hours — 11 A. M. to 1 P. M.; 5 to 6 P. M. Evenings, 8 to 9.

# Poultry Fanciers

More News About

## Poultry Supplies

Feeding and General Care

### For "Baby" Chicks


Is Now Due You  
AT THE HOUSE OF QUALITY  
COME AND LEARN

### BUTTER MILK

STARTING FOOD

Automatic Fountain and  
Chicken Feeder

CHICK  
CHARCOAL  
CHICK  
GRIT  
CHICK  
MEAT SCRAPS



CHICK  
GRAIN  
CHICK  
BONE  
CHICK  
LICE POWDER

This appliance for chicks feeds water, grain, grit, etc., automatically. It is an absolutely sanitary fountain made to fit any half gallon, quart or pint Mason Jar. We do not furnish jars.

Price.....15c each  
(Shipping weight 6 oz. each)

EVERYTHING FROM THE EGG TO THE HEN  
in  
INCUBATORS, BROODERS, FOUNTAINS AND FEEDERS

**The Daniel Batchelor Seed Store**

BIRD, CAT, DOG AND GOLD FISH SUPPLIES  
PLANTS AND BULBS IN THEIR SEASON



SOMETHING FOR THE BABY

While this article is a little foreign to our regular line, we have considered its real value to the home where there is a baby.

**PRICE 60c**

BELT  
Encircles  
BABY'S  
WAIST

—  
—  
—



Attaches  
To High  
Chair or  
Carriage

Did you ever have a child fall from a chair or carriage? If so, you then can appreciate its value in protecting the infant from danger.


**PRICE 60c**



We Are Representatives for One of the Large Manufacturers of  
**DOG AND CAT COLLARS, HARNESS, LEADS, ETC.**



**CHICK GRIT AND SHELL BOX**




Growing chicks should have grit, oyster shell and charcoal always before them; and for this purpose our Chick Grit and Shell Box is indispensable.

It is made of galvanized steel with three compartments.

Height,  $7\frac{1}{2}$  inches; width, 6 inches; depth (front to back), 4 inches at bottom and 2 inches at top.

**PRICE .60**  
(Shipping weight 2 lbs.)

**WALL FOUNTAINS**




Made in three sizes, 1 quart, 1 gallon and 2 gallons. The two larger sizes have flat backs, so they can be placed horizontally on the ground for filling and also to make them rest firmly against the wall when hung up. Made of No. 28 galvanized steel with heavy strap handles and hangers.

**1-quart size.....\$ .80**  
(Shipping weight 1 lb.)


# J. I. CASE

## CORN PLANTERS

## CULTIVATORS



Whether the amount of cultivating you must do and your available labor will make a single row walking cultivator or a single or double row riding cultivator best adapted for use on your farm, we have it.




### PLANET JR. No. 4 — \$23.50

This tool combines, in a single convenient implement, a capital hill-dropping seeder, a continuous row seeder, an admirable single wheel hoe, an excellent furrower, a capital wheel cultivator, and a rapid and efficient wheel garden plow. In a word, with a great variety of tools, excellent in design and quality, it is without an equal for easy adjustment, lightness, strength and beauty. It is a practical, every-day, time, labor and money saver. It sows in continuous rows with great uniformity, and drops with accuracy in hills 4, 6, 8, 12 or 24 inches apart. The feed is automatically stopped by raising the handles, and started by lowering them.


### PLANET JR. No. 12 — \$15.50

#### Double and Single Wheel Combined

The No. 12 is the most popular Double Wheel Planet Jr. Hoe. It can be used by man, woman or boy. It is identical with No. 11 except that the 4½-inches hoes and the rakes are omitted from the equipment, and it is sold at a correspondingly less price. The attachments with it are what gardeners use most, and the short hoes, rakes, and any of the attachments of the No. 11 can be added at any time. You'll be astonished how easy it is to save time, labor, money, and get much bigger crops if you use it.



### PLANET JR. HORSE HOE No. 4 — \$18.75



No. 9 Horse Hoe is an admirable tool which is identical with No. 7, except that it has plain wheel instead of the lever wheel.

This tool has become popular because of its strength, lightness, easy change of width, and perfection of work, and while not so handy as a tool with a lever wheel, it is a favorite. All steels specially hardened and unbeatable.

The handles are adjustable in height and also sidewise, and the equipment as shown in the cut offers a tool which will always be useful.

All Popular Sizes Are in Our Stock

### HARROWS

If your soil requires a disc or spike tooth, we can furnish you with the kind you are in need of.

### PLOWS

No matter what kind of soil you have, or under what condition you must do your plowing, there is a type of plow in the famous J. I. Case line that exactly meets your needs.

ALL ORDERS WILL RECEIVE PROMPT ATTENTION


# ...AUTOMOBILE TIRE SUPPLIES...

SYRA-  
CORD  
TIRES



Batteries and Spark Plugs

VEEDOL  
OIL



Wholesale and Retail

**W. J. HELFERT**


207 Elizabeth St., Opposite Court House, Utica, N.Y.

**Stewart**  
MOTOR TRUCKS

"Stewarts Have Won by Costing Less to Run"

Factory

Buffalo, N. Y.



6 Sizes

3-4 Ton to  $3\frac{1}{2}$  Ton

Model 11— $3\frac{1}{4}$ -Ton Chassis

Phone for a Demonstration

S. T. WILSON

Distributor

Phone 6320

360 Genesee St.

Utica, N. Y.

## PEAS

As to a superiority between smooth and wrinkled peas it is all a matter of individual taste, but the preponderance of taste is in favor of the wrinkled varieties.

**ALL VARIETIES OF PEAS, REGARDLESS OF HEIGHT, MAY BE GROWN SUCCESSFULLY WITHOUT A TRELLIS OR SUPPORT.** As peas vary in height from six inches to six feet, it follows that the distances in the row and apart in the row should vary. Dwarf or half dwarf varieties are best planted in double or companion rows six inches apart to support and shade each other in their growth; then leave a space of eighteen to thirty inches, according to height of the variety, and repeat the double row. The tall varieties that may be given support are planted in single rows, the space between the rows somewhat less than the height of the variety. Drop ten to twenty dwarf peas to the double row or six to ten tall peas to the foot of row, using one quart to one hundred feet and three bushels to the acre.

Plant all peas at least five inches deep in soil that has been deeply plowed. This deep planting is the grower's attempt to give the peas the cool, damp climate they prefer. Lightly harrow or rake the soil when the peas should be breaking through, and continue to cultivate till the vine stops the work.

All peas stand some frost and may be planted as soon as the soil may be worked in spring. Peas should be planted frequently for a succession all north of the Ohio. The early varieties are planted in August for a late autumn crop.

For quality's sake, pick before they crowd the pod and pick all pods as rapidly as produced to somewhat extend the plants bearing.

As all varieties of peas lose their characteristics when left without that selection given by expert seedsmen, it is necessary to go to a reliable source for seed peas.

## SMOOTH SEED

**★Alaska.** Well known and extensively used, especially by Canners. Very early, and when carefully grown, uniform in ripening. Vine is strong and vigorous, 2 to 2½ feet high, of a peculiar light green color; pods 2¼ to 2¾ inches long, straight and blunt at the end, and light in color.

**First and Best.** Early, productive and hardy, with a strong, vigorous vine, which is light in color and uniform in growth, 2½ to 3 feet in height and bearing straight pods 2½ to 2¾ inches long, round, light in color, and blunt at the ends.

**Early May Improved.** This pea is one of the best of the "White" earlies and is superior to First and Best or Prolific Early Market. Vines are strong growing for this class of pea, about 30 inches in height, foliage pale green. Pods are pale colored, straight, round and blunt. Average 2¼ inches in length. Fit for use fifty-six days from planting. Seed small to medium sized, white and smooth.

**Pride of the Market.** Of fine growth and general appearance, both vine and pod, and closely resembles the Stratagem except that the vine is not quite so long and the pods are deeper green in color. The vine is 20 inches high, foliage dark green color. Pods are 3½ inches long, broad and dark in color. Fit for table use sixty-one days from planting. Seed blue, slightly dented, large.

**Melting Sugar.** Large edible pod. Height, 42 to 48 inches. Pods, 4 to 4½ inches long and 1½ inches broad. Fit for table use eighty days from planting.

**★White Marrowfat.** Vines hardy, strong, vigorous and bearing broad, thick, leathery pods.

**Black-Eyed Marrowfat.** Strong and vigorous vines bearing pods near the top of the vine.

## WRINKLED SEED

**★American Wonder.** Vigorous, productive vines, with a luxuriant foliage, and producing the leaves on one side of the stalk, and growing from 9 to 12 inches high. On account of its dwarf habit of growth it is very desirable for private garden use. Pods are light colored, straight, round, about 2½ inches long, and blunt at the end.

**★Nott's Excelsior.** Resembling Gems in habit, but more dwarf and uniform in growth; height, 12 to 17 inches, with rather light foliage.

**★Little Gem.** Strong and vigorous in growth, producing vines from 18 to 24 inches in height, dark foliage, bearing pods singly on both sides of the stalk, beginning near the ground. Pods are almost straight, 2½ to 2¾ inches long, light in color and blunt at the ends.

**★Horsford's Market Garden.** Strongly resembling Premium Gem in habit of growth, but about one-third taller, vines growing 26 to 30 inches high.


**Advancer.** Vines upright and vigorous in growth, hardy and productive. Height, 30 inches, foliage dark green. Pods 2½ to 2¾ inches long, round, dark colored and blunt.

**★Laxtonian.** Vine 1½ feet in height with dark green foliage. Large curved dark green pods, pointed at the ends. Seed green, wrinkled, large sized.

**★Little Marvel.** Height of vine 18 inches, with dark green foliage. Small blunt dark green pods. Fit for table use fifty-three to fifty-five days from planting. Seed blue green, small sized, wrinkled.


**★Dwarf Telephone.** Vines 18 to 20 inches high, with rather coarse foliage, medium light green, bearing pods, broad, straight and about 4 inches long. Pale green in color and well filled with peas of excellent flavor. Ready for picking from sixty-two to sixty-five days from planting. Seed pale green, large, much wrinkled.

**Sutton's Excelsior.** Similar in habit of growth to Nott's Excelsior, but bearing very large, broad pods, well filled with large peas. Very tender and of the most delicious flavor. Vines about 18 to 20 inches high, medium light in color with pods 3¼ to 3½ inches long, light in color and blunt at the ends.



ALASKA PEAS

## PEAS, WRINKLED SEED—Continued



**★Potlatch.** Strong, vigorous vines of even growth, 20 to 24 inches in height, with luxuriant dark foliage, bearing pods medium green in color,  $3\frac{1}{2}$  to 4 inches in length. Broad and pointed at the ends. No variety known will produce more pods, and no pods could possibly shell out better. The Potlatch is a variety from which anyone may expect great things. Fit for table use sixty-one days from planting. Seed green, wrinkled, large in size.

**★Sutton's Dwarf Defiance.** The vines, vigorous and hardy, about 2 feet in height, with coarse, dark green foliage, bearing long, broad pointed pods, dark green in color. Fit for picking sixty-one days from planting. Seed large, green, wrinkled.

**★Stratagem.** A vigorous, hardy and luxuriant vine, bearing large pods containing peas of excellent quality. A heavy cropper, although it has a tendency to sport. Vines 20 inches. Foliage, dark green. Pods  $3\frac{1}{2}$  inches long, straight, broad, pointed, gray green in color. Fit for table use fifty-six days from planting. Seed very large, green, wrinkled.

**★Gradus.** A large, wrinkled, early pea, with a pod nearly as large as Telephone, filled with large peas, tender and of good quality and flavor. Very quick to germinate and mature with the early sorts. This pea will not stand adverse conditions, however, as well as some of the other sorts, and seed must be planted after all danger of early frost has passed. Seed large, cream colored, wrinkled.

**★Thomas Laxton.** Closely resembling Gradus in habit, rapidity of growth, earliness and foliage, 26 to 30 inches high, and much harder in every respect than Gradus.

**Admiral Dewey.** One of the largest podded pea yet introduced. Height,  $3\frac{1}{2}$  feet; pods a rich, dark green color, frequently 6 inches long, beautifully shaped. Peas large, tender and of first class flavor.

**★Telephone.** Vines and leaves large and coarse. Foliage light green in color. Height, 40 to 50 inches; pods,  $4\frac{1}{2}$  inches long, broad pointed, medium green in color. Fit to pick sixty-two to sixty-five days from planting. Seed large, green, wrinkled.

**★Alderman.** A large podded pea of the Telephone type, very robust and vigorous as to vine, foliage, mixed, medium green.

**Duke of Albany.** Resembling the Telephone in appearance. Vine and foliage medium green in color. Height, 50 inches.

**Everbearing.** Vigorous and branching in habit of growth. Height,  $2\frac{1}{2}$  to 3 feet. Pods,  $2\frac{3}{4}$  to 3 inches long. Broad, light colored and blunt. Fit to pick seventy days from planting. Seed green, wrinkled, large in size.

**Champion of England.** Strong and vigorous in growth, 42 to 50 inches in height.

**★Yorkshire Hero.** Hardy, productive, and upright in growth, bearing near the top of stalk, broad pointed pods with peas of a good quality. Foliage dark green, 23 to 28 inches in height. Pods,  $2\frac{1}{2}$  to 3 inches long, blunt, light green in color.

## PUMPKIN

The finer varieties of pumpkins are used for pies and the coarser ones for stock feeding. While the pumpkin may be grown very much as cucumbers are grown in a garden, they are more frequently planted in the field with corn, where several seed are dropped in each fourth hill. Planted alone, six to ten seeds are covered one inch deep in hills eight to ten feet apart and thinned to two to four plants to the hill. One ounce plants twenty-five hills and two to four pounds of seed generously plants an acre. As this crop requires as much time as corn to mature, the planting cannot be too long delayed.

**Small Sugar.** This variety is very small, but of most excellent quality for pies.

**Japanese Pie.** Shaped somewhat like the Cushaws and grows to a large size; skin deep green with dark stripes; flesh deep yellow and of high quality; seeds sculptured like Chinese letters.

**★Cheese or Kentucky Field.** One of the best for table use, and very productive. Shape flat; flesh yellow, thick and tender.

**Connecticut Field.** The hardest of all pumpkins; cultivated mainly for stock-feeding, producing enormous crops.

**Mammoth Potiron.** The flesh and skins are of a bright golden yellow color. Flesh fine grained and of excellent quality. This enormous variety has been grown to weigh 200 pounds.


**Winter Queen.** This is an improvement of the old well-liked sugar pumpkin. Its size is uniformly about nine to ten inches in diameter, color, a beautiful deep orange yellow with a close netting, almost as russeted as a potato.

**★Pie.** Fruit of medium size, nearly round; skin light yellow, smooth and covered with a fine gray netting. Flesh light yellow, very thick, sweet and finely flavored. Makes very delicious pies.

**Tennessee Sweet Potato.** Hardy, productive, sweet and delicious, and one of the best for cooking purposes ever introduced.



CONNECTICUT FIELD PUMPKIN



SCARLET TURNIP WHITE TIPPED RADISH

**★Long Scarlet, Short Top Improved.** This bright scarlet, small topped sort is about six inches long.

**The Cincinnati Market.** The tops of this new radish are very small and may stand much closer in rows than Wood's Early Frame or Long Scarlet, without danger of running to seed.

**★White Icicle.** This handsome white variety is becoming very popular. It is similar to White Vienna, but is not so long, is earlier and has a shorter leaf. We recommend it as a profitable, early variety where a long white sort is desired.

**Early Scarlet Turnip.** The standard early turnip radish. Fine flavored and mild.


**★Scarlet Turnip, White Tipped.** One of the handsomest of the turnip radishes and a great favorite in many large markets, for early planting outdoors.

**★French Breakfast.** Olive-shaped, scarlet, with white tip; crisp and tender. Very early. A general favorite.

**Early White Turnip Rooted.** A little flatter than the Scarlet Turnip, and pure white in color.

**Long Brightest Scarlet, White Tipped.** This is the brightest and handsomest colored scarlet radish known.

**Chartier.** Decidedly distinct in appearance from any radish in cultivation.




SCARLET GLOBE RADISH

## RADISH

Plant radishes on a light soil if a choice is possible, and every second week for a succession from the time the soil can be worked in spring till the first light frost. Plant in ten to eighteen-inch rows, cover the seeds one-half inch deep and permit four to ten radishes to grow to the foot of row, according to variety. Use one ounce of seed to one hundred feet of row and eight to twelve pounds to the acre. Radish seed, which germinates quickly, may be sown with some slow-germinating seed that the cultivation of that crop may begin the earlier, or the quicker-growing radish may be grown between rows of some slow-growing crop that later requires considerable space. The Winter Radish is sown at late turnip planting time and used in the autumn or stored for winter like the turnip.

**★Early Scarlet Globe.** A desirable sort for hotbed forcing and outdoors; very early; flavor mild, crisp, juicy and tender; top small; will stand heat without becoming pithy. One of the best selling and most attractive radishes on account of its bright scarlet color and handsome shape. Is ready in twenty-eight days.

**Crimson Giant Turnip, Forcing.** A variety extraordinary in that, while growing to an unusually large size, it is always tender, crisp and of mild flavor. It remains in perfect condition a remarkably long time, and unlike other forcing varieties, does not become pithy even when twice their size in diameter.



WHITE ICICLE RADISH

**Long White Vienna, or Lady Finger.** A very excellent white variety with long, very smooth white roots.

**White Strasburg, or Summer Hospital.** Large, showy, half long, white sort.

**White Summer Turnip.** A very large turnip-shaped variety; white, very crisp and mild.

**Giant Stuttgart.** A summer variety. Grows to a large size. White flesh, very crisp and tender. Of good flavor and a good keeper.

### RADISH—WINTER VARIETIES

**★Rose or Scarlet China.** Roots cylindrical, or largest at the bottom, tapering abruptly to a small tap. Skin very smooth and of a bright rose color.

**★White China or Celestial.** A comparatively new variety which is popular wherever known. The root is long, cylindrical, with beautiful white skin.

**California Mammoth.** First introduced into this country by the Chinese in California. It is pure white. The flesh is tender and crisp, keeping well through the winter.


**Large White Spanish.** A large rooted winter variety.

**Round Black Spanish.** Roots round, sometimes top-shaped, 3 to 4 inches in diameter; skin black, flesh white.

**★Long Black Spanish.** One of the latest as well as hardest of the radishes; an excellent sort for winter use.

## RHUBARB

Rhubarb, familiarly known as Pie Plant, or Wine Plant, is cultivated in gardens for its leaf stalks, which are used for pies and tarts. Immense quantities are now annually sold in all the larger markets. No private garden should be without it.



LARGE WHITE  
SALSIFY

Rhubarb succeeds best in deep, somewhat retentive soil. The richer its condition and the deeper it is stirred the better. Sow in drills an inch deep, and thin out the plants to six inches apart. In the fall transplant the young plants into very highly manured and deeply stirred soil, setting them four to six feet apart each way, and give a dressing of coarse manure every spring. The stalks should not be plucked until the second year, and the plant never allowed to exhaust itself by running to seed. Our seed is saved from selected plants of the Linnaeus, Victoria, Giant and other improved sorts, but like the seeds of fruit trees, rhubarb seed cannot be relied upon to reproduce the same varieties.

### Rhubarb Seed.

### Rhubarb Roots.

### PRICES ON LARGE LOTS OF RHUBARB ROOTS ON APPLICATION.

## SALSIFY

(VEGETABLE OYSTER)

The long, white tapering root of salsify resembles a small parsnip, and when cooked is a good substitute for oysters, having a very similar flavor.

It succeeds best in a light, well-enriched soil, which should be stirred to a good depth. Coarse and fresh manure should be avoided, as it will surely cause the roots to grow unevenly and ill-shaped. Sow early and quite deep, giving the general culture recommended for parsnip. The roots are perfectly hardy, and may remain out all winter, but should be dug early in spring, as they deteriorate rapidly, after growth commences. Store a quantity for winter use in a pit or cellar in damp earth or sand.

**Large White.** The common variety, roots medium sized, smooth; flesh white.

**Mammoth Sandwich Island.** This is in every way superior to the Large White, being larger, stronger growing and less liable to branch. Invaluable to market gardeners.

## SORREL

**Large Leaved French.** Sow in drills as soon as the soil can be worked in spring and three to six inches apart in the row. Cutting begins in sixty days and continues for several years. Used as cooked "greens" or as a salad.

## SPINACH

Spinach, a delicious green, resembling in growth a non-heading lettuce, is happily the best of tonics. As early as the soil can be worked, sow it one-half inch deep in fourteen-inch rows, using one ounce of seed to one hundred feet, and in the second week will appear a tiny plant with two very narrow leaves that do not resemble the true leaves that follow. Cutting should begin forty-five days from sowing. It is impossible to put spinach on too rich a soil, and nitrate of soda is used on it with profit.

South of the Ohio, spinach winters without protection. North it very often winter kills with good drainage and the best of straw covering.

All spinach quickly runs to seed in the heat of summer.

**★Savoy Leaved Bloomsdale.** The earliest variety and one of the best to plant in autumn for early spring use. Plant of upright growth, with narrow, pointed leaves, which are curled like those of the Savoy cabbage. It grows quickly to a suitable size for use, but soon runs to seed.

**Improved Thick Leaved.** A variety which grows very rapidly, forming a cluster of large, very thick, slightly wrinkled leaves of fine color and quality when cooked. Especially recommended for market gardeners.

**Round Leaved.** This variety is generally preferred in the North for early spring sowing, and is the favorite with our market gardeners. The leaves are large, thick and fleshy. Though not quite as hardy as the Prickly Winter, it stands the winter very well.

**Fill Basket.** The largest early spinach, its broad, thick, dark green leaves are very tender and of delicious flavor. Withstands hot weather well.

**Long Standing.** An improved, round seeded strain of excellent merit, having all the good qualities of other sorts and continuing in condition for use much longer. The leaves are smooth and very dark, rich green. Very popular with market gardeners.

**Victoria.** An excellent sort, which forms a very large, exceedingly thick, dark green leaf somewhat curled in the center. It becomes fit for use nearly as early as any, remaining so much longer than most kinds, and cannot fail to please, whether grown for the market or in the private garden.

**Prickly Winter.** A very hardy variety and will withstand the severest weather with only a slight protection of leaves or straw. The seed is prickly, leaves triangular, oblong or arrow shaped. It is used for fall sowing, which in this latitude is about the first of September.

**New Zealand.** (*Tetragonia expansa*.) This branching plant, a spinach in its use and not in its growth, frost kills, but grows luxuriantly in the summer heat. Plant these large seeds three in a hill, three by two feet apart or start the plants under glass and transplant.



ROUND LEAVED SPINACH

**Prices of Seeds Vary.** We quote Market Values upon request and always give our customers the benefit of the lowest price that the market conditions will warrant. Special prices on a general list will be given upon application. **LET US HEAR FROM YOU.**

## SQUASH

The directions for the planting of cucumbers can be followed with slight modifications for squash or cymling. Plant the summer squash in hills four feet apart and use before mature. Plant the winter squash in hills six or eight feet apart; handle without bruising and store in a dry, moderately warm place for winter. Plant the seed generously and thin to two or three plants to a hill. One ounce of seed plants twenty-five hills and two to four pounds plants an acre. The squash is to be recommended either for the table or the feed lot.

**Straight-Neck Summer Squash.** Market gardeners who ship early squash to distant markets know the difficulty of packing the crook-necked variety in boxes to good advantage. In our straight-neck the bad feature of the crook has been overcome, and by continued selection the size has been increased more uniformly in shape and improved quality.


**Giant Crook-Neck.** This strain is a great improvement on the old variety of Crook-Neck. It is larger and better in every way.

**★Summer Crook-Neck.** A standard, early and productive summer sort, fruits about a foot long, moderately warted and of a bright yellow color.


**Mammoth White Bush.** This has been obtained by years of careful selection. Although we have sold this squash for a number of years, we again call special attention to it.

**★Early White Bush Scallop.** Similar in form to the Golden Bush, but with a cream white skin, and more tender and delicate flesh.

**★Warty Hubbard.** This is the best strain of Hubbard Squash. By its rough, hard, warty shell and its dark olive green color it can be distinguished from any other strain, either in the field or on the market. It was introduced in 1894 and since that time under different names at different places it has been given out to all who have called for the best stock of Hubbard Squash. We have maintained its purity by continued selection and offer headquarters seed.



STRAIGHT-NECK SUMMER MAMMOTH WHITE BUSH



WARTY HUBBARD

**Fordhook.** The vines are of strong, vigorous growth and wonderfully productive. Fruits oblong in form, eight to ten inches in length, slightly ridged; smooth, thin, yellowish skin; flesh very thick and of a light straw yellow.

**Delicious.** This is one of the best winter varieties. Its color is almost uniform of a green shade, with occasionally a blue specimen, it being just about as pure in this respect as was the original Hubbard. In size it also closely follows the original Hubbard, which weighed between five and ten pounds. In thickness of flesh it surpasses nearly every variety, the color being a dark orange.

**Delicata.** Early and very prolific; of oblong shape. Ground color orange yellow, splashed and striped with very dark green. Although of small size, the squashes are very solid and heavy, while the quality is rich and dry.

## SWISS CHARD

(See Page 4)

## TOBACCO

**Connecticut Seed Leaf.** The best sort for cigar wrappers. Try it.

**Havana.** This is the genuine article, and is first class.

**White Burley.** A favorite for plug fillers and wrappers.


**Yellow Pryor.** A fine yellow sort, and succeeds well where others fail. CONNECTICUT SEED LEAF TOBACCO



## TOMATO

The tomato requires one hundred days or more to mature from seed. As tomatoes are killed by frost, early tomatoes should be started in hot beds two months before they may be transplanted out of doors. Three weeks later these plants may be potted or given a space of four by four inches in the hot beds. Before setting in the field, which is May north of the Ohio, the plants should be gradually exposed to the outside conditions and the quantity of water given them decreased. Transplant on a cloudy day if possible, and water freely. Nitrate of soda may be given each plant at this time with profit.

A space of four by four feet should be given each plant in the field or more for robust varieties, except that where they are carefully pruned and trained, which is unnecessary, they may be planted as close as two by two feet. One ounce of seed gives two thousand plants.



**SPARK'S EARLIANA**

★**Spark's Earliana.** Said to be the earliest large tomato in the world. This tomato is not only remarkable for its earliness, but for its very large size, handsome shape and bright, red color. Its solidity and fine quality are quite equal to the best medium and late sorts. From less than four thousand hills the originator realized from his first pickings \$725.00 clear of freight and commission, being in the market fully a week before all others.

★**Chalk's Early Jewel.** The largest, smoothest and finest flavored early tomato in cultivation. Within a week to ten days as early as the famous Spark's Earliana. Fruit rich deep scarlet.

**John Baer.** An early, productive, red tomato on the order of Chalk's Early Jewel.

**Early Detroit.** A very fine, early, large-fruited purple variety; a little larger than Beauty and somewhat earlier; fruits globe shaped, smooth and solid.

**Crines June Pink.** A fine new variety. It is highly recommended to gardeners whose trade demands the purplish pink sort.

**Acme.** One of the best standard sorts. Of a fine crimson purplish color. Shape is smooth, size large and uniform. For the market or home garden no sort is better.

★**Beauty.** A decided favorite for either home market or shipping purposes, being early, hardy, a strong grower, productive, large size, always smooth, perfect in shape, and excellent in quality. The color is a very glossy crimson with a tinge of purple. It grows in clusters of four to six large fruit, retaining its large size late in the season. It ripens with Acme and Perfection, and is entirely free from ribbed and elongated fruit.

**Trucker's Favorite.** The finest large-fruited purple tomato. The fruits continue of large size to the very last and are always unexcelled for slicing or cooking.

**Livingston's Favorite.** A well known red variety, smooth and solid.

**Perfection.** A splendid red variety, hardy, productive and a good bearer.

**Paragon.** The well known standard bright red tomato.

**Matchless.** A good canning and all purpose tomato, splendid for kitchen.

★**New Stone.** A fine new, red variety, very solid and smooth; a splendid main crop sort.

**Greater Baltimore.** A splendid variety for canning, similar to Stone.

**Red Rock.** An extraordinarily solid, smooth, very red tomato; a very heavy producer, of excellent shape and very superior texture and flavor. An excellent variety for truckers and canning factories on account of its shape, quality and productiveness. This tomato is very free from cracks, has a very shallow stem attachment and is practically smooth. Fruits will probably average from eight to nine ounces. Borne in clusters of from four to seven fruits, and ripens in 110 days from sowing of seed.

**Livingston's New Globe.** Is of beautiful globe shape, with quite a percentage of elongated fruits which permit of a greater number of slices being taken than with flat fruited sorts.

**Dwarf Champion.** This is a purple fruited variety, which forms very strong plants about two feet high. The branches are short, making a bushy plant that stands quite erect without stakes. This sort is often sold as Tree Tomato. Fruit smooth, medium sized, color purplish pink, fairly solid, but has no hard core, and is of good flavor. About as early as any purple fruited tomato, and is quite popular in some localities, both for market and home use.

★**Ponderosa.** This variety, when conditions are favorable, grows to an immense size and makes the heaviest fruit of any in the list. Our stock is from the original strain. None better.

**Crimson Cushion.** A large fruited variety; smooth on top but inclined to curve at the ends, making an indenture at the stem. Color a glossy crimson tinged pink. Fruit ripens evenly, except toward the stem, where it ripens somewhat slowly. A very solid heavy tomato.


**Yellow Pear.** Pear shaped; yellow.

**Yellow Plum.** Plum shaped; yellow.

**Yellow Peach.** Same as the red peach except color.

**Golden Queen.** Fruit large and smooth; color a beautiful golden yellow, sometimes with a slight blush of red, as smooth and well shaped as the best of the red varieties and of superior flavor.


**Husk, or Ground Cherry.** This is a small sized fruit grown within a husk. It is valuable for preserving and making into pies, or for eating from the hand.



**NEW STONE**

## TURNIP

While the main crop of turnips is planted in July north of the Ohio, more turnips should be grown in early spring. Seed may be broadcast on the few soils freed of weeds, but it is more advisable to sow in one or two foot drills, cover less than one-half inch and thin to stand six inches apart in the row. Use one-half ounce of seed to one hundred feet of row and two pounds to the acre. The turnip requires one-half more seed when broadcast than in drills and the salad turnip requires one-half more seed than the turnip sown for a root crop.



**PURPLE TOP GLOBE**

**Extra Early White Milan Turnip.** The Early White Milan is one of our most popular turnips for spring sowing, a splendid extra early turnip in which the extreme earliness, small top and tap root of the Purple Top Milau is suited with clear white skin and flesh.

**Extra Early Purple Top Milan.** The earliest in cultivation, two weeks earlier than Purple Top Strap Leaf. The bulb is flat, of medium size, quite smooth, with a purple top. Flesh, white, hard and of finest quality. It is an extra good keeper.

**★Early Snowball.** A perfectly globe-shaped, white-skinned turnip. It is exceedingly productive. The flesh is fine grained, firm and of very delicate flavor. It is one of the best keeping of the white-fleshed sorts. Very early and particularly adapted for family or market use. We recommend it to market gardeners because its earliness and fine appearance make it a very profitable variety of turnip.

**Early White Flat Dutch.** An excellent garden variety. The best for spring sowing.

**★Purple Top Strap Leaf.** Rapid grower and mild flavor. The most popular variety for early use, either for the table or stock.

**★Purple Top White Globe.** An early variety. Globe shaped; heavy cropper. In other respects similar to the Red Top Strap Leaf. A handsome looking bulb. And is rapidly taking the lead of all other varieties of early turnips for market garden purposes.

**Cow Horn.** This variety is pure white, except a little shade of green at the top, and is carrot-like in form, growing nearly half out of the ground, and slightly crooked. It is delicate and well flavored, of very rapid growth, and has obtained considerable favor as a market sort for fall and early winter use.

**Large White Norfolk.** The standard variety for field culture for feeding stock. Very large size.

**White Egg.** Belongs to the class of quick growing fall turnips. Its shape is nearly oval or egg, as its name would indicate.

**★Pomeranean White Globe.** This is one of the most productive kinds, and in good, rich soil roots will frequently grow to twelve pounds in weight. It is of perfect globe shape; skin white and smooth; leaves large and dark green.

**Seven Top.** Cultivated extensively in the South for the tops, which are used for greens. It is very hardy and will grow all winter, but does not produce a good root, and is only recommended for the tops.

**Golden Ball.** Undoubtedly among the most delicate and sweetest yellow fleshed turnips yet introduced. Not of a large size, but firm, hard and of most excellent flavor. Keeps well and is superior as a table variety. It is extensively used.

**Yellow Aberdeen.** Very hardy and productive; a good keeper; globe shaped. Color pale yellow with purple top. Very firm in texture, and closely resembling the rutabaga in good keeping qualities. Good either for table or stock.

**★Amber Globe.** One of the best varieties for a field crop for stock. Flesh yellow, fine grained and sweet; color of skin, yellow; top green. Hardy, keeps well, a good cropper. Very popular in the South.

## RUTABAGA

Rutabagas, or Swedish Turnips, with their superior keeping qualities had best be drilled a month earlier than other turnips, given eighteen to thirty-inch rows and thinned to stand six to twelve inches apart in the row.



**IMPROVED AMERICAN RUTABAGA**

**★Improved American Purple Top.** The best yellow fleshed, purple top variety grown for stock or table.

**Laing's Improved.** One of the earliest of the rutabagas. Forms a handsome bulb of good quality. Keeps well; good for table use.

**Carter's Imperial Purple Top.** An English variety resembling the preceding. Very productive and of fine quality.

**★White Rutabaga.** -This variety now extensively cultivated, and preferred in many sections for its white flesh. It is very hardy and productive, keeps well until late in the spring, and is highly esteemed for its sweet, delicate flavor.

**Monarch or Tankard.** This is a yellow fleshed sort having very large tankard shaped roots, with relatively small necks and tops. Color purplish crimson above ground, yellow below; flesh very solid, fine grained and of the best flavor. This very popular variety is also sold as Hurst's Monarch and Carter's Elephant.

**Budlong's White Rock.** Though sometimes called a turnip, this is more like a rutabaga. The root is large, both skin and flesh very white. An excellent keeper and a desirable sort for market gardeners.

**Sweet German.** A superior variety for table or stock. Flesh firm, sweet and juicy.

**Bangholm.** A very superior variety, both in form and quality, and held in high estimation in many parts of England. Of large size, small neck, few or no side roots, and yields well. Flesh yellow, sweet and solid; skin yellow with purple top.

## NASTURTIUM



NASTURTIUM

There is no plant that in so short a time at so little expense will give such an abundance of bloom, continue that blooming over so long a period and give such variety and brilliancy of color as the nasturtium. On a rich soil this plant gives us a more robust growth and fewer flowers, so the thinner soil is to be used if there is a choice. When the frost is no more to be feared, sow the seed one inch deep where the plant is to grow and remember to pick the seed balls as they form, to continue the plant's blooming. This sweet scented plant lasts long as a cut flower but is most frequently used as a tapestry to blanket some unsightly fence or pile of stone.

### TALL OR CLIMBING

**Butterfly.** Light yellow, with blotch of deep red on lower petal.

**Chameleon.** A mixture of changing and inconstant shades all richly colored and on the same plant.

**King of the Blacks.** Dark red flowers and dark foliage.

**Lucifer.** Blossoms deep crimson, leaves brownish green.

**Pearl or White.** Light lemon or primrose.

**Rose.**

**Ruby.** Very deep rose pink.

**Spitfire.** Brilliant flame color scarlet.

**Yellow.**

### DWARF

**Aurora.** Yellow, veined carmine. **Chameleon.** A dwarf mixture of blotched and inconstant shades on one plant.

**Cloth of Gold.** Bright golden yellow leaves and brilliant scarlet flowers.

**Dark Crimson.** Very dark, rich crimson scarlet.

**Empress of India.** Intense scarlet, foliage dark brown and green.

**King Theodore.** Very deep crimson and dark foliage, the darkest of all, nearly black.

**Rose or Pink.**

**Ruby King.** Bright red, tinted salmon.

**White Pearl.** Very light lemon or primrose.

### MIXED NASTURTIUM

**Tall Mixed Garden.** Grown not only for ornament but the beautiful orange colored flowers and foliage are used for garnishing and the young leaves or shoots are excellent for salads. The green seed pods are greatly esteemed by many for use in mixed pickles.

**Dwarf Mixed Garden.** Same as above except that it grows in dwarf form.

## SWEET PEAS

In few lines of endeavor has the advancement been so rapid as in the development of sweet peas. This the public seems to appreciate and this flower is today a general favorite.

If possible, for sweet peas spade deeply a well drained soil in the fall and add any good compost, including some wood ashes or lime. As early as the ground can be worked in spring plant the peas in a trench five inches deep and cover with one inch of sand or fine soil. When the peas are well above the ground fill the trench and thin the peas to stand two to three inches apart in the row. When planted, or very soon afterward, set some four to five-foot supports. Mulch with lawn trimmings, water thoroughly once a week, and cut frequently to keep the plant flowering. With a select list of varieties we list several excellent mixtures.

### GRANDIFLORA VARIETIES

**America.** Crimson scarlet, striped on white.

**Aurora.** Orange rose, striped on white.

**Black Knight.** A very deep maroon.

**Blanche Ferry.** Standard bright carmine rose, wings white tinged with pink.

**Countess of Radnor.** Light mauve standard, lavender wings.

**Dorothy Eckford.** Pure white.

**Duke of Westminster.** Standard clear purple, wings purple with tint of violet.

**Emily Henderson.** Pure white, white seeded.

**Katherine Tracy.** Standard soft pink, wings a trifle lighter tone.

**King Edward VII.** Bright red or crimson scarlet.

**Lady Grisel Hamilton.** Standard light mauve, wings lavender.

**Lord Nelson.** Rich deep navy blue.

**Mrs. Collier.** Primrose.

**Mrs. Geo. Higginson, Jr.** Light lavender.

**Mrs. Walter Wright.** Rose purple.

**Prima Donna.** Pure pink self.

**Shasta.** Pure white.

**Helen Lewis.** Standard orange, wings rosy salmon.

**King Edward Spencer.** Rich crimson.

**Margaret Atlee.** Apricot pink on cream ground.


**Othello Spencer.** Rich deep maroon.

**Royal Purple.** The best purple Spencer Sweet Pea.

**Scarlet Emperor.** Bright scarlet.

**Thomas Stevenson.** Rich orange scarlet.

**White Spencer.** Pure white.



WHITE SWEET PEAS

### SPENCER VARIETIES

**Asta Ohn.** Pinkish lavender.

**Clara Curtis.** Primrose.

**Countess Spencer.** Bright, clear pink on white ground.

**Elfrida Pearson.** Deep blush.

**Elsie Herbert.** Large white with beautiful picotee edge of rose pink.

**Florence Morse Spencer.** Light pink.

**George Herbert.** A bright rosy carmine.

### MIXED SWEET PEAS

**Choice Mixed.** The best blending of the choicest named varieties. No better mixture can be had.

**Eckford Mixed.** A very choice mixture of the Grandiflora types.

**Florists' Mixed.** A blend of the sorts best suited for the cut flower trade.

**Named Sorts Mixed.** Blended from the named sorts of the Unwin and Grandiflora types.

**Spencer Varieties Mixed.**

## CHOICE FLOWER SEEDS

STANDARD VARIETIES

Most flowers are as easily grown as vegetables. In the select list that follows will be found flowers and plants for many uses. Some plants used for cuttings bring the sunshine to those that must live indoors, while others are useful for cemetery lots, a tribute to those that precede us. Some plants can be grown in a partial shade, where grass does not grow, and others are serviceable in hanging baskets or veranda boxes. Some vines or tall plants may be grown to hide or make more slightly some fence or pile of stone or stump or building. Flowers are just as necessary as are pictures, and to their beauty is often added such stimulating and pleasing perfumes as cannot be bought in bottles.

Flowers fall readily into three classes: Annuals bloom, seed and die the first year. Biennials bloom and die in their second year, but they may bloom also in their first year. Perennials flower for several years and some of them may bloom in the first year of their existence.

### ASTERS

Of the general beauty of these flowers it is unnecessary to speak; the immense world-wide demand for them shows their adaptability for any climate; and, coming into bloom, as they do, when most other flowers are fading away, enhances their value. For the best results the ground for the cultivation of asters cannot be too richly prepared, although they will give satisfactory returns on any ordinary garden soil.

**New Giant Comet Asters, Mixed.** With good cultivation, flowers of this type frequently measure four inches across, and in their fine form, large size, and long stem approach in beauty the fine Chrysanthemums grown in the greenhouse during the late fall months. White, lavender, crimson, mixed.

**Queen of the Market.** Of graceful spreading habit, it is in full flower two weeks before most other asters. Deep blue, white, pink, and rose in mixture. White, lavender, crimson, pink, mixed.

**Semple's Branching Mixed.** All colors mixed of this favorite long-stemmed strain.

**Mixed Asters.** Many varieties of different types.

**Acroclinium.** Summer flowering and an "everlasting."

**Ageratum (Floss Flower).** For edging or pots.

**Alyssum, Sweet.** Trailing and fragrant.

**Alyssum, Little Gem (Carpet of Snow).**

**Amaranthus.** Tricolor (Joseph's Coat).

**Antirrhinum.** (Snapdragons). Tail mixed.

**Antirrhinum, Tom Thumb.** Mixed, fine strain.



**COMET ASTER**

**Bachelor's Button (Ragged Sailor or Corn Flower).**

**Balloon Vine.** A white flowered climber.

**Balsam (Lady Slipper).** A garden flower.

**Calliopsis or Coreopsis.** For bedding.

**Candytuft.** For cutting or beds.

**Canterbury Bell.** A hardy biennial.

**Carnation.** For pot and outdoor culture.

**Castor Beans.** See Ricinus.

**Celosia or Cockscomb.** For the garden or in pots.

**Chrysanthemum.** Summer flowering and for cutting.

**Cobea Scandens.** Bell-flowered, rapid climber.

**Cosmos.** For autumn flowering background.

**Cypress Vine.** Flowered rapid climber.

**Dahlia.** A late summer and autumn flower.

**Daisy.** Fine quality double mixed.

**Delphinium Mixed.**

**Dianthus.** Pinks. Old-fashioned favorite.

Double Chinese Mixed.

Double Diadem.

Single Mixed.

**Eschscholtzia or California Poppy.**

Fine Mixed.

**Forget-Me-Not.** For the shaded spot.

**Four o'Clock (Marvel of Peru).**

**Fox Glove or Digitalis.** For the half shade.

**Godetia.** For borders and pot culture.

**Gourd.** Apple Shaped, Bottle, Dipper, Dish Cloth, Hercules Club,

Japanese Nest Egg, Mock Orange,

Pear Shaped, Sugar Trough.

**Gypsophila (Baby Breath).** For edging.



**MARGARET CARNATION**

## CHOICE FLOWER SEEDS—Continued



DOUBLE POPPIES

**Heliotrope.** For bedding, bouquet and its perfume.

**Hollyhocks.** For a tall background.

**Hyacinth Bean.** A flowered climber.

**Ipomoea.** A flowered rapid climber.

Setosa (Brazilian Morning Glory).

Grandiflora (Moon Flower).

**Job's Tears.** Grass with slate colored seeds.

**Kochia** (Summer Cypress or Burning Bush).

**Larkspur.** For bedding or cutting.

**Lobelia.** For pot culture or bedding.

**Marigold.** Bedding or borders.

African Double. Orange color.

Eldorado. Several shades of yellow.

French Dwarf. Brown-red.

**Mignonette.** For cutting and its perfume.

Sweet. The old variety.

Golden Queen. Fragrant and yellow.

Machet. Red flowered.

**Morning Glory.** The well known climber.

Japanese mixed.

Fine mixed.

**Portulaca.** The Moss Rose.

Single mixed.

**Ricinus.** Flowering castor bean.

Zanzibariensis.

Sanguineus.

**Salpiglossis.** For border or bedding.

**Salvia Splendens.** Scarlet Sage.

Bonfire.

Mixed.

**Stocks.** Ten Weeks.

Choice mixed.

Yellow.

Blue.

White.

**Sun Flower.** For screen or background.

**Sweet William.** For bedding and borders.

Single mixed.


Double mixed.

**Verbena.** For window boxes or bedding.

**Wild Flower.** Garden mixture.

**Zinnia.** For bedding and bouquets.

Leave a Space in Your Garden for Some Flowers



PANSY—Masterpiece

**Pansy.** King of the Blacks.

Bugnots.

Meteor.

Masterpiece.

Trimardeau mixed.

White.

Yellow.

Blue.

Fancy mixed.

Choice mixed.

**Petunia.** For bedding.

Large flowering mixed.

Fine Mixed.

**Phlox.** Mixed, for bouquet or bedding.

Alba. Pure white.

**Pinks.** See Dianthus.

**Poppy.**

Shirley mixed.


Tulip flowered.

Cardinal double.

Carnation double mixed.

Single mixed.

Orientale (Perennial).



LARGE FLOWERING PHLOX

## LAWN GRASS



Your outdoor carpet should be of an even colored grass that grows so close that weeds cannot get through. Think of your lawn as a number of plants, not "just grass." These lawn plants ask what other plants require: good drainage, a soil of a fit quality, the addition of lime where soil is sour, deep preparation by spading or plowing, the addition of fertilizers before planting and from time to time afterwards as the plants continue to feed, and good seed. Where manure is used at any time it should be thoroughly decomposed and free from weed seed and a complete fertilizer at the rate of five hundred pounds to the acre is advantageous.

Seeding had best be done in the spring or fall. Be careful to have the entire surface as near alike as possible that the grass may be even in its growth and finish by using a fine rake and a heavy roller. Seed heavily. Use seventy-five pounds of the best lawn mixture to the acre, or one pound to three hundred square feet. Sow the seed carefully on a calm, dry day and rake lightly.

Cut the lawn frequently, setting the machine to cut as high as possible, and as weeds grow where grass seed is now sown, weeds will grow in your lawn and some of them it may be necessary to dig out with a knife.

In very dry weather a thorough wetting should be given about once a week, a little water on a dry surface doing more harm than good.

Each spring after the winter heaving of the lawn by frost is over, the lawn should be re-rolled while the soil is wet.

**Park Lawn Grass Mixture.** For quickly producing a permanent, thick and velvety sward of grass, this brand of lawn grass cannot be excelled. It is the best mixture of grasses we sell for lawn making, and will give satisfaction wherever sown.

**Mixture for Shaded Spots.** Usually it is quite difficult to obtain a satisfactory growth of grass under trees and in shady places; for sowing in such places we recommend the use of this special mixture. It will quickly produce an abundant and even growth of beautiful green grass.

## GRASS SEED

**Blue Grass.** (*Poa Compressa*.) Commonly called Canada Blue Grass. A very valuable grass for pasture and lawns.

**Blue Grass.** (*Poa Pratensis*.) Commonly called Kentucky Blue Grass and known in some sections as "Green Meadow Grass" and "June Grass." It is the best pasture for our climate and soil, succeeding finely on hill lands and producing the most nourishing food. Sow early in the spring or during the months of October and November. Fancy clean seed.

**Red Top.** (*Agrostis Vulgaris*.) A valuable grass for moist soils and low lands. It is a good, permanent grass, standing our climate well.

**English Rye Grass.** (*Lolium Perenne*.) A very nutritious rapid growing variety, valuable for meadows and pastures. Twenty-four pound bushel.

**Italian Rye Grass.** (*Lolium Italicum*.) A valuable European variety, adapted to any climate, and produces large and nutritive crops. Eighteen-pound bushel.

**Meadow Fescue or English Blue Grass.** (*Festuca Pratensis*.) Needs rich ground, and succeeds well on prairie soil. Sow about twenty-five pounds per acre.

**Tall Fescue.** (*Festuca Elatior*.) A valuable perennial grass, very productive and nutritious. If used alone, sow forty pounds per acre.

**Creeping Bent Grass.** (*Agrostis Stolonifera*.) Particularly valuable for lawns that are to be used as croquet and tennis grounds.

**Orchard Grass or Rough Cockfoot.** (*Dactylis Glomerata*.) This is one of the most valuable and widely known of all pasture grasses. It is well adapted for sowing under trees or orchards.

**Timothy.** (*Phleum Pratense*.) This is decidedly the best grass for hay.

## CLOVER SEED

**Medium Red or June.** (*Trifolium Pratense*.) Sow in spring or fall, at the rate of eight or ten pounds per acre.

**Mammoth or Large Red.** (*Trifolium Pratense*.) Sow at the rate of about eight pounds per acre. Sixty pounds per bushel.

**White Dutch.** (*Trifolium Ripens*.) A small, creeping, spreading, perennial variety, valuable for pasture and lawns.

**Alfalfa or Lucerne.** (*Medicago Sativa*.) Will bear cutting three or four times during the season. For bringing up poor land it is the best of the clovers.

**Alsike or Swedish.** (*Trifolium Hybridum*.) This valuable variety is fast gaining great popularity.

**Crimson or Scarlet Clover.** Can be seeded at any time from June to October, at the rate of fifteen to twenty pounds per acre.

## MISCELLANEOUS GRAINS

### FIELD PEAS

White Canada.

Blue or Green.

### COW PEAS

Black Eye.

Whip-Poor-Will.

### MILLET SEED

Japanese Barnyard.

Siberian.

Hog.

Common.

German or Golden.

Hungarian.

### SUGAR CANE

Early Amber.

Early Orange.

### BROOM CORN

Improved. Evergreen.

Early Japanese.

### MISCELLANEOUS

Barley, Common.

Rye, Spring.

Rye, Winter.

Buckwheat, Silver Hull.

Buckwheat, Common.

Buckwheat, Japanese.

Spurred.

Vetch, Sand or Winter.

Vetch, Spring.

## BIRD SEEDS

Canary.

Hemp.

Lettuce.

Millet.


Bird Rape.

Sunflower.

Mixed Bird Seed.

PRICES VARY ON ALL  
FARM SEEDS.

Write for Market Price.



IMPROVED LEAMING

## FIELD CORN

**Prices Change. Ask for Market Price**

**Pride of the North.** This famous corn still retains its popularity; an exceedingly early and prolific variety, always maturing in ninety days; often shelling sixty-two pounds of grain from seventy pounds of ears. Kernels closely set, large, of deep orange color; cob very small and red; stalks about seven feet in height. This is, probably, the best Dent corn for general cultivation in the North.

**Reid's Yellow Dent.** This variety has won more prizes at corn shows than any other corn. It matures a ten-inch of eighteen to twenty-four rows in one hundred fifteen days.

**Improved Leaming.** The Improved Leaming Corn is a medium early yellow variety; large, slightly tapering ears, deep grain, and medium sized red cob. In favorable years there is much uniformity of both kernels and ears. Its numerous broad leaves not only encourage a healthy development but make it a valuable variety for feeding.

**Minnesota No. 13 or Wisconsin No. 8.** A ninety-day variety producing ears averaging eight inches in length with sixteen to twenty rows of bright, rich yellow, smooth, wedge shaped kernels, packed closely on the cob from tip to butt. The best yellow Dent for northern planting.

**Champion White Pearl.** Originated in Illinois, and is enormously productive; a strong grower; matures in about one hundred days. The stalk is stout and thick, with large ears set low.

**Iowa Gold Mine.** A splendid yellow corn. Everyone who has tried it is enthusiastic in the praise of this splendid variety which was introduced in 1892. It has everywhere received the most cordial endorsement as one of the best and most profitable varieties ever grown.

**Iowa Silver Mine.** The Iowa Silver Mine is a splendid white corn. In 1894, the poor corn year, it yielded at the rate of ninety-seven and one-third bushels to the acre. It has no barren stalks. The ears are very even in size, being but little smaller at the tip than at the butt, and corn is well filled out over the tip.

**Longfellow Flint.** This is an eight-rowed Yellow Flint Variety, the result of careful selection. The ears are from ten to fifteen inches long, one and one-half to one and three-fourths inches in diameter, are well filled out to the extreme end of cob.

**KAFFIR CORN.** One of the best forage plants. If the crop is wanted mainly for fodder, it is recommended to cut down the whole stalk when the first seed heads come into bloom.

**DWARF ESSEX RAPE.** A forage plant of great merit, easily grown in any part of the United States, on any land that will raise turnips or corn, and will furnish abundant supplies of succulent, rich, nutritious pasture, at a season when it is most needed.

**RUSSIAN SUNFLOWER.** This is highly prized by poultry raisers and farmers as a cheap food for fowls. It is immensely productive and can be raised cheaper than corn, as any waste piece of ground will suffice. It is the best egg-producing food known.

## PERFECTION GARDEN CULTIVATOR

Different from Others—Superior to All.

The lightest garden tool on the market.

Easiest to adjust.

Strongest in workmanship.

Easiest to operate.

Is a complete machine within itself.

Needs no extra parts.


The only garden tool made that throws the soil to or from the plants without extra attachments.

Is made in three sizes, viz:

No. 1. With two discs, on which 6-inch or 7-inch knives may be used.

No. 2. With four discs, on which 7½-inch, 8¼-inch or 8¾-inch knives may be used.

No. 3. With four discs, on which 10-inch or 11-inch knives may be used.



### BULBS, PLANTS, ETC.

Bulbs, Plants and Shrubs are in a class by themselves. There are bulbs for spring planting and bulbs for fall planting. Some shrubs do best when planted in the spring, others when planted in the fall. Roots of the perennial plants may be planted in fall or spring. Plants of the small fruits usually do best when planted in the spring. When ready to order your supplies in this department let us figure on your needs.

### FERTILIZERS

**Fertilizer Values Vary. Write for Prices.**

The value of Commercial Fertilizer is well known. There are many different brands and combinations—each of which has its value for certain crops and conditions of soil. The element that is lacking in the soil is what the special fertilizer supplies. **Write for our prices and for information as to kinds.**

## NOTES ON GARDENING

While it is in a way true that anyone can garden, intelligence tells more quickly in agriculture, possibly, than in any other line of endeavor. Yet so many and varied are the ways of reaching a result in agriculture that no two experienced and successful growers would agree entirely upon the treatment of a crop or a piece of land. It does not follow that either grower is right or wrong, we would rather say that in the agricultural seas there are many good pilots with well charted courses and bid them "bon voyage."

In the work of gardening a sharpened stick or at most a hoe and spade is all that is absolutely necessary, but the result will be vastly improved by the use of modern tools, hotbed frames and sash, some insecticides and a fungicide, drain tile, a compost heap and fertilizer.

**Hotbeds.** While early in the year plants may be started in a sunny window, it is of profit and advisable to use hotbeds and cold frames or even a small garden. From the first to the latter part of March is quite early enough to make a hotbed. The time must vary according to the latitude. Provide a quantity of fresh horse manure from the stables, and add to this, if they can be had, one-third to one-half its bulk of leaves. Mix them thoroughly, tramping down the mass in successive layers, and form into a large pile, so that fermentation will proceed, even in severely cold weather. In two or three days fermentation will be apparent by the escape of steam from the heap. Now turn again, and allow the heap to remain two or three days longer, or until the second fermentation commences. Make an excavation or pit 2½ feet deep, and of a size suited to the number of plants required. The pit will be better if built up of brick. It should be made in some dry, sheltered spot, facing the south or east, if possible. Hotbed sashes are usually 3x6 feet, and one or two sashes will give early plants enough for a small family. The frame for sashes should be 18 inches high at the back and 12 inches in front, which will give the proper slope to catch the sunlight. Cross-pieces should be placed for the sashes to slide on, to facilitate opening and shutting the frames. When everything is ready, the manure is placed in the pit and trodden down firmly in layers to the required depth, 2 to 2½ feet. Then put on the sashes, and keep the pit closed until the heat rises. At first it will probably be 100 degrees or more, which is too hot to sow the seed in; but in two or three days it will subside to 90 degrees or a little less, when the soil may be put on to the depth of 6 to 8 inches. The heat may be readily ascertained by plunging a thermometer into the manure. The soil should be of well-rotted sod (or common garden soil will do), mixed with about a third of fine old manure; and in this the seeds may be sown thinly in drills 2 to 3 inches apart, and afterward (as soon as out of the seed-leaf), either thinned out or else transplanted to another frame. Air must be given every mild day by raising the sashes at the back. Water with tepid water whenever necessary, and during cold nights and snowstorms keep covered with mats or board shutters. Tomatoes, Peppers and Egg Plants should be sown in a separate frame from Cabbage, Cauliflower and Lettuce, as they require more heat. The same directions may apply to hotbeds made on the surface of the ground, except that the manure should be at least a foot wider on all sides than the frame.

**Cold Frames** are simply frames with tops of glass or cloth set on the ground, no bottom heat being applied. It is banked up on the outside during the winter with marsh hay, straw or coarse litter. The soil is prepared by forking in and thoroughly mixing to the depth of 10 or 12 inches a liberal quantity of old, well-rotted manure. The manure of an old hotbed is good for the purpose. The frame is prepared in the fall, and young Cabbage, Cauliflower and Lettuce plants are set out in it in time to get well established before very cold weather. Cauliflower and Cabbage should be set down to the first leaf, and the soil made firm around the plants. The seed is usually sown, in this vicinity, from the 15th to the 20th of September. The young plants will be ready to transplant in about 25 to 30 days. During cold nights and stormy days the beds should be closely covered with the sashes, and these further protected by straw mats or shutters. Cauliflower needs more and closer protection than Cabbage, and it is rather more tender. During mild days admit air freely, the object being to keep the plants in a dormant state, without actual freezing, so that when spring comes, they are in a forward state for setting out. Seeds of Cabbage, Cauliflower, Lettuce and Radish may be sown in a cold frame in the spring from the last week in February to the first week in March. The frame should stand in a warm and sheltered spot, and be kept from freezing by mats or a thick covering of straw during cold nights.

Even before the hotbeds are made or the first seed purchased the garden should be planned on paper.

If the garden has not been drained, preferably by tile, and there are very few pieces of ground that do not need drainage, an effort should be made to get rid of the surplus water so that the soil may warm up rapidly and bacterial life so necessary to plant life begin.

Frequently the application of lime or limestone is more necessary than the application of commercial fertilizer and this question, too, must be answered early.

Stones and stumps, along with trees of no value, should be removed from the garden, and every effort possible made to get ready for the rush that comes with spring planting. There are easy ways as against the difficult ways of gardening, and from time to time the work should be carefully thought over with the idea of saving every effort possible. First of all, the vegetables should be planted in long rows, so with a wheeled tool like the Perfection Garden Cultivator one can quickly cultivate the garden without stooping. It is also possible now to set plants while walking in an upright position and avoid the backaches and suffering of other years by using a Masters' Rapid Plant Setter. Tools like these should be secured before the day they are needed.

### LOCAL NAMES OF SEEDS

We frequently have calls for seeds under names that are not generally found in the catalogue. In most cases of this kind there is a standard catalogue name for the article and we usually locate it easily from the description the customer gives of it. If you do not recognize the desired article from the catalogue names let us know and we shall endeavor to locate it and get it for you if we do not have it in stock.

### SUNDRY REQUISITES AND SUPPLIES

There are many requisites and supplies that we do not have room to list in our catalogue. We aim to have all seasonable articles on hand and can supply all of these at the time they are required. There are different makes of tools, different brands of requisites and different kinds of supplies all having merit. When we know what you prefer in any of these lines we can meet your requirements.



## FERTILIZERS

**Fertilizer.** Any material used as a manure for the soil. Fertilize, to enrich, to impregnate. The foregoing definition tells us that any material used as a manure is a fertilizer, but as different soils require different elements to enrich it and make it more fertile, thus some soils may be rich in Nitrogen and have no Phosphoric Acid (animal) or Potash in it, it is best then to use a Fertilizer that has both those elements in it (See list) and any soil with the three elements mentioned above, is especially good for the raising of all field crops and for the Market Gardener. Also some soils are lacking in Phosphates and have all the others so the addition of Phosphates to soils only lacking in that one element is necessary. In these days of advanced knowledge in the cure of soils it is almost criminal in a Market Gardener or farmer to be ignorant, for our Agricultural Colleges have departments for the careful analysis of soils, so it would be to your advantage to send a fair sized sample of soil from different portions of your land to the nearest College and they will analyze it and report the exact elements needed for you to grow better crops on your land. On our page devoted to various brands of Fertilizers, you will find the analysis of each brand and after getting your report from the College you can then safely select the brand best suited to your land needs.

**Fertilizer** is a big word. Shade from trees or buildings is another lack of fertility. The poisonous fumes from factories kill plants, so plants do breathe. After all, much or most of our fertilizer is just sunlight or air. While most of the world's fertility does not reach us as freight, some very good fertilizers that it is wise to use does come done up in bags.

Think of the organisms or bacteria that live in the soil as laborers living and working in their home and that they need material with which to work. These tiny workmen, we say, make the plant food available. So not only are workmen necessary, but we must supply them with the raw material with which to work. Some of the things we may add to the garden may contain with new workmen, call them micro-organisms if you wish, one or several raw materials as well. Other materials we supply to our gardens may contain only these elements or materials which we class as phosphates, potash and nitrogen. We say a fertilizer is complete when it contains these last three elements put up in bags and known as commercial fertilizer. If the manufacturers of commercial fertilizer have had a weakness it has been in their lack of effort to teach that their product is not an able and necessary use. Such a use must go hand in hand with other good practices, like soil draining, subsoiling, liming, deep plowing, stable and green manuring, the rotation of crops, possibly the rotation of fertilizers, thorough cultivation and the use of good seed.

**The Compost Heap.** The gardener or farmer had best select a spot removed from the residence and there save continually all grasses, leaves, poultry and stable manure, soot, hoof and horn parings, bones, unused vegetables and fruit and refuse from the table. Earth and phosphate can be added to this compost heap, and while the heap should be kept moist enough to decay, it should be protected by a roof from rain. Later this compost should be spread upon the soil and plowed or spaded in. This is not only a great economy, but is also very beneficial.

**Pulverized Sheep Manure.** Humanity builds the results of its learning into little sayings; of them one is, "The sheep's foot is gold." Generations of farmers learned that where the sheep were kept or pastured later grew rich crops. So we are offering sheep manure that has been pulverized, screened and dried till it contains no weed seed and is in the most perfect condition for handling. Where the ant was found to follow the application of bone meal to lawns, the application of this Pulverized Sheep Manure was followed only by good results. Its effect is not only immediate but lasting. For a potting soil one part of this manure to six parts of the soil was found to be preferred. For the making of a liquid manure one pound to six gallons of water was superior. It has no objectionable odor, nor does it offend by its appearance. When heavily and freshly applied to lawns it is barely discernible. A heavy application is not to be feared but to be advised for house plants, lawns, flower gardens, fruit or vegetables. Prices upon request.

## A PAGE ON FUNGICIDES AND INSECTIDES

The attempt to summarize the militant ways of man in his battle with disease, fungi, and insects that attack our plant world, would be, because of its brevity, somewhat imperfect. This quickly developed science that is rapidly progressing fills volumes of space. In the effort to be brief, which means we cannot be concise, we might say of the plants' enemies that they are: first, fungous diseases; second, insects that eat or chew the plant; third, insects that suck the plants' juices; fourth, insects that bore into the plant.

**FIRST.** The Fungous Diseases of plants may be thought of as blight, mildew, spot, speck, dry rot, black rot, rust, scab or mold, etc.

The remedies applied are called Fungicides. They may be preventative or cures, or both. Some of them are as follows:

### Bordeaux Mixture.

Copper Sulphate .....	6 pounds
Quicklime .....	4 pounds
Water .....	40 gallons

Dissolve the copper sulphate by putting it in a bag of coarse cloth and hanging this in a vessel holding at least 4 gallons, so that it is just covered by the water. Use an earthen or wooden vessel. Slake the lime in an equal amount of water. Then mix the two and add enough water to make 40 gallons. It is then ready for immediate use.

### Ammoniacal Copper Carbonate.

Copper Carbonate .....	1 ounce
Ammonia .....	enough to dissolve the copper
Water .....	9 gallons

**SECOND.** Insects that chew or eat the plant may be bugs, caterpillars, worms or slugs. The poisons we feed to this class of our enemies we call Stomach Poisons, and some of them are:

### Paris Green.

Paris Green .....	1 pound
Water .....	230 gallons

If this mixture is to be used upon peach trees, I pound quicklime should be added. Repeated applications will injure most foliage unless lime is added. Paris Green and Bordeaux can be applied together with perfect safety. The action of neither is weakened, and the Paris Green loses all caustic properties. If applied as a powder it should be mixed with flour or plaster, 100 parts to 1 part Paris Green.

### London Purple.

This is used in the same proportion as Paris Green,

**THIRD.** Insects that suck the juices of plants may be plant lice, mealy bug, green and black fly, red spider, scale, etc. The poisons we apply to this class of our enemies kill by striking through the insect's skin, and are referred to as Contact Poisons. Some of them are:

### Kerosene Emulsion.

Hard Soap .....	1/2 pound
Boiling Water .....	1 gallon
Kerosene .....	2 gallons

Dissolve the soap in the water, add the kerosene, and churn well with soap for 5 to 10 minutes. Dilute 10 to 15 times before applying.

**FOURTH.** Insects that bore into the tree or plant are retarded or injured by having Tanglefoot put in their way or Fish-Oil Soap or Whale-Oil Soap smeared or washed upon the plant's trunk.

Frequently some combinations of the above Fungicides and Insecticides may be made with advantage, as Bordeaux with Arsenate of Lead, or Kerosene Emulsion with Paris Green. Again, in advertised articles upon the market are found some very superior combinations, one of which we list below.



Applying Corona Mixture

### GARDEN PESTS AND THEIR CONTROL

The suburban dweller, the diversified farmer, and the owner of the small country place have always been seriously handicapped in their efforts to combat insect pests, which so often injure or destroy the foliage and fruit of the various plants they attempt to grow.

Experts have realized for a long time that the only method for the protection of the small fruit raiser and home gardener, was a universal insect destroyer—some preparation which would be exceedingly simple to handle, and which would control as many as possible of the insects which infest all manner of growing plants.

### "CORONA DRY" SOLVES YOUR PROBLEM

This product is the result of many years experiment and trial in all parts of the country. It solves the problem of controlling almost all leaf-eating insects, in a particularly efficient manner.

## USEFUL INFORMATION

## LEGAL WEIGHTS &amp; MEASURES—Pounds per Bushel

ARTICLES	Ills.	Iowa	Wis.	Mich.	Ind.	Mo.	N. Y.	Ohio
Apples, Dried	24	24	28	22	25	24	22	22
Apples, Green	50	57	—	—	—	—	—	—
Bran	20	20	20	20	20	20	20	20
Barley	48	48	48	48	48	48	48	48
Beans, White	60	60	60	60	60	60	60	60
Beans, Castor	46	46	46	46	46	46	46	46
Buckwheat	52	52	50	48	52	50	48	50
Broom Corn Seed	46	46	46	46	46	46	46	30
Beets	60	50	—	—	—	56	—	—
Carrots	55	50	—	—	50	50	—	—
Charcoal	22	22	22	22	22	22	22	—
Coal, Stone	80	80	—	—	80	80	—	—
Coke	40	38	—	—	—	40	—	—
Corn, Shelled	56	56	56	56	56	56	56	56
Corn, Ear	70	70	70	70	68	70	68	68
Corn Meal	48	48	48	50	50	50	50	50
Cranberries	33	—	40	33	—	—	—	—
Dried Peaches	23	23	28	28	33	33	32	33
Flax Seed	56	56	56	56	56	56	56	56
Grass Seed, Blue	14	14	14	14	14	15	15	10
Grass Seed, Clover	60	60	60	60	60	60	60	60
Grass Seed, Hungarian	48	48	48	50	48	48	50	50
Grass Seed, Millet	50	48	50	50	50	50	50	50
Grass Seed, Orchard	14	14	—	14	14	14	14	14
Grass Seed, Red Top	14	14	14	14	14	14	14	14
Grass Seed, Timothy	45	45	45	45	45	45	44	45
German Lupine	60	—	—	—	—	—	—	—
Hemp Seed	44	44	44	44	44	44	44	44
Hickory Nuts	50	—	—	—	—	—	—	—
Malt, Barley	38	36	34	38	38	34	34	—
Mineral Coal	40	—	—	70	—	—	—	—
Middlings, Fine	40	—	—	40	—	—	—	—
Middlings, Coarse	30	—	—	30	—	—	—	—
Oats	32	32	32	32	32	32	32	32
Onions	57	57	57	54	48	57	57	50
Onions, Tops	28	28	28	28	28	28	25	—
Onions, Sets	32	—	—	—	—	—	—	—
Osage Orange	33	—	—	—	—	—	—	—
Parsnips	53	—	—	55	54	—	—	—
Potatoes	60	60	60	60	60	60	60	60
Potatoes, Sweet	50	46	55	56	55	56	55	55
Peas, Dried	60	60	60	60	60	60	60	60
Peas, in Pods	32	—	—	—	—	—	—	—
Popcorn	70	—	—	70	—	—	—	—
Quicklime	80	80	80	80	80	80	80	80
Rye	56	56	56	56	56	56	56	56
Salt, Coarse	50	50	50	50	50	50	50	50
Salt, Fine	55	50	56	56	50	56	50	56
Turnips, Rutabaga	55	55	56	58	55	50	55	60
Turnips, White	—	—	42	—	42	—	—	—
Wheat	60	60	60	60	60	60	60	60

**Dry Measure.** 2 pints, 1 quart; 8 quarts, 1 peck; 4 pecks' 1 bushel; 36 bushels, 1 chaldron.

**Liquid Measure.** 4 gills, 1 pint; 2 pints, 1 quart; 4 quarts, 1 gallon; 31½ gallons, 1 barrel; 2 barrels, 1 hogshead.

**Measurements of an Acre.** The following will be found useful in arriving at accuracy in estimating the amount of land in different pieces of ground under cultivation: 5 yards wide by 963 yards long, contains one acre, as do also the following measurements: 10 yards wide by 484 yards long; 20 yards wide by 242 yards long; 40 yards wide by 121 yards long; 70 yards wide by 69½ yards long; 60 feet wide by 726 feet long; 110 feet wide by 396 feet long; 120 feet wide by 363 feet long; 220 feet wide by 198 feet long; 240 feet wide by 181½ feet long, and 440 feet wide by 99 feet long.

## Number of Plants or Trees to the Acre at Given Distances


Dis. Apart	No. Plants	Dis. Apart	No. Plants
12x 1 in.	522,720	36x36 in.	4,480
12x 3 in.	174,240	42x12 in.	12,446
12x12 in.	43,560	42x24 in.	6,223
16x 1 in.	392,040	42x36 in.	4,148
18x 1 in.	348,480	48x12 in.	10,890
18x 3 in.	116,160	48x18 in.	7,790
18x12 in.	29,040	48x24 in.	5,445
18x18 in.	19,360	48x30 in.	4,356
20x 1 in.	313,635	48x36 in.	3,630
20x20 in.	15,681	48x48 in.	2,723
24x 1 in.	261,360	60x36 in.	2,901
24x18 in.	15,520	60x48 in.	2,178
24x24 in.	10,890	60x60 in.	1,743
30x 1 in.	209,088	8x 1 ft.	5,445
30x 6 in.	34,848	8x 3 ft.	1,815
30x12 in.	17,424	8x 8 ft.	680
30x16 in.	13,068	10x 1 ft.	4,356
30x20 in.	10,454	10x 6 ft.	726
30x24 in.	8,712	10x10 ft.	435
30x30 in.	6,970	12x 1 ft.	3,630
36x 3 in.	58,080	12x 5 ft.	736
36x12 in.	14,520	12x12 ft.	302
36x18 in.	9,680	16x 1 ft.	2,722
36x24 in.	7,260	16x16 ft.	170

## REFERENCE TABLES

## Quantity of Seeds Requisite to Produce a Given Number of Plants and Sow an Acre

	Quantity per Acre
Artichoke, 1 oz. to 500 plants.	6 oz.
Asparagus, 1 oz. to 800 plants.	1 lb.
Asparagus Roots.	1000 to 7250
Barley.	2½ bu.
Beans, Dwarf, 1 pint to 100 ft. of drill.	1 bu.
Beans, pole, 1 pint to 100 hills.	½ bu.
Beet, Garden, 1 oz. to 100 ft. of drill.	7 lbs.
Beet, Mangold, 1 oz. to 100 ft. of drill.	5 lbs.
Broccoli, 1 oz. to 5,000 plants.	2 oz.
Brussels Sprouts, 1 oz. to 5,000 plants.	2 oz.
Buckwheat.	½ bu.
Cabbage, 1 oz. to 3,000 plants.	2 oz.
Carrot, ¼ oz. to 100 ft. of drill.	2½ lbs.
Cauliflower, 1 oz. to 3,000 plants.	2½ oz.
Celery, 1 oz. to 15,000 plants.	2 oz.
Chicory.	4 lbs.
Clover, Alsike and White Dutch.	6 lbs.
Clover, Lucerne.	15 to 25 lbs.
Clover, Crimson Trefoil.	10 to 15 lbs.
Clover, Large Red and Medium.	8 to 12 oz.
Collards, 1 oz. to 5,000 plants.	2 oz.
Corn, Rice (Shelled).	2 qts.
Corn, Sweet, ¾ pint to 100 hills.	6 qts.
Cress, ¾ oz. to 100 ft. of drill.	12 lbs.
Cucumber, 1 oz. to 100 hills.	1 to 3 lbs.
Egg Plant, 1 oz. to 2,000 plants.	4 oz.
Endive, ¼ oz. to 100 ft. of drill.	4½ lbs.
Flax, broadcast.	½ bu.
Garlic, Bulbs, 1 lb. to 10 ft. of drill.	bu.
Grass, Blue, Kentucky.	2 bu.
Grass, Blue, English.	1 bu.
Grass, Hungarian and Millet.	½ bu.
Grass, Mixed Lawn.	3 to 5 bu.
Grass, Red Top, Fancy, Clean.	8 to 10 lbs.
Grass, Red Top, Chaff Seed.	20 to 28 lbs.
Grass, Timothy.	¼ bu.
Grass, Orchard, Perennial Rye, Fowl Meadow and Wood Meadow.	2 bu.
Hemp.	½ bu.
Horse-Radish Roots.	10,000 to 15,000
Kale, 1 oz. to 5,000 plants.	2 oz.
Kohlrabi, ½ oz. to 100 ft. of drill.	4 lbs.
Leek, ½ oz. to 100 ft. of drill.	4 lbs.
Lettuce, ¼ oz. to 100 ft. of drill.	3 lbs.
Martynia, 1 oz. to 100 ft. of drill.	5 lbs.
Melon, Musk, 1 oz. to 100 hills.	1 to 3 lbs.
Melon, Water, 4 oz. to 100 hills.	1½ to 4 lbs.
Nasturtium, 2 oz. to 100 ft. of drill.	15 lbs.
Okra, 1 oz. to 100 ft. of drill.	8 lbs.
Onion Seed, ½ oz. to 100 ft. of drill.	4 to 5 lbs.
Onion Seed for sets.	40 to 80 lbs.
Onion Sets, 1 quart to 40 ft. of drill.	8 bu.
Parsnip, ¼ oz. to 100 ft. of drill.	3 lbs.
Parsley, Garden, 1 pint to 100 ft. of drill.	1 to 3 bu.
Peas, Field.	2 bu.
Pepper, 1 oz. to 1,500 plants.	3 oz.
Pumpkin, ½ quart to 100 hills.	3 to 4 lbs.
Radish, ½ oz. to 100 ft. of drill.	10 to 12 lbs.
Rye.	1½ bu.
Salsify, ¼ oz. to 100 ft. of drill.	8 lbs.
Spinach, ½ oz. to 100 ft. of drill.	8 lbs.
Summer Savory.	¾ lb.
Sunflower.	8 lbs.
Squash, Summer, 4 oz. to 100 hills.	2 lbs.
Squash, Winter, 8 oz. to 100 hills.	2 lbs.
Tomato, 1 oz. to 4,500 plants.	2 oz.
Tobacco, 1 oz. to 5,000 plants.	2 oz.
Turnip, 1 oz. to 250 ft. of drill.	1 to 3 lbs.
Vetches.	bu.
Average Time Required for Garden Seeds to Germinate	Days
Bean.	5 to 10
Beet.	7 to 10
Cabbage.	5 to 10
Carrot.	12 to 18
Cauliflower.	5 to 10
Celery.	10 to 20
Corn.	5 to 8
Cucumber.	6 to 10
Endive.	5 to 10
Lettuce.	6 to 8
Onion.	7 to 10
Pea.	6 to 10
Parsnip.	10 to 20
Pepper.	9 to 14
Radish.	3 to 6
Salsify.	7 to 12
Tomato.	6 to 12
Turnip.	4 to 8
Time Required for Maturity of Different Garden Crops Reckoned from the Day of Sowing the Seed	Days
Beans, String.	45 to 65
Beans, Shell.	65 to 70
Beets, Turnip.	65
Beets, Long Blood.	150
Cabbage, Early.	105
Cabbage, Late.	150
Cauliflower.	110
Corn.	75
Eggplant.	150 to 160
Lettuce.	65
Melon, Musk.	120 to 140
Melon, Water.	120 to 140
Onion.	135 to 150
Pepper.	140 to 150
Radish.	30 to 45
Squash, Summer.	60 to 65
Corn.	125
Tomato.	150
Turnip.	60 to 70

# ONION SETS



RED

WHITE

YELLOW

**Onion Sets.** Should be planted as early in the spring as convenient, to obtain early green onions, but they may be set at any time up to June 1st. Set in rows a foot apart and three to four inches between them in the row. Any good soil will suit them. When grown in quantity, high cultivation is given in order to forward the crop for an early market. They are ready for use as soon as the bulbs begin to be of fair size. Those not used in green condition will ripen early in July and make nice Onions. Potato and top onions are grown from bulbs only, growing in clusters. These clusters are separated and the smaller ones kept for seed. There is no crop which pays better than the first load or so of green onions in the market. Onion Sets will make this crop for you. Why not grasp the opportunity offered. Our Sets are carefully grown and choice; they will give the largest returns for the money invested if the product is sold, or excellent green onions for home use at a time when a fresh green vegetable is needed.

The varieties of Onion Sets are:

Yellow Bottom Sets  
Red Bottom Sets  
White Bottom Sets

Yellow Multipliers  
White Multipliers  
Potato Onions

Shallots  
Winter Top Sets  
Genuine Top Sets

## PLANT ONION SEED AND ONION SETS

Grow More Onions

Eat More Onions

Add Years to Your Life

During the recent epidemic of influenza that has swept over the country, some of the doctors and health authorities, particularly in large cities, have been urging their patients to **Eat Onions**, claiming they are full of live-giving properties and, if eaten frequently, keep the system cleaned out and act as a preventive of disease.

It is claimed that in New York, Chicago and other large cities, Health Inspectors reported that in certain badly crowded sections, where the people were of a nationality addicted to the use of Onions and garlic, there were less colds and influenza than in other localities.

A quart of Onion Sets will plant a 20-foot row. Several quarts planted as soon as the frost is out of the ground will make green onions to eat much earlier than the seed and if they are not all eaten green, will grow rapidly and can be used later as large onions. The right way to do is to plant plenty of Onion Sets early in the Spring and plant a row each week for several weeks and you will have tender, crisp, young green Onions to eat until quite late. You can also plant Onion Seed to make a good crop of Late Keeping Onions for Fall and Winter use.

Onions require rich, loose ground, should be weeded and cultivated frequently and will yield very large crops on good, well-manured ground and are very easy to grow and harvest. Any amateur gardener should have good success growing Onions and they are also a very profitable crop to raise for the local market or to sell your neighbors, either pulled and bunched early as green Onions or harvested later as large, dry Onions.

**IF IT'S  
SUPPLIES**

**For Baby Chicks or Laying Hens**

**WE HAVE  
THEM**

**12 Pearl St.**

**UTICA, N. Y.**

**IT'S THE PLACE  
To Buy Your Garden Supplies**

**SO CALL THAT 1127W Phone**